abcam

Product datasheet

APC Anti-Neuropilin 1 antibody [01] ab275623

1 Image

Overview

Product name APC Anti-Neuropilin 1 antibody [01]

Description APC Mouse monoclonal [01] to Neuropilin 1

Host species Mouse

Conjugation APC. Ex: 645nm, Em: 660nm

Tested applications Suitable for: Flow Cyt

Species reactivity Reacts with: Human

Immunogen Recombinant full length protein (His-tag) corresponding to Human Neuropilin 1 aa 1-644 (C

terminal). Isoform B
Database link: **Q14786**

Positive control Flow Cyt: HUVEC cells.

General notes

The Life Science industry has been in the grips of a reproducibility crisis for a number of years.

Abcam is leading the way in addressing this with our range of recombinant monoclonal antibodies and knockout edited cell lines for gold-standard validation. Please check that this product meets

your needs before purchasing.

If you have any questions, special requirements or concerns, please send us an inquiry and/or contact our Support team ahead of purchase. Recommended alternatives for this product can be

found below, along with publications, customer reviews and Q&As

Properties

Form Liquid

Storage instructions Shipped at 4°C. Store at +4°C. Do Not Freeze. Store In the Dark.

Storage buffer Preservative: 0.09% Sodium azide

Constituent: 0.5% BSA

Purity Protein A purified

Clonality Monoclonal

Clone number 01
Isotype IgG1

The Abpromise guarantee

Our Abpromise quarantee covers the use of ab275623 in the following tested applications.

The application notes include recommended starting dilutions; optimal dilutions/concentrations should be determined by the end user.

Application	Abreviews	Notes
Flow Cyt		Use at an assay dependent concentration. 10 µL/Test

Target

Function

The membrane-bound isoform 1 is a receptor involved in the development of the cardiovascular system, in angiogenesis, in the formation of certain neuronal circuits and in organogenesis outside the nervous system. It mediates the chemorepulsant activity of semaphorins. It binds to semaphorin 3A, The PLGF-2 isoform of PGF, The VEGF-165 isoform of VEGF and VEGF-B. Coexpression with KDR results in increased VEGF-165 binding to KDR as well as increased chemotaxis. It may regulate VEGF-induced angiogenesis.

The soluble isoform 2 binds VEGF-165 and appears to inhibit its binding to cells. It may also induce apoptosis by sequestering VEGF-165. May bind as well various members of the semaphorin family. Its expression has an averse effect on blood vessel number and integrity.

Tissue specificity

The expression of isoforms 1 and 2 does not seem to overlap. Isoform 1 is expressed by the blood vessels of different tissues. In the developing embryo it is found predominantly in the nervous system. In adult tissues, it is highly expressed in heart and placenta; moderately in lung, liver, skeletal muscle, kidney and pancreas; and low in adult brain. Isoform 2 is found in liver hepatocytes, kidney distal and proximal tubules.


Sequence similarities

Belongs to the neuropilin family.
Contains 2 CUB domains.
Contains 2 F5/8 type C domains.
Contains 1 MAM domain.

Cellular localization

Secreted and Cell membrane.

Images



Flow cytometric analysis of HUVEC (human umbilical vein endothelial cell line) cells labeling Neuropilin 1 with ab275623 (Black) compared with an isotype control (Grey).

Please note: All products are "FOR RESEARCH USE ONLY. NOT FOR USE IN DIAGNOSTIC PROCEDURES"

Our Abpromise to you: Quality guaranteed and expert technical support

- Replacement or refund for products not performing as stated on the datasheet
- · Valid for 12 months from date of delivery
- Response to your inquiry within 24 hours
- We provide support in Chinese, English, French, German, Japanese and Spanish
- Extensive multi-media technical resources to help you
- · We investigate all quality concerns to ensure our products perform to the highest standards

If the product does not perform as described on this datasheet, we will offer a refund or replacement. For full details of the Abpromise, please visit https://www.abcam.com/abpromise or contact our technical team.

Terms and conditions

· Guarantee only valid for products bought direct from Abcam or one of our authorized distributors