



Anti-Asef2 antibody ab122627

[1 References](#) [2 Images](#)

Overview

Product name	Anti-Asef2 antibody
Description	Rabbit polyclonal to Asef2
Host species	Rabbit
Tested applications	Suitable for: IHC-P, ICC/IF
Species reactivity	Reacts with: Human
Immunogen	Recombinant fragment corresponding to Human Asef2 aa 172-281 (internal sequence). Sequence: ALRPAEWGTLDGSDLEDTDDAFQRSTHRSLRRAYGLG RICLLDAPQNH ATPTIATGQVPAVCEILVRDPENNSMGYRRSKSTDNLAF KKSSFKRKST SNLADLRTAH  Run BLAST with  Run BLAST with
Positive control	Human duodenum tissue; U 251 MG cells.
General notes	<p>The Life Science industry has been in the grips of a reproducibility crisis for a number of years. Abcam is leading the way in addressing this with our range of recombinant monoclonal antibodies and knockout edited cell lines for gold-standard validation. Please check that this product meets your needs before purchasing.</p> <p>If you have any questions, special requirements or concerns, please send us an inquiry and/or contact our Support team ahead of purchase. Recommended alternatives for this product can be found below, along with publications, customer reviews and Q&As</p>

Properties

Form	Liquid
Storage instructions	Shipped at 4°C. Store at -20°C or -80°C. Avoid freeze / thaw cycle. Store undiluted.
Storage buffer	pH: 7.20 Preservative: 0.02% Sodium azide Constituents: 59% PBS, 40% Glycerol (glycerin, glycerine)
Purity	Immunogen affinity purified
Clonality	Polyclonal
Isotype	IgG

Applications

The Abpromise guarantee Our **Abpromise guarantee** covers the use of ab122627 in the following tested applications.


The application notes include recommended starting dilutions; optimal dilutions/concentrations should be determined by the end user.

Application	Abreviews	Notes
IHC-P		1/200 - 1/500. Perform heat mediated antigen retrieval with citrate buffer pH 6 before commencing with IHC staining protocol.
ICC/IF		Use a concentration of 0.25 - 2 µg/ml.

Target


Function	Acts as guanine nucleotide exchange factor (GEF) for RHOA, RAC1 and CDC42 GTPases. Regulates cell migration and adhesion assembly and disassembly through a RAC1, PI3K, RHOA and AKT1-dependent mechanism. Increases both RAC1 and CDC42 activity, but decreases the amount of active RHOA. Required for MMP9 up-regulation via the JNK signaling pathway in colorectal tumor cells. Involved in tumor angiogenesis and may play a role in intestinal adenoma formation and tumor progression.
Tissue specificity	Expressed at high levels in the placenta, spleen and kidney, at moderate levels in lung, small intestine, liver, brain and heart, and at low levels in skeletal muscle. Expression is aberrantly enhanced in most colorectal tumors.
Sequence similarities	Contains 1 DH (DBL-homology) domain. Contains 1 PH domain. Contains 1 SH3 domain.
Domain	The C-terminal tail is required for its GEF activity.
Cellular localization	Cytoplasm. Cell projection > filopodium. Cell projection > lamellipodium. Cell projection > ruffle membrane. Accumulates in the lamellipodium and ruffle membrane in response to hepatocyte growth factor (HGF) treatment.

Images



ab122627 at 1/200 dilution staining Asef2 in paraffin-embedded Human duodenum tissue by Immunohistochemistry.

Immunohistochemistry (Formalin/PFA-fixed paraffin-embedded sections) - Anti-Asef2 antibody (ab122627)



ab122627 at 4 µg/ml staining Asef2 in PFA/Triton X-100 fixed/permeabilized U 251 MG cells by Immunofluorescence (green).

Immunocytochemistry/ Immunofluorescence - Anti-Asef2 antibody (ab122627)

Please note: All products are "FOR RESEARCH USE ONLY. NOT FOR USE IN DIAGNOSTIC PROCEDURES"

Our Abpromise to you: Quality guaranteed and expert technical support

- Replacement or refund for products not performing as stated on the datasheet
- Valid for 12 months from date of delivery
- Response to your inquiry within 24 hours
- We provide support in Chinese, English, French, German, Japanese and Spanish
- Extensive multi-media technical resources to help you
- We investigate all quality concerns to ensure our products perform to the highest standards

If the product does not perform as described on this datasheet, we will offer a refund or replacement. For full details of the Abpromise, please visit <https://www.abcam.com/abpromise> or contact our technical team.

Terms and conditions

- Guarantee only valid for products bought direct from Abcam or one of our authorized distributors