

Biotin Anti-DNA/RNA Damage antibody [15A3] ab183395

1 References

Overview

Product name	Biotin Anti-DNA/RNA Damage antibody [15A3]
Description	Biotin Mouse monoclonal [15A3] to DNA/RNA Damage
Host species	Mouse
Conjugation	Biotin
Specificity	15A3 binds with high specificity and affinity to oxo8dG (8-hydroxy-2'-deoxyguanosine), oxo8Gua (8-oxo-7,8-dihydroguanine), and oxo8G (8-oxo-7,8-dihydroguanosine) present in biological fluids with Kaff values of $9.2 \times 10^8 \text{ M}^{-1}$, $4.7 \times 10^7 \text{ M}^{-1}$, and $2.1 \times 10^8 \text{ M}^{-1}$, respectively.
Tested applications	Suitable for: IHC-Fr, IHC-P, ICC
Species reactivity	Reacts with: Species independent
Immunogen	Chemical/ Small Molecule corresponding to DNA/RNA Damage. 8-hydroxy-guanosine-BSA and -casein conjugates.
General notes	<p>The Life Science industry has been in the grips of a reproducibility crisis for a number of years. Abcam is leading the way in addressing this with our range of recombinant monoclonal antibodies and knockout edited cell lines for gold-standard validation. Please check that this product meets your needs before purchasing.</p> <p>If you have any questions, special requirements or concerns, please send us an inquiry and/or contact our Support team ahead of purchase. Recommended alternatives for this product can be found below, along with publications, customer reviews and Q&As</p>

Properties

Form	Liquid
Storage instructions	Shipped at 4°C. Store at +4°C short term (1-2 weeks). Upon delivery aliquot. Store at -20°C long term. Avoid freeze / thaw cycle. Store In the Dark.
Storage buffer	Preservative: 0.09% Sodium azide Constituents: PBS, 50% Glycerol (glycerin, glycerine)
Purity	Protein G purified
Clonality	Monoclonal
Clone number	15A3

Applications

The Abpromise guarantee

Our **Abpromise guarantee** covers the use of ab183395 in the following tested applications.

The application notes include recommended starting dilutions; optimal dilutions/concentrations should be determined by the end user.

Application	Abreviews	Notes
IHC-Fr		Use at an assay dependent concentration.
IHC-P		Use at an assay dependent concentration.
ICC		Use at an assay dependent concentration.

Target

Relevance

In intact animals, lesions (adducts) excised from DNA are transported from the cell through the circulation and excreted in urine. In bacteria, DNA adducts are excreted directly into the medium. In either case, the adducts can be assayed as a measure of oxidative damage to DNA. In particular, Oxo-8-dG (8-Oxo-7,8-dihydro-2'-deoxyguanosine) serves as an excellent marker for DNA damage produced by oxidants because it represents one of the major products generated by a wide array of treatments associated with oxidant damage such as that produced by irradiation and various carcinogens and because it is implicated in spontaneous transversion mutagenesis. Oxo-8-Gua (8-oxo-7,8-dihydroguanine) is one of the most common DNA lesions resulting from reactive oxygen species and can result in a mismatched pairing with adenine resulting in G to T and C to A substitutions in the genome. In humans, it is primarily repaired by DNA glycosylase OGG1. It can be caused by ionizing radiation, in connection with oxidative metabolism. Oxo-8-G (8-oxo-7,8-dihydroguanosine) is classified as an oxidized ribonucleotide, and is primarily used in studies of oxidative RNA damage and associated RNA repair and RNA turnover mechanisms within the cell. In the cell, Oxo-8-G RNA lesions are formed by reaction with reactive oxygen species (ROS) generated either via normal oxidative metabolic processes, UV ionizing radiation, or exposure to oxidative agents. Oxidative RNA damage can lead to defects in protein synthesis, for example, decreased rates of protein synthesis and production of aggregated or truncated peptides, with important implications in aging and neurodegenerative disorders and atherosclerosis.

Please note: All products are "FOR RESEARCH USE ONLY. NOT FOR USE IN DIAGNOSTIC PROCEDURES"

Our Abpromise to you: Quality guaranteed and expert technical support

- Replacement or refund for products not performing as stated on the datasheet
- Valid for 12 months from date of delivery
- Response to your inquiry within 24 hours
- We provide support in Chinese, English, French, German, Japanese and Spanish
- Extensive multi-media technical resources to help you

- We investigate all quality concerns to ensure our products perform to the highest standards

If the product does not perform as described on this datasheet, we will offer a refund or replacement. For full details of the Abpromise, please visit <https://www.abcam.com/abpromise> or contact our technical team.

Terms and conditions

- Guarantee only valid for products bought direct from Abcam or one of our authorized distributors