


Product datasheet

Biotin Anti-NeuN antibody [EPR12763] ab204681

Recombinant RabMAb

[1 References](#) [4 Images](#)

Overview

Product name	Biotin Anti-NeuN antibody [EPR12763]
Description	Biotin Rabbit monoclonal [EPR12763] to NeuN
Host species	Rabbit
Conjugation	Biotin
Tested applications	Suitable for: IHC-P
Species reactivity	Reacts with: Mouse, Rat, Human Predicted to work with: Sheep, Goat, Cat, Dog, Zebrafish, Common marmoset 
Immunogen	Synthetic peptide within Human NeuN aa 1-100 (Cysteine residue). The exact sequence is proprietary. Database link: A6NFN3
Positive control	IHC-P: FFPE human, mouse and rat cerebellum (normal) tissue sections.
General notes	This product is a recombinant monoclonal antibody, which offers several advantages including: <ul style="list-style-type: none"> - High batch-to-batch consistency and reproducibility - Improved sensitivity and specificity - Long-term security of supply - Animal-free production For more information see here . Our RabMAb [®] technology is a patented hybridoma-based technology for making rabbit monoclonal antibodies. For details on our patents, please refer to RabMAb[®] patents .

Properties

Form	Liquid
Storage instructions	Shipped at 4°C. Store at +4°C short term (1-2 weeks). Upon delivery aliquot. Store at -20°C. Avoid freeze / thaw cycle. Store In the Dark.
Storage buffer	pH: 7.40 Preservative: 0.02% Sodium azide Constituents: PBS, 1% BSA, 30% Glycerol (glycerin, glycerine)
Purity	Protein A purified

Clonality	Monoclonal
Clone number	EPR12763
Isotype	IgG

Applications


The Abpromise guarantee Our **Abpromise guarantee** covers the use of ab204681 in the following tested applications. The application notes include recommended starting dilutions; optimal dilutions/concentrations should be determined by the end user.

Application	Abreviews	Notes
IHC-P		1/50 - 1/100. Perform heat mediated antigen retrieval with citrate buffer pH 6 before commencing with IHC staining protocol.

Target

Function	RNA-binding protein that regulates alternative splicing events.
Sequence similarities	Contains 1 RRM (RNA recognition motif) domain.
Cellular localization	Nucleus. Cytoplasm.


Images



IHC image of NeuN staining in a section of formalin-fixed paraffin-embedded normal rat cerebellum, performed on a Leica BOND™. The section was pre-treated using heat mediated antigen retrieval with sodium citrate buffer (pH6, epitope retrieval solution 1) for 20mins, before blocking of endogenous biotin using **ab64212**. The section was then incubated with ab204681, 1/100 dilution, for 15 mins at room temperature and detected using an HRP conjugated ABC system. DAB was used as the chromogen. The section was then counterstained with haematoxylin and mounted with DPX. The inset negative control image is taken from an identical assay without primary antibody.

Immunohistochemistry (Formalin/PFA-fixed paraffin-embedded sections) - Biotin Anti-NeuN antibody [EPR12763] (ab204681)


For other IHC staining systems (automated and non-automated) customers should optimize variable parameters such as antigen retrieval conditions, primary antibody concentration and antibody incubation times.



Immunohistochemistry (Formalin/PFA-fixed paraffin-embedded sections) - Biotin Anti-NeuN antibody [EPR12763] (ab204681)

IHC image of NeuN staining in a section of formalin-fixed paraffin-embedded normal mouse cerebellum, performed on a Leica BOND™. The section was pre-treated using heat mediated antigen retrieval with sodium citrate buffer (pH6, epitope retrieval solution 1) for 20mins, before blocking of endogenous biotin using **ab64212**. The section was then incubated with ab204681, 1/100 dilution, for 15 mins at room temperature and detected using an HRP conjugated ABC system. DAB was used as the chromogen. The section was then counterstained with haematoxylin and mounted with DPX. The inset negative control image is taken from an identical assay without primary antibody.

For other IHC staining systems (automated and non-automated) customers should optimize variable parameters such as antigen retrieval conditions, primary antibody concentration and antibody incubation times.




Immunohistochemistry (Formalin/PFA-fixed paraffin-embedded sections) - Biotin Anti-NeuN antibody [EPR12763] (ab204681)

IHC image of NeuN staining in a section of formalin-fixed paraffin-embedded human cerebellum (normal), performed on a Leica Bond™ system using the standard protocol B. The section was pre-treated using heat mediated antigen retrieval with sodium citrate buffer (pH6, epitope retrieval solution 1) for 20 mins, before blocking of endogenous biotin. The section was then incubated with ab204681, 1/100 dilution, for 15 mins at room temperature and detected using an HRP conjugated ABC system. DAB was used as the chromogen. The section was then counterstained with haematoxylin and mounted with DPX. The inset negative control image is taken from an identical assay without primary antibody.

For other IHC staining systems (automated and non-automated) customers should optimize variable parameters such as antigen retrieval conditions, primary antibody concentration and antibody incubation times.

Why choose a recombinant antibody?



Research with confidence
Consistent and reproducible results

Long-term and scalable supply
Recombinant technology

Success from the first experiment
Confirmed specificity

Ethical standards compliant
Animal-free production

Biotin Anti-NeuN antibody [EPR12763] (ab204681)

Please note: All products are "FOR RESEARCH USE ONLY. NOT FOR USE IN DIAGNOSTIC PROCEDURES"

Our Abpromise to you: Quality guaranteed and expert technical support

- Replacement or refund for products not performing as stated on the datasheet
- Valid for 12 months from date of delivery
- Response to your inquiry within 24 hours
- We provide support in Chinese, English, French, German, Japanese and Spanish
- Extensive multi-media technical resources to help you
- We investigate all quality concerns to ensure our products perform to the highest standards

If the product does not perform as described on this datasheet, we will offer a refund or replacement. For full details of the Abpromise, please visit <https://www.abcam.com/abpromise> or contact our technical team.

Terms and conditions

- Guarantee only valid for products bought direct from Abcam or one of our authorized distributors