abcam

Product datasheet

Anti-CD1b antibody ab96329

1 Image

Overview

Product name Anti-CD1b antibody

Description Rabbit polyclonal to CD1b

Host species Rabbit

Tested applications Suitable for: WB

Species reactivity Reacts with: Human

Predicted to work with: Monkey

Immunogen Recombinant fragment, corresponding to a region within amino acids 61-258 of Human CD1b

(NP_001755).

Positive control H1299 whole cell lysates; 293T, A431, HeLa, HepG2, MOLT4 and Raji cell lysates.

General notesThe Life Science industry has been in the grips of a reproducibility crisis for a number of years.

Abcam is leading the way in addressing this with our range of recombinant monoclonal antibodies and knockout edited cell lines for gold-standard validation. Please check that this product meets

your needs before purchasing.

If you have any questions, special requirements or concerns, please send us an inquiry and/or contact our Support team ahead of purchase. Recommended alternatives for this product can be

found below, along with publications, customer reviews and Q&As

Properties

Form Liquid

Storage instructions Shipped at 4°C. Upon delivery aliquot and store at -20°C or -80°C. Avoid repeated freeze / thaw

cycles.

Storage buffer pH: 7.00

Preservative: 0.01% Thimerosal (merthiolate)

Constituents: 1.21% Tris, 0.75% Glycine, 10% Glycerol (glycerin, glycerine)

Purity Immunogen affinity purified

Clonality Polyclonal

Isotype IgG

Applications

1

The Abpromise guarantee

Our **Abpromise guarantee** covers the use of ab96329 in the following tested applications.


The application notes include recommended starting dilutions; optimal dilutions/concentrations should be determined by the end user.

Application	Abreviews	Notes
WB		1/500 - 1/3000. Predicted molecular weight: 37 kDa.

Target

Function	Antigen-presenting protein that binds self and non-self lipid and glycolipid antigens and presents them to T-cell receptors on natural killer T-cells.	
Tissue specificity	Expressed on cortical thymocytes, on certain T-cell leukemias, and in various other tissues.	
Sequence similarities	Contains 1 lg-like (immunoglobulin-like) domain.	
Cellular localization	Cell membrane. Endosome membrane. Lysosome membrane. Subject to intracellular trafficking between the cell membrane, endosomes and lysosomes. Localizes to cell surface lipid rafts.	

Images



Anti-CD1b antibody (ab96329) at 1/1000 dilution + H1299 whole cell lysate at 30 μg

Predicted band size: 37 kDa

10% SDS PAGE

Please note: All products are "FOR RESEARCH USE ONLY. NOT FOR USE IN DIAGNOSTIC PROCEDURES"

Our Abpromise to you: Quality guaranteed and expert technical support

- Replacement or refund for products not performing as stated on the datasheet
- Valid for 12 months from date of delivery
- Response to your inquiry within 24 hours
- We provide support in Chinese, English, French, German, Japanese and Spanish
- Extensive multi-media technical resources to help you
- We investigate all quality concerns to ensure our products perform to the highest standards

If the product does not perform as described on this datasheet, we will offer a refund or replacement. For full details of the Abpromise, please visit https://www.abcam.com/abpromise or contact our technical team.

Terms and conditions

• Guarantee only valid for products bought direct from Abcam or one of our authorized distributors