


Product datasheet

Anti-CD3 antibody [SP162] - BSA and Azide free ab245731

Recombinant RabMAb

★★★★★ [3 Abreviews](#) [1 References](#) [7 Images](#)

Overview

Product name	Anti-CD3 antibody [SP162] - BSA and Azide free
Description	Rabbit monoclonal [SP162] to CD3 - BSA and Azide free
Host species	Rabbit
Tested applications	Suitable for: ICC/IF, Flow Cyt (Intra), IHC-P, WB
Species reactivity	Reacts with: Mouse, Human Predicted to work with: Rat, Rabbit, Chicken, Cow, Dog, Pig 
Immunogen	Synthetic peptide. This information is proprietary to Abcam and/or its suppliers.
Positive control	IHC-P: Human tonsil tissue. Flow Cyt (intra): Jurkat and Mouse Splenocyte cells WB: Jurkat whole cell lysate (ab7899). ICC/IF: Jurkat and EL4.IL-2 cells
General notes	ab245731 is the carrier-free version of ab135372 .

Our **carrier-free** antibodies are typically supplied in a PBS-only formulation, purified and free of BSA, sodium azide and glycerol. The carrier-free buffer and high concentration allow for increased conjugation efficiency.

This conjugation-ready format is designed for use with fluorochromes, metal isotopes, oligonucleotides, and enzymes, which makes them ideal for antibody labelling, functional and cell-based assays, flow-based assays (e.g. mass cytometry) and Multiplex Imaging applications.

Use our **conjugation kits** for antibody conjugates that are ready-to-use in as little as 20 minutes with <1 minute hands-on-time and 100% antibody recovery: available for fluorescent dyes, HRP, biotin and gold.

This product is compatible with the Maxpar[®] Antibody Labeling Kit from Fluidigm, without the need for antibody preparation. Maxpar[®] is a trademark of Fluidigm Canada Inc.

This product is a recombinant monoclonal antibody, which offers several advantages including:

- High batch-to-batch consistency and reproducibility
- Improved sensitivity and specificity
- Long-term security of supply
- Animal-free production

For more information [see here](#).

Our RabMAb[®] technology is a patented hybridoma-based technology for making rabbit

monoclonal antibodies. For details on our patents, please refer to [RabMAb® patents](#).

This product is FOR RESEARCH USE ONLY. For commercial use, please contact partnerships@abcam.com.

Properties


Form	Liquid
Storage instructions	Shipped at 4°C. Store at +4°C. Do Not Freeze.
Storage buffer	pH: 7.20 Constituent: PBS
Carrier free	Yes
Purity	Protein A/G purified
Purification notes	Purified from TCS by protein A/G.
Clonality	Monoclonal
Clone number	SP162
Isotype	IgG

Applications

The Abpromise guarantee Our [Abpromise guarantee](#) covers the use of ab245731 in the following tested applications. The application notes include recommended starting dilutions; optimal dilutions/concentrations should be determined by the end user.

Application	Abreviews	Notes
ICC/IF		Use at an assay dependent concentration.
Flow Cyt (Intra)		Use at an assay dependent concentration. ab172730 - Rabbit monoclonal IgG, is suitable for use as an isotype control with this antibody.
IHC-P	★★★★★ (2)	Use at an assay dependent concentration. Perform heat mediated antigen retrieval with citrate buffer pH 6 before commencing with IHC staining protocol. Incubate with primary antibody for 10 minutes at room temperature.
WB		Use at an assay dependent concentration. Predicted molecular weight: 19 kDa. Incubate for 1 hour at room temperature.


Images



Immunocytochemistry/ Immunofluorescence - Anti-CD3 antibody [SP162] - BSA and Azide free (ab245731)


Immunocytochemistry/ Immunofluorescence analysis of Jurkat (human T cell leukemia T lymphocyte) cells labeling CD3 with purified **ab135372** at 1/10 (10 µg/ml). Cells were fixed in 4% paraformaldehyde and permeabilized with 0.1% Triton X-100. Cells were counterstained with **ab195889** Anti-alpha Tubulin antibody [DM1A] - Microtubule Marker (Alexa Fluor® 594) 1/200 (2.5 µg/ml). Goat anti rabbit IgG (Alexa Fluor® 488, **ab150077**) was used as the secondary antibody at 1/1000 (2 µg/ml) dilution. DAPI (blue) was used as nuclear counterstain. PBS instead of the primary antibody was used as the secondary antibody only control.

This data was developed using the same antibody clone in a different buffer formulation containing PBS, BSA, glycerol, and sodium azide (**ab135372**).



Flow Cytometry (Intracellular) - Anti-CD3 antibody [SP162] - BSA and Azide free (ab245731)


Intracellular Flow Cytometry analysis of Jurkat (Human T cell leukemia T lymphocyte) cells labeling CD3 with purified **ab135372** at 1/200 dilution (0.60 µg/ml) (red). Cells were fixed with 4% paraformaldehyde and permeabilised with 90% methanol. A Goat anti rabbit IgG (Alexa Fluor® 488, **ab150077**) secondary antibody was used at 1/2000 dilution. Isotype control - Rabbit monoclonal IgG (**ab172730**) / Black. Unlabeled control - Unlabelled cells / blue. This data was developed using the same antibody clone in a different buffer formulation containing PBS, BSA, glycerol, and sodium azide (**ab135372**).



Immunocytochemistry/ Immunofluorescence - Anti-CD3 antibody [SP162] - BSA and Azide free (ab245731)

Immunocytochemistry/ Immunofluorescence analysis of EL4.LL-2 (mouse lymphoma T lymphocyte) cells labeling CD3 with purified **ab135372** at 1/10 (10 µg/ml). Cells were fixed in 4% paraformaldehyde and permeabilized with 0.1% Triton X-100. Cells were counterstained with **ab195889** Anti-alpha Tubulin antibody [DM1A] - Microtubule Marker (Alexa Fluor® 594) 1/200 (2.5 µg/ml). Goat anti rabbit IgG (Alexa Fluor® 488, **ab150077**) was used as the secondary antibody at 1/1000 (2 µg/ml) dilution. DAPI (blue) was used as nuclear counterstain. PBS instead of the primary antibody was used as the secondary antibody only control.


This data was developed using the same antibody clone in a different buffer formulation containing PBS, BSA, glycerol, and sodium azide (**ab135372**).



Immunohistochemistry (Formalin/PFA-fixed paraffin-embedded sections) - Anti-CD3 antibody [SP162] - BSA and Azide free (ab245731)


Immunohistochemical analysis of formalin-fixed, paraffin-embedded human tonsil tissue labeling CD3 with **ab135372** at a 1/150 dilution.

This data was developed using the same antibody clone in a different buffer formulation containing PBS, BSA and sodium azide (**ab135372**).



Flow Cytometry (Intracellular) - Anti-CD3 antibody [SP162] - BSA and Azide free (ab245731)

Intracellular Flow Cytometry analysis of Mouse Splenocyte cells labeling CD3 with purified **ab135372** at 1/20 dilution (5.95 µg/ml) (red). Cells were fixed with 4% paraformaldehyde and permeabilised with 90% methanol. A Goat anti rabbit IgG (Alexa Fluor® 488, **ab150081**) secondary antibody was used at 1/2000 dilution. Isotype control - Rabbit monoclonal IgG (**ab172730**) / Black. Unlabeled control - Unlabelled cells / blue. This data was developed using the same antibody clone in a different buffer formulation containing PBS, BSA, glycerol, and sodium azide (**ab135372**).



Flow Cytometry (Intracellular) - Anti-CD3 antibody
[SP162] - BSA and Azide free (ab245731)

Intracellular flow cytometric analysis of rabbit anti-CD3 (SP162) antibody **ab135372** (1/150) in Jurkat (Human T cell leukemia cell line from peripheral blood) cells (green) compared to negative control of rabbit IgG (blue).

This data was developed using the same antibody clone in a different buffer formulation containing PBS, BSA and sodium azide (**ab135372**).

Why choose a recombinant antibody?



Research with confidence
Consistent and reproducible results



Long-term and scalable supply
Recombinant technology



Success from the first experiment
Confirmed specificity



Ethical standards compliant
Animal-free production

Anti-CD3 antibody [SP162] - BSA and Azide free
(ab245731)

Please note: All products are "FOR RESEARCH USE ONLY. NOT FOR USE IN DIAGNOSTIC PROCEDURES"

Our Abpromise to you: Quality guaranteed and expert technical support

- Replacement or refund for products not performing as stated on the datasheet
- Valid for 12 months from date of delivery
- Response to your inquiry within 24 hours
- We provide support in Chinese, English, French, German, Japanese and Spanish
- Extensive multi-media technical resources to help you
- We investigate all quality concerns to ensure our products perform to the highest standards

If the product does not perform as described on this datasheet, we will offer a refund or replacement. For full details of the Abpromise, please visit <https://www.abcam.com/abpromise> or contact our technical team.

Terms and conditions

- Guarantee only valid for products bought direct from Abcam or one of our authorized distributors