# abcam

## Product datasheet

## Anti-CD300C antibody [EPR16470] - BSA and Azide free ab251213



## 4 Images

#### Overview

**Product name** Anti-CD300C antibody [EPR16470] - BSA and Azide free

**Description** Rabbit monoclonal [EPR16470] to CD300C - BSA and Azide free

Rabbit **Host species** 

**Tested applications** Suitable for: WB

Species reactivity Reacts with: Mouse, Rat, Human

**Immunogen** Synthetic peptide. This information is proprietary to Abcam and/or its suppliers.

**General notes** ab251213 is the carrier-free version of ab195811.

> Our carrier-free antibodies are typically supplied in a PBS-only formulation, purified and free of BSA, sodium azide and glycerol. The carrier-free buffer and high concentration allow for increased conjugation efficiency.

This conjugation-ready format is designed for use with fluorochromes, metal isotopes, oligonucleotides, and enzymes, which makes them ideal for antibody labelling, functional and cellbased assays, flow-based assays (e.g. mass cytometry) and Multiplex Imaging applications.

Use our conjugation kits for antibody conjugates that are ready-to-use in as little as 20 minutes with <1 minute hands-on-time and 100% antibody recovery: available for fluorescent dyes, HRP, biotin and gold.

This product is compatible with the Maxpar® Antibody Labeling Kit from Fluidigm, without the need for antibody preparation. Maxpar<sup>®</sup> is a trademark of Fluidigm Canada Inc.

This product is a recombinant monoclonal antibody, which offers several advantages including:

- High batch-to-batch consistency and reproducibility
- Improved sensitivity and specificity
- Long-term security of supply
- Animal-free production

For more information see here.

Our RabMAb® technology is a patented hybridoma-based technology for making rabbit monoclonal antibodies. For details on our patents, please refer to **RabMAb**® patents.

**Properties** 

Form Liquid

**Storage instructions** Shipped at 4°C. Store at +4°C. Do Not Freeze.

Storage buffer pH: 7.2

Constituent: PBS

Carrier free Yes

**Purity** Protein A purified

ClonalityMonoclonalClone numberEPR16470

**Isotype** IgG

#### **Applications**

The Abpromise guarantee Our Abpromise guarantee covers the use of ab251213 in the following tested applications.

The application notes include recommended starting dilutions; optimal dilutions/concentrations should be determined by the end user.

Application	Abreviews	Notes
WB		Use at an assay dependent concentration. Detects a band of approximately 40 kDa (predicted molecular weight: 25 kDa).

### **Target**

Tissue specificity Present on the surface of monocytes, neutrophils, a proportion of peripheral blood T- and B-


lymphocytes and lymphocytic cell lines.

Sequence similarities Belongs to the CD300 family.

Contains 1 lg-like V-type (immunoglobulin-like) domain.

Cellular localization Cell membrane.

## **Images**



Western blot - Anti-CD300C antibody [EPR16470] - BSA and Azide free (ab251213)

**All lanes :** Anti-CD300C antibody [EPR16470] (ab195811) at 1/1000 dilution

Lane 1: Mouse heart tissue lysate

Lane 2: Mouse kidney tissue lysate

Lane 3: Mouse spleen tissue lysate

Lane 4: Rat heart tissue lysate

Lane 5: Rat spleen tissue lysate

Lane 6: RAW 264.7 cell lysate

Lane 7: PC12 lysate

Lane 8: NIH/3T3 cell lysate

Lysates/proteins at 10 µg per lane.


## **Secondary**

**All lanes :** Goat Anti-Rabbit lgG, (H+L), Peroxidase conjugate at 1/1000 dilution

Predicted band size: 25 kDa

This data was developed using <u>ab195811</u>, the same antibody clone in a different buffer formulation.

The observed MW is consistent with what has been described in the literature (PMID:20656921).



Western blot - Anti-CD300C antibody [EPR16470] - BSA and Azide free (ab251213)

**All lanes :** Anti-CD300C antibody [EPR16470] (ab195811) at 1/1000 dilution

Lane 1: Human fetal spleen lysate

Lane 2: Human fetal brain lysate

Lysates/proteins at 10 µg per lane.

#### Secondary

**All lanes :** Anti-Rabbit IgG (HRP), specific to the non-reduced form of IgG at 1/1000 dilution

Predicted band size: 25 kDa

This data was developed using ab195811, the same antibody

clone in a different buffer formulation.

The observed MW is consistent with what has been described in the literature (PMID:20656921).

250 kDa —
150 kDa —
100 kDa —
75 kDa —
37 kDa —
25 kDa —
20 kDa —
15 kDa —
10 kDa —
10 kDa —

Anti-CD300C antibody [EPR16470] (ab195811) at 1/1000 dilution + THP1 cell lysate at 10  $\mu g$ 

#### Secondary


Goat Anti-Rabbit IgG, (H+L), Peroxidase conjugate at 1/1000 dilution

Predicted band size: 25 kDa

This data was developed using <u>ab195811</u>, the same antibody clone in a different buffer formulation.

The observed MW is consistent with what has been described in the literature (PMID: 20656921).

Western blot - Anti-CD300C antibody [EPR16470] - BSA and Azide free (ab251213)



Please note: All products are "FOR RESEARCH USE ONLY. NOT FOR USE IN DIAGNOSTIC PROCEDURES"

#### Our Abpromise to you: Quality guaranteed and expert technical support

- Replacement or refund for products not performing as stated on the datasheet
- Valid for 12 months from date of delivery
- Response to your inquiry within 24 hours
- We provide support in Chinese, English, French, German, Japanese and Spanish

- Extensive multi-media technical resources to help you
- · We investigate all quality concerns to ensure our products perform to the highest standards

If the product does not perform as described on this datasheet, we will offer a refund or replacement. For full details of the Abpromise, please visit <a href="https://www.abcam.com/abpromise">https://www.abcam.com/abpromise</a> or contact our technical team.

### Terms and conditions

• Guarantee only valid for products bought direct from Abcam or one of our authorized distributors