abcam

Product datasheet

Anti-CD63 antibody [AD1] ab108950

30 References 1 Image

Overview

Product name Anti-CD63 antibody [AD1]

Description Mouse monoclonal [AD1] to CD63

Host species Mouse

Specificity Rat CD63 is expressed on mast cells, and studies using clone AD1, have shown that it is located

near to FcER1, and that clone AD1 partially inhibits IgE-mediated histamine release

Tested applications Suitable for: Flow Cyt

Species reactivity Reacts with: Rat

Immunogen Tissue, cells or virus corresponding to CD63. RBL-2H3 rat basophilic leukaemia cell line

Positive control Flow Cytometry: Rat peripheral blood platelets.

General notes

The Life Science industry has been in the grips of a reproducibility crisis for a number of years.

Abcam is leading the way in addressing this with our range of recombinant monoclonal antibodies and knockout edited cell lines for gold-standard validation. Please check that this product meets

your needs before purchasing.

If you have any questions, special requirements or concerns, please send us an inquiry and/or

 $contact \ our \ Support \ team \ ahead \ of \ purchase. \ Recommended \ alternatives \ for \ this \ product \ can \ be$

found below, along with publications, customer reviews and Q&As

Properties

Form Liquid

Storage instructions Shipped at 4°C. Upon delivery aliquot and store at -20°C or -80°C. Avoid repeated freeze / thaw

cycles.

Storage buffer Preservative: 0.09% Sodium azide

Constituent: PBS

Purity Protein A purified

Purification notes Purified IgG prepared by affinity chromatography on Protein A from tissue culture supernatant.

Clonality Monoclonal

Clone number AD1

Myeloma x63-Ag8.653

Isotype IgG1

1

Applications

The Abpromise guarantee

Our **Abpromise guarantee** covers the use of ab108950 in the following tested applications.

The application notes include recommended starting dilutions; optimal dilutions/concentrations should be determined by the end user.

Application	Abreviews	Notes
Flow Cyt		1/10 - 1/200. ab170190 - Mouse monoclonal lgG1, is suitable for use as an isotype control with this antibody.

Target

Function This antigen is associated with early stages of melanoma tumor progression. May play a role in	Function	This antigen is associated	with early stages of melanoma	tumor progression. May play a role in
--	----------	----------------------------	-------------------------------	---------------------------------------

growth regulation.

Tissue specificity Dysplastic nevi, radial growth phase primary melanomas, hematopoietic cells, tissue


macrophages.

Sequence similarities Belongs to the tetraspanin (TM4SF) family.

Cellular localization Cell membrane. Lysosome membrane. Late endosome membrane. Also found in Weibel-Palade

bodies of endothelial cells. Located in platelet dense granules.

Images



Rat peripheral blood platelets stained with AlexaFluor[®]488 conjugated version of ab108950.

Please note: All products are "FOR RESEARCH USE ONLY. NOT FOR USE IN DIAGNOSTIC PROCEDURES"

Our Abpromise to you: Quality guaranteed and expert technical support

- Replacement or refund for products not performing as stated on the datasheet
- Valid for 12 months from date of delivery
- Response to your inquiry within 24 hours

- We provide support in Chinese, English, French, German, Japanese and Spanish
- Extensive multi-media technical resources to help you
- We investigate all quality concerns to ensure our products perform to the highest standards

If the product does not perform as described on this datasheet, we will offer a refund or replacement. For full details of the Abpromise, please visit https://www.abcam.com/abpromise or contact our technical team.

Terms and conditions

• Guarantee only valid for products bought direct from Abcam or one of our authorized distributors