

Product datasheet

Anti-Cell adhesion molecule 4 antibody [EP9563] ab150370

Recombinant RabMAb

2 Images

Overview	
Product name	Anti-Cell adhesion molecule 4 antibody [EP9563]
Description	Rabbit monoclonal [EP9563] to Cell adhesion molecule 4
Host species	Rabbit
Tested applications	Suitable for: WB Unsuitable for: Flow Cyt,ICC/IF,IHC-P or IP
Species reactivity	Reacts with: Mouse, Rat, Human
Immunogen	Synthetic peptide within Human Cell adhesion molecule 4 aa 50-150. The exact sequence is proprietary.
Positive control	Human fetal kidney, 293T, PC3, Caco 2, C6, RAW 264.7, PC12 and NIH 3T3 cell lysates.
General notes	This product is a recombinant monoclonal antibody, which offers several advantages including: - High batch-to-batch consistency and reproducibility - Improved sensitivity and specificity - Long-term security of supply - Animal-free production For more information <u>see here</u> . Our RabMAb [®] technology is a patented hybridoma-based technology for making rabbit monoclonal antibodies. For details on our patents, please refer to <u>RabMAb[®] patents</u> .

Properties	
Form	Liquid
Storage instructions	Shipped at 4°C. Store at -20°C.
Storage buffer	pH: 7.2 Preservative: 0.01% Sodium azide Constituents: 9% PBS, 40% Glycerol (glycerin, glycerine), 0.05% BSA, 50% Tissue culture supernatant
Purity	Tissue culture supernatant
Clonality	Monoclonal

Clone number	EP9563
lsotype	lgG

Applications

The Abpromise guarantee Our <u>Abpromise guarantee</u> covers the use of ab150370 in the following tested applications.

The application notes include recommended starting dilutions; optimal dilutions/concentrations should be determined by the end user.


Application	Abreviews	Notes
WB		1/1000 - 1/10000. Predicted molecular weight: 43 kDa.

Application notes

Is unsuitable for Flow Cyt,ICC/IF,IHC-P or IP.

Target		
Function	Involved in the cell-cell adhesion. Has calcium- and magnesium-independent cell-cell adhesion activity. May have tumor-suppressor activity.	
Tissue specificity	Expressed in brain, prostate, brain, kidney and some other organs.	
Sequence similarities	Belongs to the nectin family. Contains 2 lg-like C2-type (immunoglobulin-like) domains. Contains 1 lg-like V-type (immunoglobulin-like) domain.	
Post-translational modifications	N-glycosylated.	
Cellular localization	Membrane.	

Images




All lanes : Anti-Cell adhesion molecule 4 antibody [EP9563] (ab150370) at 1/1000 dilution

- Lane 1 : Human fetal kidney cell lysates
- Lane 2: 293T cell lysates
- Lane 3 : PC3 cell lysates
- Lane 4 : Caco 2 cell lysates
- Lane 5 : C6 cell lysates
- Lane 6 : RAW 264.7 cell lysates
- Lane 7 : PC-12 cell lysates
- Lane 8 : NIH 3T3 cell lysates

Lysates/proteins at 10 µg per lane.

Secondary

All lanes : HRP labelled goat anti-rabbit at 1/2000 dilution



Please note: All products are "FOR RESEARCH USE ONLY. NOT FOR USE IN DIAGNOSTIC PROCEDURES"

Our Abpromise to you: Quality guaranteed and expert technical support

- · Replacement or refund for products not performing as stated on the datasheet
- Valid for 12 months from date of delivery
- Response to your inquiry within 24 hours
- We provide support in Chinese, English, French, German, Japanese and Spanish
- Extensive multi-media technical resources to help you
- · We investigate all quality concerns to ensure our products perform to the highest standards

If the product does not perform as described on this datasheet, we will offer a refund or replacement. For full details of the Abpromise, please visit <u>https://www.abcam.com/abpromise</u> or contact our technical team.

Terms and conditions

• Guarantee only valid for products bought direct from Abcam or one of our authorized distributors