# abcam

### Product datasheet

# Anti-Chpl antibody ab18191

## \* ★ ★ ★ ★ 1 Abreviews 14 References 3 Images

#### Overview

Product name Anti-Chp1 antibody

**Description** Rabbit polyclonal to Chp1

Host species Rabbit

Tested applications Suitable for: ChIP, WB

**Species reactivity** Reacts with: Schizosaccharomyces pombe

**Immunogen** Synthetic peptide. This information is proprietary to Abcam and/or its suppliers.

**Positive control** This antibody gave a positive signal in S. pombe whole cell lysate.

General notes

The Life Science industry has been in the grips of a reproducibility crisis for a number of years.

Abcam is leading the way in addressing this with our range of recombinant monoclonal antibodies and knockout edited cell lines for gold-standard validation. Please check that this product meets

your needs before purchasing.

If you have any questions, special requirements or concerns, please send us an inquiry and/or contact our Support team ahead of purchase. Recommended alternatives for this product can be

found below, along with publications, customer reviews and Q&As

#### **Properties**

Form Liquid

Storage instructions Shipped at 4°C. Store at +4°C short term (1-2 weeks). Upon delivery aliquot. Store at -20°C or -

80°C. Avoid freeze / thaw cycle.

**Storage buffer** pH: 7.40

Preservative: 0.02% Sodium azide

Constituent: PBS

 ${\tt Batches\ of\ this\ product\ that\ have\ a\ concentration < 1mg/ml\ may\ have\ BSA\ added\ as\ a\ stabilising}$ 

agent. If you would like information about the formulation of a specific lot, please contact our

scientific support team who will be happy to help.

Purity Immunogen affinity purified

**Clonality** Polyclonal

**Isotype** IgG

#### **Applications**

#### The Abpromise guarantee

Our Abpromise guarantee covers the use of ab18191 in the following tested applications.

The application notes include recommended starting dilutions; optimal dilutions/concentrations should be determined by the end user.

Application	Abreviews	Notes
ChIP	*****(1)	Use 2.5µg for 10 <sup>7</sup> cells.
WB		Use a concentration of 1 µg/ml. Detects a band of approximately 109 kDa (predicted molecular weight: 109 kDa).

#### **Target**

#### Relevance


Chp1 a chromodomain protein associates with the *S. pombe* mating type locus and telomeres. Chp1 localization to heterochromatin depends on its chromodomain and the C-terminal domain of the protein. Chp1 and centromeric siRNAs are components of the RITS (RNA-induced initiation of transcriptional gene silencing) complex. The association of RITS with centromeres is linked to Dicer activity, which is required to cleave centromeric transcripts to produce short interfering RNAs that actively recruit components of heterochromatin to centromeres.

#### **Cellular localization**

Nuclear

#### **Images**

Harvard, Boston.




All lanes: Anti-Chp1 antibody (ab18191) at 1 µg/ml

**Lane 1**: *S. pombe chp1* $\Delta$  lysate **Lane 2**: *S. pombe* wildtype lysate

Predicted band size: 109 kDa Observed band size: 109 kDa


Additional bands at: 102 kDa (possible degradation product)

ab18191 specifically recognises Chp1 at 109 kDa in wildtype *S.* pombe lysate but not in  $chp1\Delta$  lysate.



X-ChIP performed with ab18191 on Schizosaccharomyces pombe Cell lysate (whole cell). 5µl antibody were used per 500µl of chromatin/cell lysate according to standard S. pombe ChIP protocols. Protein-A Sepharose was used to recover the ChIPs. In the positive control the researcher specifically induced silencing of the ura4+ gene. For the negative control the researcher performed multiplex PCR with primers amplifying ura4+ and an un-silenced gene. In addition, act1+ was amplified in a separate PCR reaction. Chp1 only binds to ura4+ (and only if silencing is induced).

This image is courtesy of an Abreview submitted by **Marc B?** on **9**February 2006



Anti-Chp1 antibody (ab18191) at 1  $\mu$ g/ml + S.pombe Whole Cell Lysate at 20  $\mu$ g

#### Secondary

Goat polyclonal to Rabbit lgG - H&L - Pre-Adsorbed (HRP) at 1/10000 dilution

Performed under reducing conditions.

**Predicted band size:** 109 kDa **Observed band size:** 115,75 kDa

Additional bands at: 42 kDa. We are unsure as to the identity of

these extra bands.

Please note: All products are "FOR RESEARCH USE ONLY. NOT FOR USE IN DIAGNOSTIC PROCEDURES"

#### Our Abpromise to you: Quality guaranteed and expert technical support

- Replacement or refund for products not performing as stated on the datasheet
- Valid for 12 months from date of delivery
- · Response to your inquiry within 24 hours
- · We provide support in Chinese, English, French, German, Japanese and Spanish
- Extensive multi-media technical resources to help you
- We investigate all quality concerns to ensure our products perform to the highest standards

If the product does not perform as described on this datasheet, we will offer a refund or replacement. For full details of the Abpromise, please visit <a href="https://www.abcam.com/abpromise">https://www.abcam.com/abpromise</a> or contact our technical team.

#### Terms and conditions

•	Guarantee only valid for products bought direct from Abcam or one of our authorized distributors				