abcam

Product datasheet

Anti-DNAJC11 antibody [EPR15065(B)] - BSA and Azide free ab250670

Recombinant RabMAb

4 Images

Overview

Product name	Anti-DNAJC11 antibody [EPR15065(B)] - BSA and Azide free
Description	Rabbit monoclonal [EPR15065(B)] to DNAJC11 - BSA and Azide free
Host species	Rabbit
Tested applications	**Suitable for:** Flow Cyt (Intra), IHC-P, WB
Species reactivity	**Reacts with:** Human **Predicted to work with:** Mouse, Rat
Immunogen	Synthetic peptide. This information is proprietary to Abcam and/or its suppliers.
General notes	ab250670 is the carrier-free version of **ab183518**. Our **carrier-free** antibodies are typically supplied in a PBS-only formulation, purified and free of BSA, sodium azide and glycerol. The carrier-free buffer and high concentration allow for increased conjugation efficiency. This conjugation-ready format is designed for use with fluorochromes, metal isotopes, oligonucleotides, and enzymes, which makes them ideal for antibody labelling, functional and cell-based assays, flow-based assays (e.g. mass cytometry) and Multiplex Imaging applications. Use our **conjugation kits** for antibody conjugates that are ready-to-use in as little as 20 minutes with <1 minute hands-on-time and 100% antibody recovery: available for fluorescent dyes, HRP, biotin and gold. This product is compatible with the Maxpar® Antibody Labeling Kit from Fluidigm, without the need for antibody preparation. Maxpar® is a trademark of Fluidigm Canada Inc. This product is a recombinant monoclonal antibody, which offers several advantages including: - High batch-to-batch consistency and reproducibility - Improved sensitivity and specificity - Long-term security of supply - Animal-free production For more information **see here**. Our RabMAb® technology is a patented hybridoma-based technology for making rabbit monoclonal antibodies. For details on our patents, please refer to **RabMAb® patents**.

Properties

Form	Liquid
Storage instructions	Shipped at 4°C. Store at +4°C. Do Not Freeze.
Storage buffer	pH: 7.2 Constituent: PBS
Carrier free	Yes
Purity	Protein A purified
Clonality	Monoclonal
Clone number	EPR15065(B)
Isotype	IgG

Applications

The Abpromise guarantee Our **Abpromise guarantee** covers the use of ab250670 in the following tested applications.

The application notes include recommended starting dilutions; optimal dilutions/concentrations should be determined by the end user.

Application	Abreviews	Notes
Flow Cyt (Intra)		Use at an assay dependent concentration.
IHC-P		Use at an assay dependent concentration. Perform heat mediated antigen retrieval with Tris/EDTA buffer pH 9.0 before commencing with IHC staining protocol.
WB		Use at an assay dependent concentration. Detects a band of approximately 63 kDa (predicted molecular weight: 63 kDa).

Target

Sequence similarities	Belongs to the DNAJC11 family. Contains 1 J domain.

Images



Western blot - Anti-DNAJC11 antibody [EPR15065(B)] - BSA and Azide free (ab250670)

All lanes : Anti-DNAJC11 antibody [EPR15065(B)] - C-terminal (**ab183518**) at 1/20000 dilution

Lane 1 : HeLa cell lysate
Lane 2 : HepG2 cell lysate
Lane 3 : SH-SY5Y cell lysate
Lane 4 : A549 cell lysate

Lysates/proteins at 20 µg per lane.

Secondary
All lanes : Goat Anti-Rabbit IgG, (H+L), Peroxidase conjugated at 1/1000 dilution

Predicted band size: 63 kDa

This data was developed using **ab183518**, the same antibody clone in a different buffer formulation.



Immunohistochemistry (Formalin/PFA-fixed paraffin-embedded sections) - Anti-DNAJC11 antibody [EPR15065(B)] - BSA and Azide free (ab250670)

This data was developed using **ab183518**, the same antibody clone in a different buffer formulation.Immunohistochemical analysis of paraffin-embedded Human liver tissue labeling DNAJC11 with **ab183518** at 1/250 dilution. The slide is counterstained with Hematoxylin. Perform heat mediated antigen retrieval with EDTA buffer pH 9 before commencing with IHC staining protocol.



Flow Cytometry (Intracellular) - Anti-DNAJC11 antibody [EPR15065(B)] - BSA and Azide free (ab250670)

This data was developed using **ab183518**, the same antibody clone in a different buffer formulation.

Intracellular flow cytometric analysis of 2% paraformaldehyde-fixed HeLa cells labeling DNAJC11 with **ab183518** at 1/90 dilution. Goat anti-rabbit IgG (FITC) at 1/150 dilution was used as the secondary antibody. Rabbit monoclonal IgG was used as the isotype control.



Anti-DNAJC11 antibody [EPR15065(B)] - BSA and Azide free (ab250670)

Please note: All products are "FOR RESEARCH USE ONLY. NOT FOR USE IN DIAGNOSTIC PROCEDURES"

Our Abpromise to you: Quality guaranteed and expert technical support

- Replacement or refund for products not performing as stated on the datasheet
- Valid for 12 months from date of delivery
- Response to your inquiry within 24 hours
- We provide support in Chinese, English, French, German, Japanese and Spanish
- Extensive multi-media technical resources to help you
- We investigate all quality concerns to ensure our products perform to the highest standards

If the product does not perform as described on this datasheet, we will offer a refund or replacement. For full details of the Abpromise, please visit **https://www.abcam.com/abpromise** or contact our technical team.

Terms and conditions

- Guarantee only valid for products bought direct from Abcam or one of our authorized distributors