

Product datasheet

Anti-DNase I antibody ab205566

★★★★☆ [1 Abreviews](#) [1 Image](#)

Overview

Product name	Anti-DNase I antibody
Description	Rabbit polyclonal to DNase I
Host species	Rabbit
Tested applications	Suitable for: WB
Species reactivity	Reacts with: Recombinant fragment
Immunogen	Recombinant full length protein corresponding to Cow DNase I. Recombinant full length bovine DNaseI produced using CHO-based proprietary suspension cell line. Database link: P00639
Positive control	Recombinant bovine DNaseI expressed into the supernatant of CHO cell culture medium.
General notes	<p>As product is (NH₄)₂SO₄ precipitate, mix well by pipetting or vortexing prior use.</p> <p>The Life Science industry has been in the grips of a reproducibility crisis for a number of years. Abcam is leading the way in addressing this with our range of recombinant monoclonal antibodies and knockout edited cell lines for gold-standard validation. Please check that this product meets your needs before purchasing.</p> <p>If you have any questions, special requirements or concerns, please send us an inquiry and/or contact our Support team ahead of purchase. Recommended alternatives for this product can be found below, along with publications, customer reviews and Q&As</p>

Properties

Form	Liquid
Storage instructions	Shipped at 4°C. Store at +4°C. Do Not Freeze.
Storage buffer	pH: 7.40 Constituents: PBS, Ammonium sulphate
Purity	Immunogen affinity purified
Purification notes	ab205566 is purified from cell culture supernatant.
Clonality	Polyclonal
Isotype	IgG

Applications

Applications


The Abpromise guarantee Our **Abpromise guarantee** covers the use of ab205566 in the following tested applications. The application notes include recommended starting dilutions; optimal dilutions/concentrations should be determined by the end user.

Application	Abreviews	Notes
WB	★★★★★ (1)	Use a concentration of 0.1 - 0.16 µg/ml. Predicted molecular weight: 31 kDa.

Target

Function	Among other functions, seems to be involved in cell death by apoptosis. Binds specifically to G-actin and blocks actin polymerization.
Tissue specificity	Principally in tissues of the digestive system. Highest levels found in urine, but also relatively abundant in semen and saliva.
Sequence similarities	Belongs to the DNase I family.
Cellular localization	Secreted. Nucleus envelope. Secretory protein, stored in zymogen granules and found in the nuclear envelope.

Images



Anti-DNase I antibody (ab205566) at 0.1 µg/ml + Recombinant bovine DNase I expressed into the supernatant of CHO cell culture medium.

Predicted band size: 31 kDa

Please note: All products are "FOR RESEARCH USE ONLY. NOT FOR USE IN DIAGNOSTIC PROCEDURES"

Our Abpromise to you: Quality guaranteed and expert technical support

- Replacement or refund for products not performing as stated on the datasheet
- Valid for 12 months from date of delivery
- Response to your inquiry within 24 hours
- We provide support in Chinese, English, French, German, Japanese and Spanish
- Extensive multi-media technical resources to help you
- We investigate all quality concerns to ensure our products perform to the highest standards

If the product does not perform as described on this datasheet, we will offer a refund or replacement. For full details of the Abpromise, please visit <https://www.abcam.com/abpromise> or contact our technical team.

Terms and conditions

- Guarantee only valid for products bought direct from Abcam or one of our authorized distributors