# abcam

## Product datasheet

## Anti-EXOSC9 antibody [2337C3a] ab54283

## 1 Image

Overview

Product name Anti-EXOSC9 antibody [2337C3a]

**Description** Mouse monoclonal [2337C3a] to EXOSC9

Host species Mouse

Tested applications Suitable for: WB

Species reactivity Reacts with: Recombinant fragment

Immunogen Recombinant fragment corresponding to Human EXOSC9 (internal sequence).

**General notes**The Life Science industry has been in the grips of a reproducibility crisis for a number of years.

Abcam is leading the way in addressing this with our range of recombinant monoclonal antibodies and knockout edited cell lines for gold-standard validation. Please check that this product meets

your needs before purchasing.

If you have any questions, special requirements or concerns, please send us an inquiry and/or contact our Support team ahead of purchase. Recommended alternatives for this product can be

found below, along with publications, customer reviews and Q&As

**Properties** 

Form Liquid

Storage instructions Shipped at 4°C. Store at +4°C short term (1-2 weeks). Upon delivery aliquot. Store at -20°C long

term.

Storage buffer pH: 7.40

Preservative: 0.05% Sodium azide

Constituents: 1% BSA, 0.03% Potassium phosphate, 0.812% Sodium chloride, 0.1312% Sodium phosphate, 0.0225% Potassium chloride, 0.0204% Monobasic dihydrogen potassium phosphate,

0.1136% Dibasic monohydrogen sodium phosphate

Purity Protein G purified

**Purification notes** ab54283 was purified using protein G column chromatography from culture supernatant of

hybridoma cultured in a medium containing bovine IgG-depleted (approximately 95%) fetal bovine

serum. Filtered through a 0.22 µm membrane.

**Clonality** Monoclonal

Clone number 2337C3a

**Isotype** IgG1

1

#### **Applications**

#### The Abpromise guarantee

Our Abpromise guarantee covers the use of ab54283 in the following tested applications.

The application notes include recommended starting dilutions; optimal dilutions/concentrations should be determined by the end user.

Application	Abreviews	Notes
WB		Use at an assay dependent concentration. Predicted molecular weight: 49 kDa.

#### **Target**

#### **Function**

Non-catalytic component of the RNA exosome complex which has 3'->5' exoribonuclease activity and participates in a multitude of cellular RNA processing and degradation events. In the nucleus, the RNA exosome complex is involved in proper maturation of stable RNA species such as rRNA, snRNA and snoRNA, in the elimination of RNA processing by-products and non-coding 'pervasive' transcripts, such as anti-sense RNA species and promoter-upstream transcripts (PROMPTs), and of mRNAs with processing defects, thereby limiting or excluding their export to the cytoplasm. The RNA exosome may be involved in Ig class switch recombination (CSR) and/or lg variable region somatic hypermutation (SHM) by targeting AICDA deamination activity to transcribed dsDNA substrates. In the cytoplasm, the RNA exosome complex is involved in general mRNA turnover and specifically degrades inherently unstable mRNAs containing AU-rich elements (AREs) within their 3' untranslated regions, and in RNA surveillance pathways. preventing translation of aberrant mRNAs. It seems to be involved in degradation of histone mRNA. The catalytic inactive RNA exosome core complex of 9 subunits (Exo-9) is proposed to play a pivotal role in the binding and presentation of RNA for ribonucleolysis, and to serve as a scaffold for the association with catalytic subunits and accessory proteins or complexes. EXOSC9 binds to ARE-containing RNAs.


## Sequence similarities

Belongs to the RNase PH family.

#### **Cellular localization**

Nucleus > nucleolus; Cytoplasm. Nucleus > nucleolus and Nucleus. Excluded from the nucleolus.

## **Images**



Anti-EXOSC9 antibody [2337C3a] (ab54283) + Recombinant immunising protein

**Predicted band size:** 49 kDa **Observed band size:** 42 kDa

The molecular weight of the band on the western blot does not correspond to the molecular weight of the natural protein because only a fragment of the protein was used.

Please note: All products are "FOR RESEARCH USE ONLY. NOT FOR USE IN DIAGNOSTIC PROCEDURES"

### Our Abpromise to you: Quality guaranteed and expert technical support

- Replacement or refund for products not performing as stated on the datasheet
- · Valid for 12 months from date of delivery
- Response to your inquiry within 24 hours
- We provide support in Chinese, English, French, German, Japanese and Spanish
- Extensive multi-media technical resources to help you
- · We investigate all quality concerns to ensure our products perform to the highest standards

If the product does not perform as described on this datasheet, we will offer a refund or replacement. For full details of the Abpromise, please visit <a href="https://www.abcam.com/abpromise">https://www.abcam.com/abpromise</a> or contact our technical team.

#### Terms and conditions

• Guarantee only valid for products bought direct from Abcam or one of our authorized distributors