abcam

Product datasheet

Anti-Fascin antibody [SPM133] - BSA and Azide free ab212841

4 Images

Overview

Product name Anti-Fascin antibody [SPM133] - BSA and Azide free

Description Mouse monoclonal [SPM133] to Fascin - BSA and Azide free

Host species Mouse

Tested applications Suitable for: ICC, IHC-P, Flow Cyt, WB

Species reactivity Reacts with: Human

Predicted to work with: Mouse, Rat

Immunogen Recombinant full length protein corresponding to Human Fascin aa 1 to the C-terminus.

Database link: Q16658

Run BLAST with
Run BLAST with

Positive control Human Hodgkin's lymphoma, ovarian and testicular carcinoma tissues; HeLa, MCF-7, PC-3 and

BEWO cells.

General notesThe Life Science industry has been in the grips of a reproducibility crisis for a number of years.

Abcam is leading the way in addressing this with our range of recombinant monoclonal antibodies and knockout edited cell lines for gold-standard validation. Please check that this product meets

your needs before purchasing.

If you have any questions, special requirements or concerns, please send us an inquiry and/or contact our Support team ahead of purchase. Recommended alternatives for this product can be

found below, along with publications, customer reviews and Q&As

Properties

Form Liquid

Storage instructions Shipped at 4°C. Store at +4°C short term (1-2 weeks). Upon delivery aliquot. Store at -20°C long

term. Avoid freeze / thaw cycle.

Storage buffer pH: 7.2

Constituent: 100% PBS

Carrier free Yes

Purity Protein A purified

Clonality Monoclonal

1

Clone numberSPM133IsotypelgG2aLight chain typekappa

Applications

The Abpromise guarantee Our <u>Abpromise guarantee</u> covers the use of ab212841 in the following tested applications.

The application notes include recommended starting dilutions; optimal dilutions/concentrations should be determined by the end user.

Application	Abreviews	Notes
ICC		Use a concentration of 1 - 2 μg/ml.
IHC-P		Use a concentration of 0.5 - 1 µg/ml. Perform heat mediated antigen retrieval with citrate buffer pH 6 before commencing with IHC staining protocol. (Primary incubation for 30 minutes at RT).
Flow Cyt		Use a concentration of 1 - 2 μg/ml.
WB		Use a concentration of 1 - 2 μg/ml. Predicted molecular weight: 54 kDa.

Target

Function Organizes filamentous actin into bundles with a minimum of 4.1:1 actin/fascin ratio. Plays a role in

the organization of actin filament bundles and the formation of microspikes, membrane ruffles, and stress fibers. Important for the formation of a diverse set of cell protrusions, such as filopodia,

and for cell motility and migration.

Tissue specificity Ubiquitous.

Sequence similarities Belongs to the fascin family.


Domain Composed of four beta-trefoil domains.

Post-translational Phosphorylation on Ser-39 inhibits the actin-binding ability of fascin.

modifications


Cellular localization Cytoplasm > cytoskeleton. Cell projection > filopodium. Cell projection > invadopodium.

Images




Immunohistochemistry (Formalin/PFA-fixed paraffinembedded sections) - Anti-Fascin antibody
[SPM133] - BSA and Azide free (ab212841)

lmmunohistochemical analysis of formalin-fixed, paraffin-embedded human Hodgkin's lymphoma tissue labeling Fascin with ab212841 at 1 μ g/mL.




Flow Cytometry - Anti-Fascin antibody [SPM133] - BSA and Azide free (ab212841)

Flow Cytometric Analysis of PFA-fixed K562 cells labeling Fascin-1 with ab212841 followed by Goat anti-Mouse lgG-CF488 (Blue); lsotype Control (Red).



Immunocytochemistry - Anti-Fascin antibody [SPM133] - BSA and Azide free (ab212841)

Immunofluorescence Analysis of HeLa cells labeling Fascin with Fascin-1 with ab212841 (Green). The nuclear counterstain is Hoescht (Blue). Membrane is Phalloidin 488 (Red).



Western blot - Anti-Fascin antibody [SPM133] - BSA and Azide free (ab212841)

Anti-Fascin antibody [SPM133] - BSA and Azide free (ab212841) at 2 μ g/ml + HeLa cell lysates

Predicted band size: 54 kDa

Please note: All products are "FOR RESEARCH USE ONLY. NOT FOR USE IN DIAGNOSTIC PROCEDURES"

Our Abpromise to you: Quality guaranteed and expert technical support

- Replacement or refund for products not performing as stated on the datasheet
- Valid for 12 months from date of delivery
- Response to your inquiry within 24 hours

- We provide support in Chinese, English, French, German, Japanese and Spanish
- Extensive multi-media technical resources to help you
- We investigate all quality concerns to ensure our products perform to the highest standards

If the product does not perform as described on this datasheet, we will offer a refund or replacement. For full details of the Abpromise, please visit https://www.abcam.com/abpromise or contact our technical team.

Terms and conditions

• Guarantee only valid for products bought direct from Abcam or one of our authorized distributors