abcam

Product datasheet

Anti-FATP1 antibody ab69458

5 References 1 Image

Overview

Product name Anti-FATP1 antibody

Description Mouse polyclonal to FATP1

Host species Mouse

Tested applications Suitable for: WB

Species reactivity Reacts with: Human

Immunogen Recombinant full length protein within Human FATP1. The exact immunogen sequence used to

generate this antibody is proprietary information. If additional detail on the immunogen is needed to determine the suitability of the antibody for your needs, please **contact** our Scientific Support

team to discuss your requirements.

Database link: Q6PCB7

Positive control SLC27A1 transfected 293T lysate.

General notesThe Life Science industry has been in the grips of a reproducibility crisis for a number of years.

Abcam is leading the way in addressing this with our range of recombinant monoclonal antibodies and knockout edited cell lines for gold-standard validation. Please check that this product meets

your needs before purchasing.

If you have any questions, special requirements or concerns, please send us an inquiry and/or contact our Support team ahead of purchase. Recommended alternatives for this product can be

found below, along with publications, customer reviews and Q&As

Properties

Form Liquid

Storage instructions Shipped at 4°C. Upon delivery aliquot and store at -20°C or -80°C. Avoid repeated freeze / thaw

cycles.

Storage buffer pH: 7.40

Constituent: 100% PBS

Purity Protein A purified

Clonality Polyclonal

Isotype IgG

1

Applications

The Abpromise guarantee

Our **Abpromise guarantee** covers the use of ab69458 in the following tested applications.

The application notes include recommended starting dilutions; optimal dilutions/concentrations should be determined by the end user.

Application	Abreviews	Notes
WB		1/500 - 1/1000. Detects a band of approximately 71 kDa (predicted molecular weight: 71 kDa).

Target


Relevance

SLC27A1 (Solute carrier family 27 member 1) is involved in translocation of long-chain fatty acids (LFCA) across the plasma membrane. SLC27A1 may act directly as a bona fide transporter, or alternatively, in a cytoplasmic or membrane-associated multimeric protein complex to trap and draw fatty acids towards accumulation. It also plays a pivotal role in regulating available LFCA substrates from exogenous sources in tissues undergoing high levels of beta-oxidation or triglyceride synthesis and may be involved in regulation of cholesterol metabolism.

Cellular localization

Cell membrane; Single-pass membrane protein. Intracytoplasmic membrane; Single-pass membrane protein. Cytoplasm. Note=Plasma membrane and intracellular membranes, at least in adipocytes. Predominantly cytoplasmic in myocytes.

Images



All lanes: Anti-FATP1 antibody (ab69458) at 1/500 dilution

Lane 1: SLC27A1 transfected 293T lysate

Lane 2: Non-transfected 293T lysate

Lysates/proteins at 25 µg per lane.

Secondary

All lanes: Goat Anti-Mouse IgG (H&L)-HRP at 1/2500 dilution

Predicted band size: 71 kDa **Observed band size:** 71 kDa

Please note: All products are "FOR RESEARCH USE ONLY. NOT FOR USE IN DIAGNOSTIC PROCEDURES"

Our Abpromise to you: Quality guaranteed and expert technical support

- · Replacement or refund for products not performing as stated on the datasheet
- Valid for 12 months from date of delivery

- Response to your inquiry within 24 hours
- We provide support in Chinese, English, French, German, Japanese and Spanish
- Extensive multi-media technical resources to help you
- We investigate all quality concerns to ensure our products perform to the highest standards

If the product does not perform as described on this datasheet, we will offer a refund or replacement. For full details of the Abpromise, please visit https://www.abcam.com/abpromise or contact our technical team.

Terms and conditions

• Guarantee only valid for products bought direct from Abcam or one of our authorized distributors