

FITC Anti-CD79b antibody [AT107-2] ab33296

[1 References](#) [1 Image](#)

Overview

| | |
|----------------------------|---|
| Product name | FITC Anti-CD79b antibody [AT107-2] |
| Description | FITC Rat monoclonal [AT107-2] to CD79b |
| Host species | Rat |
| Conjugation | FITC. Ex: 493nm, Em: 528nm |
| Specificity | Recognises an intracellular region of human CD79b We have data to indicate that this antibody may not cross react with Chicken. However, this has not been conclusively tested and expression levels may vary in certain cell lines/tissues. |
| Tested applications | Suitable for: Flow Cyt (Intra) |
| Species reactivity | Reacts with: Rat |
| Immunogen | Synthetic peptide corresponding to an intracellular region of human CD79b. |
| Positive control | Flow Cyt (Intra): Rat peripheral blood lymphocytes. |
| General notes | <p>The Life Science industry has been in the grips of a reproducibility crisis for a number of years. Abcam is leading the way in addressing this with our range of recombinant monoclonal antibodies and knockout edited cell lines for gold-standard validation. Please check that this product meets your needs before purchasing.</p> <p>If you have any questions, special requirements or concerns, please send us an inquiry and/or contact our Support team ahead of purchase. Recommended alternatives for this product can be found below, along with publications, customer reviews and Q&As</p> |

Properties

| | |
|-----------------------------|--|
| Form | Liquid |
| Storage instructions | Shipped at 4°C. Store at +4°C. |
| Storage buffer | <p>pH: 7.40</p> <p>Preservative: 0.09% Sodium azide</p> <p>Constituents: PBS, 1% BSA</p> |
| Purity | Protein G purified |
| Clonality | Monoclonal |
| Clone number | AT107-2 |
| Myeloma | NS1 |

Applications

The Abpromise guarantee

Our **Abpromise guarantee** covers the use of ab33296 in the following tested applications.

The application notes include recommended starting dilutions; optimal dilutions/concentrations should be determined by the end user.

| Application | Abreviews | Notes |
|------------------|-----------|-------|
| Flow Cyt (Intra) | | |

Application notes

Flow Cyt: Use 10µl for 10⁶ cells in 100µl.

Note: Membrane permeabilisation is required for this application.

Not yet tested in other applications.

Optimal dilutions/concentrations should be determined by the end user.

Target

Function

Required in cooperation with CD79A for initiation of the signal transduction cascade activated by the B-cell antigen receptor complex (BCR) which leads to internalization of the complex, trafficking to late endosomes and antigen presentation. Enhances phosphorylation of CD79A, possibly by recruiting kinases which phosphorylate CD79A or by recruiting proteins which bind to CD79A and protect it from dephosphorylation.

Tissue specificity

B-cells.

Involvement in disease

Defects in CD79B are the cause of agammaglobulinemia type 6 (AGM6) [MIM:612692]. It is a primary immunodeficiency characterized by profoundly low or absent serum antibodies and low or absent circulating B cells due to an early block of B-cell development. Affected individuals develop severe infections in the first years of life.

Sequence similarities

Contains 1 Ig-like V-type (immunoglobulin-like) domain.

Contains 1 ITAM domain.


Post-translational modifications

Phosphorylated on tyrosine upon B-cell activation.

Cellular localization

Cell membrane. Following antigen binding, the BCR has been shown to translocate from detergent-soluble regions of the cell membrane to lipid rafts although signal transduction through the complex can also occur outside lipid rafts.

Images



Staining of rat peripheral blood lymphocytes with ab33296 after permeabilisation.

Please note: All products are "FOR RESEARCH USE ONLY. NOT FOR USE IN DIAGNOSTIC PROCEDURES"

Our Abpromise to you: Quality guaranteed and expert technical support

- Replacement or refund for products not performing as stated on the datasheet
- Valid for 12 months from date of delivery
- Response to your inquiry within 24 hours
- We provide support in Chinese, English, French, German, Japanese and Spanish
- Extensive multi-media technical resources to help you
- We investigate all quality concerns to ensure our products perform to the highest standards

If the product does not perform as described on this datasheet, we will offer a refund or replacement. For full details of the Abpromise, please visit <https://www.abcam.com/abpromise> or contact our technical team.

Terms and conditions

- Guarantee only valid for products bought direct from Abcam or one of our authorized distributors