


Anti-FSTL1/FRP antibody ab71548

★★★★★ 1 Abreviews 7 References

Overview

Product name	Anti-FSTL1/FRP antibody
Description	Rabbit polyclonal to FSTL1/FRP
Host species	Rabbit
Tested applications	Suitable for: IHC-P, WB
Species reactivity	Reacts with: Human Predicted to work with: Mouse, Rat 
Immunogen	Synthetic peptide. This information is proprietary to Abcam and/or its suppliers.
General notes	<p>We are constantly working hard to ensure we provide our customers with best in class antibodies. As a result, we are pleased to offer this antibody in a purified format as of 19th February 2018. The following lots is/are still unpurified and still in stock as of 19th February 2018 - GR200980-7, GR200980-9, GR200980-10. Lot numbers other than GR200980-7, GR200980-9, GR200980-10 will be purified. Please note that the dilutions may need to be adjusted accordingly. <u>Purified antibodies have the advantage of being enriched for the fraction of immunoglobulin that specifically reacts with the target antigen and for having a reduction of serum proteins.</u></p> <p>The Life Science industry has been in the grips of a reproducibility crisis for a number of years. Abcam is leading the way in addressing this with our range of recombinant monoclonal antibodies and knockout edited cell lines for gold-standard validation. Please check that this product meets your needs before purchasing.</p> <p>If you have any questions, special requirements or concerns, please send us an inquiry and/or contact our Support team ahead of purchase. Recommended alternatives for this product can be found below, along with publications, customer reviews and Q&As</p>

Properties

Form	Liquid
Storage instructions	Shipped at 4°C. Upon delivery aliquot. Store at -20°C. Avoid freeze / thaw cycle.
Storage buffer	Constituents: 0.92% Glycerol, 1.21% Tris, 2% Sucrose
Purity	Protein A purified
Clonality	Polyclonal
Isotype	IgG

Applications

The Abpromise guarantee

Our **Abpromise guarantee** covers the use of ab71548 in the following tested applications.

The application notes include recommended starting dilutions; optimal dilutions/concentrations should be determined by the end user.

Application	Abreviews	Notes
IHC-P		Use at an assay dependent concentration.
WB	★★★★★ (1)	Use at an assay dependent concentration.

Target

Function	May modulate the action of some growth factors on cell proliferation and differentiation. Binds heparin.
Tissue specificity	Overexpressed in synovial tissues from rheumatoid arthritis.
Sequence similarities	Contains 2 EF-hand domains. Contains 1 follistatin-like domain. Contains 1 Kazal-like domain. Contains 1 VWFC domain.
Cellular localization	Secreted.

Please note: All products are "FOR RESEARCH USE ONLY. NOT FOR USE IN DIAGNOSTIC PROCEDURES"

Our Abpromise to you: Quality guaranteed and expert technical support

- Replacement or refund for products not performing as stated on the datasheet
- Valid for 12 months from date of delivery
- Response to your inquiry within 24 hours
- We provide support in Chinese, English, French, German, Japanese and Spanish
- Extensive multi-media technical resources to help you
- We investigate all quality concerns to ensure our products perform to the highest standards

If the product does not perform as described on this datasheet, we will offer a refund or replacement. For full details of the Abpromise, please visit <https://www.abcam.com/abpromise> or contact our technical team.

Terms and conditions

- Guarantee only valid for products bought direct from Abcam or one of our authorized distributors