abcam

Product datasheet

Anti-GABA Transporter 1 / GAT 1 antibody [EPR12999(2)] ab185205

Recombinant RabMAb

1 References 2 Images

Overview

Product name Anti-GABA Transporter 1 / GAT 1 antibody [EPR12999(2)]

Description Rabbit monoclonal [EPR12999(2)] to GABA Transporter 1 / GAT 1

Host species Rabbit

Tested applications Suitable for: WB

Species reactivity Reacts with: Mouse, Rat

Predicted to work with: Human

Immunogen Synthetic peptide. This information is proprietary to Abcam and/or its suppliers.

Positive control Mouse and rat brain lysate

General notes This product is a recombinant monoclonal antibody, which offers several advantages including:

- High batch-to-batch consistency and reproducibility

Improved sensitivity and specificityLong-term security of supplyAnimal-free production

For more information see here.

Our RabMAb[®] technology is a patented hybridoma-based technology for making rabbit monoclonal antibodies. For details on our patents, please refer to **RabMAb**[®] **patents**.

Properties

Form Liquid

Storage instructions Shipped at 4°C. Store at +4°C short term (1-2 weeks). Upon delivery aliquot. Store at -20°C long

term. Avoid freeze / thaw cycle.

Storage buffer pH: 7.2

Preservative: 0.01% Sodium azide

Constituents: 59% PBS, 40% Glycerol (glycerin, glycerine), 0.05% BSA

Purity Protein A purified

Clonality Monoclonal
Clone number EPR12999(2)

1

Isotype IgG

Applications

The Abpromise guarantee

Our <u>Abpromise guarantee</u> covers the use of ab185205 in the following tested applications.

The application notes include recommended starting dilutions; optimal dilutions/concentrations should be determined by the end user.

Application	Abreviews	Notes
WB		1/10000 - 1/50000. Detects a band of approximately 67 kDa (predicted molecular weight: 67 kDa).

Target

Function Terminates the action of GABA by its high affinity sodium-dependent reuptake into presynaptic

terminals.


Sequence similarities Belongs to the sodium:neurotransmitter symporter (SNF) (TC 2.A.22) family. SLC6A1 subfamily.

Domain The PDZ domain-binding motif is involved in the interaction with MPP5.

Cellular localization Cell membrane. Membrane. Localized at the plasma membrane and in a subset of intracellular

vesicles. Localized at the presynaptic terminals of interneurons.

Images



Western blot - Anti-GABA Transporter 1 / GAT 1 antibody [EPR12999(2)] (ab185205)

All lanes : Anti-GABA Transporter 1 / GAT 1 antibody [EPR12999(2)] (ab185205) at 1/20000 dilution

Lane 1 : Mouse brain lysate

Lane 2 : Rat brain lysate


Lysates/proteins at 10 µg per lane.

Secondary

 $\textbf{All lanes:} \ \ \text{Goat Anti-Rabbit IgG, (H+L), Peroxidase conjugated at}$

1/1000 dilution

Predicted band size: 67 kDa



Please note: All products are "FOR RESEARCH USE ONLY. NOT FOR USE IN DIAGNOSTIC PROCEDURES"

Our Abpromise to you: Quality guaranteed and expert technical support

- Replacement or refund for products not performing as stated on the datasheet
- Valid for 12 months from date of delivery
- · Response to your inquiry within 24 hours
- · We provide support in Chinese, English, French, German, Japanese and Spanish
- Extensive multi-media technical resources to help you
- We investigate all quality concerns to ensure our products perform to the highest standards

If the product does not perform as described on this datasheet, we will offer a refund or replacement. For full details of the Abpromise, please visit https://www.abcam.com/abpromise or contact our technical team.

Terms and conditions

· Guarantee only valid for products bought direct from Abcam or one of our authorized distributors