abcam

Product datasheet

Anti-GNAT2 antibody ab97501

★★★★★ 2 Abreviews 5 References 1 Image

Overview

Product name Anti-GNAT2 antibody

Description Rabbit polyclonal to GNAT2

Host species Rabbit

Tested applications Suitable for: WB

Species reactivity Reacts with: Mouse, Rat

Immunogen Synthetic peptide. This information is proprietary to Abcam and/or its suppliers.

Positive controlThis antibody gave a positive signal in both Rat and Mouse Retina tissue lysates.

General notes

The Life Science industry has been in the grips of a reproducibility crisis for a number of years.

Abcam is leading the way in addressing this with our range of recombinant monoclonal antibodies and knockout edited cell lines for gold-standard validation. Please check that this product meets

your needs before purchasing.

If you have any questions, special requirements or concerns, please send us an inquiry and/or contact our Support team ahead of purchase. Recommended alternatives for this product can be

found below, along with publications, customer reviews and Q&As

Properties

Form Liquid

Storage instructions Shipped at 4°C. Store at +4°C short term (1-2 weeks). Upon delivery aliquot. Store at -20°C or -

80°C. Avoid freeze / thaw cycle.

Storage buffer pH: 7.40

Preservative: 0.02% Sodium azide

Constituent: PBS

Batches of this product that have a concentration < 1mg/ml may have BSA added as a stabilising

agent. If you would like information about the formulation of a specific lot, please contact our

scientific support team who will be happy to help.

Purity Immunogen affinity purified

Clonality Polyclonal

Isotype IgG

Applications

The Abpromise guarantee

Our Abpromise guarantee covers the use of ab97501 in the following tested applications.

The application notes include recommended starting dilutions; optimal dilutions/concentrations should be determined by the end user.

Application	Abreviews	Notes
WB	★★★☆☆(1)	Use a concentration of 1 µg/ml. Detects a band of approximately 54 kDa (predicted molecular weight: 40 kDa).

Target

FunctionGuanine nucleotide-binding proteins (G proteins) are involved as modulators or transducers in various transmembrane signaling systems. Transducin is an amplifier and one of the transducers of a visual impulse that performs the coupling between rhodopsin and cGMP-phosphodiesterase.

Tissue specificity Retinal rod outer segment.


Involvement in disease Defects in GNAT2 are the cause of achromatopsia type 4 (ACHM4) [MIM:139340].

Achromatopsia is an autosomal recessively inherited visual disorder that is present from birth and

that features the absence of color discrimination.

Sequence similarities Belongs to the G-alpha family. G(i/o/t/z) subfamily.

Images



All lanes: Anti-GNAT2 antibody (ab97501) at 1 µg/ml

Lane 1 : Mouse Retina Tissue Lysate
Lane 2 : Rat Retina Tissue Lysate

Lysates/proteins at 10 µg per lane.

Secondary

All lanes: Goat Anti-Rabbit IgG H&L (HRP) preadsorbed

(ab97080) at 1/5000 dilution

Developed using the ECL technique.

Performed under reducing conditions.

Predicted band size: 40 kDa **Observed band size:** 54 kDa

Exposure time: 1 minute

Our Abpromise to you: Quality guaranteed and expert technical support

- · Replacement or refund for products not performing as stated on the datasheet
- · Valid for 12 months from date of delivery
- Response to your inquiry within 24 hours
- We provide support in Chinese, English, French, German, Japanese and Spanish
- Extensive multi-media technical resources to help you
- · We investigate all quality concerns to ensure our products perform to the highest standards

If the product does not perform as described on this datasheet, we will offer a refund or replacement. For full details of the Abpromise, please visit https://www.abcam.com/abpromise or contact our technical team.

Terms and conditions

· Guarantee only valid for products bought direct from Abcam or one of our authorized distributors