# abcam

# Product datasheet

# Anti-GRAF antibody ab238883

# 2 Images

#### Overview

Product name Anti-GRAF antibody

**Description** Rabbit polyclonal to GRAF

Host species Rabbit

**Tested applications** Suitable for: IHC-P

Species reactivity Reacts with: Human

Predicted to work with: Mouse

**Immunogen** Recombinant fragment corresponding to Human GRAF aa 600 to the C-terminus.

Database link: **Q9UNA1-1** 

Run BLAST with
Run BLAST with

**Positive control** IHC-P: Human breast cancer and colon cancer tissue.

General notes

The Life Science industry has been in the grips of a reproducibility crisis for a number of years.

Abcam is leading the way in addressing this with our range of recombinant monoclonal antibodies and knockout edited cell lines for gold-standard validation. Please check that this product meets

your needs before purchasing.

If you have any questions, special requirements or concerns, please send us an inquiry and/or contact our Support team ahead of purchase. Recommended alternatives for this product can be

found below, along with publications, customer reviews and Q&As

# **Properties**

Form Liquid

Storage instructions Shipped at 4°C. Store at +4°C short term (1-2 weeks). Upon delivery aliquot. Store at -20°C long

term. Avoid freeze / thaw cycle.

**Storage buffer** pH: 7.30

Preservative: 0.02% Sodium azide

Constituents: 50% Glycerol (glycerin, glycerine), PBS

**Purity** Immunogen affinity purified

**Clonality** Polyclonal

**Isotype** IgG

1

#### **Applications**

## The Abpromise guarantee

Our **Abpromise guarantee** covers the use of ab238883 in the following tested applications.

The application notes include recommended starting dilutions; optimal dilutions/concentrations should be determined by the end user.

Application	Abreviews	Notes
IHC-P		1/20 - 1/200.

## **Target**

**Function** GTPase-activating protein for RHOA and CDC42.

**Involvement in disease** Defects in ARHGAP26 are a cause of juvenile myelomonocytic leukemia (JMML) [MIM:607785].

JMML is a pediatric myelodysplastic syndrome that constitutes approximately 30% of childhood cases of myelodysplastic syndrome (MDS) and 2% of leukemia. Chromosomal translocation

t(5;11)(q31;q23) with MLL has been found in a JMML patient.


Sequence similarities Contains 1 PH domain.

Contains 1 Rho-GAP domain. Contains 1 SH3 domain.

Cellular localization Cell junction > focal adhesion. Cytoplasm > cytoskeleton. Colocalizes with actin stress fibers and


cortical actin structures.

#### **Images**



Immunohistochemistry (Formalin/PFA-fixed paraffinembedded sections) - Anti-GRAF antibody (ab238883)

Paraffin-embedded human breast cancer tissue stained for GRAF with ab238883 at a 1/100 dilution in immunohistochemical analysis.



Immunohistochemistry (Formalin/PFA-fixed paraffinembedded sections) - Anti-GRAF antibody (ab238883)

Paraffin-embedded human colon cancer tissue stained for GRAF with ab238883 at a 1/100 dilution in immunohistochemical analysis.

Please note: All products are "FOR RESEARCH USE ONLY. NOT FOR USE IN DIAGNOSTIC PROCEDURES"

#### Our Abpromise to you: Quality guaranteed and expert technical support

- Replacement or refund for products not performing as stated on the datasheet
- Valid for 12 months from date of delivery
- Response to your inquiry within 24 hours
- We provide support in Chinese, English, French, German, Japanese and Spanish
- Extensive multi-media technical resources to help you
- We investigate all quality concerns to ensure our products perform to the highest standards

If the product does not perform as described on this datasheet, we will offer a refund or replacement. For full details of the Abpromise, please visit <a href="https://www.abcam.com/abpromise">https://www.abcam.com/abpromise</a> or contact our technical team.

#### Terms and conditions

· Guarantee only valid for products bought direct from Abcam or one of our authorized distributors