# abcam

#### Product datasheet

## Anti-HA tag antibody [12CA5] ab1424

★★★★★ 12 Abreviews 59 References 4 Images

Overview

Product name Anti-HA tag antibody [12CA5]

**Description** Mouse monoclonal [12CA5] to HA tag

Host species Mouse

**Specificity** The antibody detects HA-tag fused to the C-terminus or N-terminus of targeted proteins in

transfected cells. The antibody works in ChIP but less well than ab9110 (see ChIP data).

Tested applications Suitable for: ICC/IF, ChIP, IP, WB

Species reactivity Reacts with: Species independent

Immunogen Synthetic peptide. Derived from the human influenza hemaglutinin protein

Database link: ADG21028

Run BLAST with
Run BLAST with

Positive control WB: Rab6-HA transfected HEK-293T whole cell lysate. IP: Rab6-HA transfected HEK-293T whole

cell lysate. ICC/IF: Baby hamster kidney cell expressing HA-tag CFTR protein. ChIP: Xenopus

laevis oocytes injected with mRNA for HA-tagged human BORIS.

General notes This product is manufactured by BioVision, an Abcam company and was previously called 3996

HA-Tag Antibody (Clone 12CA5[2]).

The Life Science industry has been in the grips of a reproducibility crisis for a number of years. Abcam is leading the way in addressing this with our range of recombinant monoclonal antibodies and knockout edited cell lines for gold-standard validation. Please check that this product meets

your needs before purchasing.

If you have any questions, special requirements or concerns, please send us an inquiry and/or contact our Support team ahead of purchase. Recommended alternatives for this product can be

found below, along with publications, customer reviews and Q&As

**Properties** 

Form Liquid

Storage instructions Shipped at 4°C. Store at +4°C short term (1-2 weeks). Upon delivery aliquot. Store at -20°C or -

80°C. Avoid freeze / thaw cycle.

Storage buffer Constituent: 1% Dibasic monohydrogen potassium phosphate

Carrier free Yes

**Purity** Affinity purified

1

**Clonality** Monoclonal

Clone number 12CA5

Isotype IgG2b

Light chain type kappa

#### **Applications**

#### The Abpromise guarantee

Our **Abpromise guarantee** covers the use of ab1424 in the following tested applications.

The application notes include recommended starting dilutions; optimal dilutions/concentrations should be determined by the end user.


Application	Abreviews	Notes
ICC/IF	<b>★★★★ (1)</b>	Use a concentration of 10 μg/ml.
ChIP		Use a concentration of 3 µg/ml. Use 3 µg per 25 µg chromatin (see figure legend).
IP	<b>★★★★</b> <u>(5)</u>	Use a concentration of 10 μg/ml.
WB	<b>★★★★</b> ☆ (6)	Use a concentration of 1 µg/ml.

#### **Target**

#### Relevance

Human influenza hemagglutinin (HA) is a surface glycoprotein required for the infectivity of the human virus. The HA tag is derived from the HA molecule corresponding to amino acids 98-106 has been extensively used as a general epitope tag in expression vectors. Many recombinant proteins have been engineered to express the HA tag, which does not appear to interfere with the bioactivity or the biodistribution of the recombinant protein. This tag facilitates the detection, isolation, and purification of the proteins.

#### **Images**



Western blot - Anti-HA tag antibody [12CA5] (ab1424)

This image is courtesy of an anonymous Abreview

Anti-HA tag antibody [12CA5] (ab1424) at 1/1000 dilution + HEK293T whole cell lysate over-expressing HA-tagged Rab6 at 20  $\mu g$ 

#### **Secondary**


HRP-conjugated goat anti-mouse polyclonal IgG at 1/5000 dilution

Developed using the ECL technique.

Performed under reducing conditions.

Exposure time: 5 seconds


Blocked with 5% milk for 30 min at 25°C



Immunocytochemistry/ Immunofluorescence - Anti-HA tag antibody [12CA5] (ab1424)

This image was kindly supplied as part of the review submitted by one of our customers.


This picture shows baby hamster kidney cell expressing HA-tag CFTR protein. This type of cells were grown on coverslip and immunofluorescence was performed. Dilution of 1:200 was used and incubated for 2hrs with antibody.



Recombinant HA-tagged Rab6 was immunoprecipitated from 1 mg transfected HEK-293T (human epithelial cell line from embryonic kidney transformed with large T antigen) whole cell extract with 2  $\mu$ L ab1424.

Lane 1: Rab6-HA transfected HEK-293T whole cell extract (Input)

Lane 2: ab1424 IP in Rab6-HA transfected HEK-293T whole cell extract.



Xenopus laevis oocytes were injected with mRNA for HA-tagged human BORIS. Chromatin was prepared according to the Abcam X-ChIP protocol. Oocytes were fixed with formaldehyde for 10min. The ChIP was performed with 25μg of chromatin, 3μg of ab1424 (anti-HA, light blue) and 3μg of ab18337 (anti-BORIS, dark blue), and 20μl of Protein A/G sepharose beads. A non-specific antibody was used as a control (yellow). The immunoprecipitated DNA was quantified by real time PCR (Tagman approach).

Please note: All products are "FOR RESEARCH USE ONLY. NOT FOR USE IN DIAGNOSTIC PROCEDURES"

#### Our Abpromise to you: Quality guaranteed and expert technical support

- Replacement or refund for products not performing as stated on the datasheet
- Valid for 12 months from date of delivery
- Response to your inquiry within 24 hours
- We provide support in Chinese, English, French, German, Japanese and Spanish
- Extensive multi-media technical resources to help you
- · We investigate all quality concerns to ensure our products perform to the highest standards

If the product does not perform as described on this datasheet, we will offer a refund or replacement. For full details of the Abpromise, please visit <a href="https://www.abcam.com/abpromise">https://www.abcam.com/abpromise</a> or contact our technical team.

### Terms and conditions

• Guarantee only valid for products bought direct from Abcam or one of our authorized distributors