abcam

Product datasheet

HRP Anti-CD42b antibody [SP219] ab305655

Recombinant

RabMAb

1 Image

Overview

Product name HRP Anti-CD42b antibody [SP219]

Description HRP Rabbit monoclonal [SP219] to CD42b

Host species Rabbit
Conjugation HRP

Tested applications Suitable for: Antibody labelling, Target binding affinity

Immunogen Synthetic peptide. This information is proprietary to Abcam and/or its suppliers.

General notes

This **conjugated primary antibody** is released using a quantitative quality control method that

evaluates binding affinity post-conjugation and efficiency of antibody labeling.

For suitable applications and species reactivity, please refer to the unconjugated version of this

clone. This conjugated antibody is eligible for Abtrial: learn more $\underline{\textbf{here}}.$

This product is a recombinant monoclonal antibody, which offers several advantages including:

- High batch-to-batch consistency and reproducibility
- Improved sensitivity and specificity
- Long-term security of supply
- Animal-free production

For more information see here.

Our RabMAb[®] technology is a patented hybridoma-based technology for making rabbit monoclonal antibodies. For details on our patents, please refer to **RabMAb**[®] **patents**.

Properties

Form Liquid

Storage instructions Shipped at 4°C. Store at +4°C short term (1-2 weeks). Upon delivery aliquot. Store at -20°C.

Avoid freeze / thaw cycle. Store In the Dark.

Storage buffer pH: 7.40

Preservative: 0.1% Proclin 300 Solution

Constituents: 30% Glycerol (glycerin, glycerine), 1% BSA, 68% PBS

Purity Protein A/G purified

Purification notes Purified from TCS by protein A/G.

1

ClonalityMonoclonalClone numberSP219

Isotype IgG

Applications

The Abpromise guarantee Our Abpromise guarantee covers the use of ab305655 in the following tested applications.

The application notes include recommended starting dilutions; optimal dilutions/concentrations should be determined by the end user.

Application	Abreviews	Notes	
Antibody labelling		Use at an assay dependent concentration.	
Target binding affinity		Use at an assay dependent concentration.	

ı	ar	g	е	τ

Function GP-lb, a surface membrane protein of platelets, participates in the formation of platelet plugs by

binding to the A1 domain of vWF, which is already bound to the subendothelium.

Involvement in disease Non-arteritic anterior ischemic optic neuropathy

Bernard-Soulier syndrome

Bernard-Soulier syndrome A2, autosomal dominant

Pseudo-von Willebrand disease

Sequence similarities Contains 7 LRR (leucine-rich) repeats.

Contains 1 LRRCT domain. Contains 1 LRRNT domain.

Post-translational


modifications

 $\hbox{Glycocalicin, which is approximately coextensive with the extracellular part of the molecule, is }$

cleaved off by calpain during platelet lysis.

Cellular localization Membrane.

Images



Please note: All products are "FOR RESEARCH USE ONLY. NOT FOR USE IN DIAGNOSTIC PROCEDURES"

Our Abpromise to you: Quality guaranteed and expert technical support

- Replacement or refund for products not performing as stated on the datasheet
- Valid for 12 months from date of delivery
- Response to your inquiry within 24 hours
- We provide support in Chinese, English, French, German, Japanese and Spanish
- Extensive multi-media technical resources to help you
- We investigate all quality concerns to ensure our products perform to the highest standards

If the product does not perform as described on this datasheet, we will offer a refund or replacement. For full details of the Abpromise, please visit https://www.abcam.com/abpromise or contact our technical team.

Terms and conditions

• Guarantee only valid for products bought direct from Abcam or one of our authorized distributors