# abcam

## Product datasheet

## HRP Anti-Citrate synthetase antibody [EPR8067] ab196861

Recombinant RabMAb

## 2 Images

#### Overview

**Product name** HRP Anti-Citrate synthetase antibody [EPR8067]

**Description** HRP Rabbit monoclonal [EPR8067] to Citrate synthetase

**Host species** Rabbit Conjugation HRP

**Tested applications** Suitable for: WB

Species reactivity Reacts with: Human

Predicted to work with: Mouse, Rat

Synthetic peptide. This information is proprietary to Abcam and/or its suppliers. **Immunogen** 

Positive control WB: HepG2, Caco-2 and HeLa whole cell lysates.

**General notes** This product is a recombinant monoclonal antibody, which offers several advantages including:

- High batch-to-batch consistency and reproducibility

- Improved sensitivity and specificity - Long-term security of supply - Animal-free production For more information see here.

Our RabMAb® technology is a patented hybridoma-based technology for making rabbit monoclonal antibodies. For details on our patents, please refer to RabMAb® patents.

#### **Properties**

**Form** Liquid

Storage instructions Shipped at 4°C. Store at +4°C short term (1-2 weeks). Upon delivery aliquot. Store at -20°C.

Avoid freeze / thaw cycle. Store In the Dark.

Storage buffer pH: 7.40

Preservative: 0.1% Proclin 300 Solution

Constituents: 30% Glycerol (glycerin, glycerine), 1% BSA, PBS

**Purity** Protein A purified

Clonality Monoclonal

Clone number EPR8067

**Isotype** IgG

#### **Applications**

The Abpromise guarantee Our Abpromise guarantee covers the use of ab196861 in the following tested applications.

The application notes include recommended starting dilutions; optimal dilutions/concentrations should be determined by the end user.

Application	Abreviews	Notes
WB		1/5000. Detects a band of approximately 45 kDa (predicted molecular weight: 51 kDa).


#### **Target**

Pathway Carbohydrate metabolism; tricarboxylic acid cycle; isocitrate from oxaloacetate: step 1/2.

**Sequence similarities** Belongs to the citrate synthase family.

**Cellular localization** Mitochondrion matrix.

#### **Images**



**All lanes :** HRP Anti-Citrate synthetase antibody [EPR8067] (ab196861) at 1/5000 dilution

Lane 1 : HepG2 (Human hepatocellular liver carcinoma cell line)

Whole Cell Lysate

Lane 2: Caco 2 (Human colonic carcinoma cell line) Whole Cell

Lysate

Lane 3: HeLa (Human epithelial carcinoma cell line) Whole Cell

Lysate

Lysates/proteins at 10 µg per lane.


Developed using the ECL technique.

Performed under reducing conditions.

Predicted band size: 51 kDa Observed band size: 46 kDa

Exposure time: 20 minutes

This blot was produced using a 4-12% Bis-tris gel under the MOPS buffer system. The gel was run at 200V for 50 minutes before being transferred onto a Nitrocellulose membrane at 30V for 70 minutes. The membrane was then blocked for an hour using 2% Bovine Serum Albumin before being incubated with ab196861 overnight at 4°C. Antibody binding was visualised using ECL development solution **ab133406**.



Please note: All products are "FOR RESEARCH USE ONLY. NOT FOR USE IN DIAGNOSTIC PROCEDURES"

#### Our Abpromise to you: Quality guaranteed and expert technical support

- Replacement or refund for products not performing as stated on the datasheet
- Valid for 12 months from date of delivery
- · Response to your inquiry within 24 hours
- We provide support in Chinese, English, French, German, Japanese and Spanish
- Extensive multi-media technical resources to help you
- · We investigate all quality concerns to ensure our products perform to the highest standards

If the product does not perform as described on this datasheet, we will offer a refund or replacement. For full details of the Abpromise, please visit <a href="https://www.abcam.com/abpromise">https://www.abcam.com/abpromise</a> or contact our technical team.

#### Terms and conditions

· Guarantee only valid for products bought direct from Abcam or one of our authorized distributors