abcam

Product datasheet

HRP Anti-Digoxigenin antibody [HRP.21H8] ab6212

★★★★★ 4 Abreviews 22 References 1 Image

Overview

Product name HRP Anti-Digoxigenin antibody [HRP.21H8]

Description HRP Mouse monoclonal [HRP.21H8] to Digoxigenin

Host species Mouse
Conjugation HRP

Tested applications Suitable for: IHC-Fr

Species reactivity Reacts with: Species independent

Immunogen Chemical/ Small Molecule conjugated to bovine serum albumin.

General notes

The Life Science industry has been in the grips of a reproducibility crisis for a number of years.

Abcam is leading the way in addressing this with our range of recombinant monoclonal antibodies and knockout edited cell lines for gold-standard validation. Please check that this product meets

your needs before purchasing.

If you have any questions, special requirements or concerns, please send us an inquiry and/or contact our Support team ahead of purchase. Recommended alternatives for this product can be

found below, along with publications, customer reviews and Q&As

Properties

Form Liquid

Storage instructions Shipped at 4°C. Store at +4°C.

Storage buffer pH: 7.40

Preservative: 0.01% Thimerosal (merthiolate) Constituents: PBS, 50% Glycerol, 1% BSA

Purity Protein A purified

Clonality Monoclonal
Clone number HRP.21H8

Myeloma unknown
Isotype IgG1

Light chain type kappa

1

Applications

The Abpromise guarantee

Our **Abpromise guarantee** covers the use of ab6212 in the following tested applications.

The application notes include recommended starting dilutions; optimal dilutions/concentrations should be determined by the end user.


Application	Abreviews	Notes
IHC-Fr	★★★★☆ (2)	1/200 - 1/2000. 1/200 - 1/2000. Use in combination with tyramide signal amplification.

Target

Relevance

Digoxigenin (DIG) is a steroid found exclusively in the flowers and leaves of the plants Digitalis purpurea and Digitalis lanata. Digoxigenin is chemically closely related to Digoxin, the cardiac glycoside used for the treatment of various heart diseases. The term 'genin' at the end of Digoxigenin, refers to only the aglycone portion (without the sugar) part of the molecule, thus Digoxigenin is the steroid component of Digoxin, - minus the (digitose) sugar residues. DIG can be covalently added to proteins or nucleic acids which makes it very useful in diverse applications.

Images



Immunohistochemistry (Frozen sections) - HRP
Anti-Digoxigenin antibody [HRP.21H8] (ab6212)

ab6212 at a dilution of 1/1000 staining Digoxigenin from human pancreatic tissue sections by immunohistochemistry (frozen). The antibody was incubated with the tissue for 2 hours.

This image is courtesy of an Abreview submitted by an anonymous researcher on **9 December 2005**.

Please note: All products are "FOR RESEARCH USE ONLY. NOT FOR USE IN DIAGNOSTIC PROCEDURES"

Our Abpromise to you: Quality guaranteed and expert technical support

- Replacement or refund for products not performing as stated on the datasheet
- Valid for 12 months from date of delivery
- Response to your inquiry within 24 hours

- We provide support in Chinese, English, French, German, Japanese and Spanish
- Extensive multi-media technical resources to help you
- We investigate all quality concerns to ensure our products perform to the highest standards

If the product does not perform as described on this datasheet, we will offer a refund or replacement. For full details of the Abpromise, please visit https://www.abcam.com/abpromise or contact our technical team.

Terms and conditions

• Guarantee only valid for products bought direct from Abcam or one of our authorized distributors