

Product datasheet

HRP Anti-PPP1CA + PPP1CB antibody [EP1511Y] ab211372

Recombinant RabMAb

Overview

1 References 2 Images

Product name	HRP Anti-PPP1CA + PPP1CB antibody [EP1511Y]	
Description	HRP Rabbit monoclonal [EP1511Y] to PPP1CA + PPP1CB	
Host species	Rabbit	
Conjugation	HRP	
Tested applications	Suitable for: WB	
Species reactivity	Reacts with: Mouse, Rat, Human	
Immunogen	Synthetic peptide. This information is proprietary to Abcam and/or its suppliers.	
Positive control	WB: HeLa whole cell and Mouse Brain and Rat Brain tissue lysates.	
General notes	Our RabMAb [®] technology is a patented hybridoma-based technology for making rabbit monoclonal antibodies. For details on our patents, please refer to <u>RabMAb[®] patents</u> .	

Properties

Form	Liquid	
Storage instructions	Shipped at 4°C. Store at +4°C short term (1-2 weeks). Upon delivery aliquot. Store at -20°C. Avoid freeze / thaw cycle. Store In the Dark.	
Storage buffer	pH: 7.40 Preservative: 0.1% Proclin 300 Solution Constituents: 30% Glycerol (glycerin, glycerine), 1% BSA, PBS	
Purity	Protein A purified	
Clonality	Monoclonal	
Clone number	EP1511Y	
lsotype	lgG	

Applications

Our Abpromise guarantee covers the use of ab211372 in the following tested applications.

The application notes include recommended starting dilutions; optimal dilutions/concentrations should be determined by the end user.


Application	Abreviews	Notes
WB		1/5000. Detects a band of approximately 36 kDa (predicted molecular weight: 37 kDa).

Target

Cellular localization

Cytoplasm. Nucleus. Nucleus > nucleoplasm. Nucleus > nucleolus.

Images



Western blot - HRP Anti-PPP1CA + PPP1CB antibody [EP1511Y] (ab211372) All lanes : HRP Anti-PPP1CA + PPP1CB antibody [EP1511Y] (ab211372) at 1/5000 dilution

Lane 1 : Brain (Mouse) Tissue Lysate Lane 2 : Brain (Rat) Tissue Lysate Lane 3 : HeLa whole cell lysate (<u>ab150035</u>)

Lysates/proteins at 10 µg per lane.

Developed using the ECL technique.

Performed under reducing conditions.

Predicted band size: 37 kDa Observed band size: 36 kDa

Exposure time: 3 minutes

This blot was produced using a 4-12% Bis-tris gel under the MOPS buffer system. The gel was run at 200V for 50 minutes before being transferred onto a Nitrocellulose membrane at 30V for 70 minutes. The membrane was then blocked for an hour using 2% Bovine Serum Albumin before being incubated with ab211372 overnight at 4°C. Antibody binding was visualised using ECL development solution **ab133406**.



Please note: All products are "FOR RESEARCH USE ONLY. NOT FOR USE IN DIAGNOSTIC PROCEDURES"

Our Abpromise to you: Quality guaranteed and expert technical support

- Replacement or refund for products not performing as stated on the datasheet
- Valid for 12 months from date of delivery
- Response to your inquiry within 24 hours
- We provide support in Chinese, English, French, German, Japanese and Spanish
- Extensive multi-media technical resources to help you
- · We investigate all quality concerns to ensure our products perform to the highest standards

If the product does not perform as described on this datasheet, we will offer a refund or replacement. For full details of the Abpromise, please visit <u>https://www.abcam.com/abpromise</u> or contact our technical team.

Terms and conditions

· Guarantee only valid for products bought direct from Abcam or one of our authorized distributors