abcam

Product datasheet

HRP Anti-PTP1B antibody [EP1841Y] ab207635



Recombinant RabMAb

2 Images

Overview

Product name HRP Anti-PTP1B antibody [EP1841Y]

Description HRP Rabbit monoclonal [EP1841Y] to PTP1B

Host species Rabbit HRP Conjugation

Suitable for: WB **Tested applications**

Species reactivity Reacts with: Human

Immunogen Synthetic peptide. This information is proprietary to Abcam and/or its suppliers.

WB: HeLa, HepG2, Jurkat and wildtype HAP1 whole cell lysates. Positive control

General notes Our RabMAb® technology is a patented hybridoma-based technology for making rabbit

monoclonal antibodies. For details on our patents, please refer to **RabMAb patents**.

Properties

Form Liquid

Storage instructions Shipped at 4°C. Store at +4°C short term (1-2 weeks). Upon delivery aliquot. Store at -20°C long

term. Avoid freeze / thaw cycle. Store In the Dark.

pH: 7.40 Storage buffer

Preservative: 0.1% Proclin 300 Solution

Constituents: 30% Glycerol (glycerin, glycerine), 1% BSA, PBS

Purity Affinity purified Clonality Monoclonal

EP1841Y Clone number

lgG Isotype

Applications

The Abpromise guarantee

Our Abpromise guarantee covers the use of ab207635 in the following tested applications.


The application notes include recommended starting dilutions; optimal dilutions/concentrations should be determined by the end user.

Application	Abreviews	Notes
WB		1/5000. Detects a band of approximately 45 kDa (predicted molecular weight: 50 kDa).

Target

Function	May play an important role in CKII- and p60c-src-induced signal transduction cascades.	
Sequence similarities	Belongs to the protein-tyrosine phosphatase family. Non-receptor class 1 subfamily. Contains 1 tyrosine-protein phosphatase domain.	
Post-translational modifications	Oxidized on Cys-215; the Cys-SOH formed in response to redox signaling reacts with the alpha- amido of the following residue to form a 4-amino-3-isothiazolidinone serine cross-link, triggering a conformational change that inhibits substrate binding and activity. The active site can be restored by reduction.	
Cellular localization	Endoplasmic reticulum membrane.	

Images



All lanes : HRP Anti-PTP1B antibody [EP1841Y] (ab207635) at 1/5000 dilution

Lane 1 : HeLa (Human epithelial carcinoma cell line) Whole Cell

Lysate at 10 µg

Lane 2: HepG2 (Human hepatocellular liver carcinoma cell line)

Whole Cell Lysate at 10 µg

Lane 3: Jurkat (Human T cell lymphoblast-like cell line) Whole Cell

Lysate at 10 µg

Lane 4: Wild-type HAP1 cell lysate at 20 µg

Lane 5: PTPB1 knockout HAP1 cell lysate at 20 µg

Developed using the ECL technique.


Performed under reducing conditions.

Predicted band size: 50 kDa **Observed band size:** 45 kDa

Exposure time: 20 minutes

This blot was produced using a 4-12% Bis-tris gel under the MOPS buffer system. The gel was run at 200V for 50 minutes before being

transferred onto a Nitrocellulose membrane at 30V for 70 minutes. The membrane was then blocked for an hour using 3% milk before being incubated with ab207635 overnight at 4°C. Antibody binding was visualised using ECL development solution <u>ab133406</u>.



Please note: All products are "FOR RESEARCH USE ONLY. NOT FOR USE IN DIAGNOSTIC PROCEDURES"

Our Abpromise to you: Quality guaranteed and expert technical support

- Replacement or refund for products not performing as stated on the datasheet
- · Valid for 12 months from date of delivery
- Response to your inquiry within 24 hours
- We provide support in Chinese, English, French, German, Japanese and Spanish
- Extensive multi-media technical resources to help you
- · We investigate all quality concerns to ensure our products perform to the highest standards

If the product does not perform as described on this datasheet, we will offer a refund or replacement. For full details of the Abpromise, please visit https://www.abcam.com/abpromise or contact our technical team.

Terms and conditions

• Guarantee only valid for products bought direct from Abcam or one of our authorized distributors