abcam

Product datasheet

Anti-HUS1 antibody ab96297

4 References 2 Images

Overview

Product name Anti-HUS1 antibody

Description Rabbit polyclonal to HUS1

Host species Rabbit

Suitable for: WB, IHC-P **Tested applications** Species reactivity Reacts with: Human

Predicted to work with: Rat, Cow, Pig

Immunogen Recombinant protein fragment containing a sequence corresponding to a region within amino

acids 1 - 243 of Human HUS1 (AAH07013).

Positive control 293T cell lysate, CA922 xenograft

General notes The Life Science industry has been in the grips of a reproducibility crisis for a number of years.

> Abcam is leading the way in addressing this with our range of recombinant monoclonal antibodies and knockout edited cell lines for gold-standard validation. Please check that this product meets

your needs before purchasing.

If you have any questions, special requirements or concerns, please send us an inquiry and/or contact our Support team ahead of purchase. Recommended alternatives for this product can be

found below, along with publications, customer reviews and Q&As

Properties

Form Liquid

Storage instructions Shipped at 4°C. Upon delivery aliquot and store at -20°C or -80°C. Avoid repeated freeze / thaw

cycles.

Storage buffer pH: 7.00

Preservative: 0.01% Thimerosal (merthiolate)

Constituents: 1.21% Tris, 0.75% Glycine, 20% Glycerol (glycerin, glycerine)

Purity Immunogen affinity purified

Clonality Polyclonal

Isotype lgG

Applications

The Abpromise guarantee

Our **Abpromise guarantee** covers the use of ab96297 in the following tested applications.

The application notes include recommended starting dilutions; optimal dilutions/concentrations should be determined by the end user.

| Application | Abreviews | Notes |
|-------------|-----------|-----------------------------------------------------|
| WB | | 1/500 - 1/3000. Predicted molecular weight: 32 kDa. |
| IHC-P | | 1/100 - 1/500. |

Target

Function

Component of the 9-1-1 cell-cycle checkpoint response complex that plays a major role in DNA repair. The 9-1-1 complex is recruited to DNA lesion upon damage by the RAD17-replication factor C (RFC) clamp loader complex. Acts then as a sliding clamp platform on DNA for several proteins involved in long-patch base excision repair (LP-BER). The 9-1-1 complex stimulates DNA polymerase beta (POLB) activity by increasing its affinity for the 3'-OH end of the primer-template and stabilizes POLB to those sites where LP-BER proceeds; endonuclease FEN1 cleavage activity on substrates with double, nick, or gap flaps of distinct sequences and lengths; and DNA ligase I (LIG1) on long-patch base excision repair substrates.

Tissue specificity

Ubiquitous.


Sequence similarities

Belongs to the HUS1 family.

Cellular localization

Images


Nucleus. Cytoplasm. In discrete nuclear foci upon DNA damage. According to PubMed:14500360, localized also in the cytoplasm. DNA damage induces its nuclear translocation. Shuttles between the nucleus and the cytoplasm.



Anti-HUS1 antibody (ab96297) at 1/1000 dilution + 293T whole cell lysate at 30 µg

Predicted band size: 32 kDa

12% SDS PAGE



Immunohistochemistry (Formalin/PFA-fixed paraffinembedded sections) - Anti-HUS1 antibody (ab96297)

ab96297 at 1/500 dilution, staining HUS1 in paraffin-embedded CA922 xenograft.

Please note: All products are "FOR RESEARCH USE ONLY. NOT FOR USE IN DIAGNOSTIC PROCEDURES"

Our Abpromise to you: Quality guaranteed and expert technical support

- Replacement or refund for products not performing as stated on the datasheet
- Valid for 12 months from date of delivery
- Response to your inquiry within 24 hours
- · We provide support in Chinese, English, French, German, Japanese and Spanish
- Extensive multi-media technical resources to help you
- We investigate all quality concerns to ensure our products perform to the highest standards

If the product does not perform as described on this datasheet, we will offer a refund or replacement. For full details of the Abpromise, please visit https://www.abcam.com/abpromise or contact our technical team.

Terms and conditions

• Guarantee only valid for products bought direct from Abcam or one of our authorized distributors