# abcam

## Product datasheet

## Anti-IL-17A antibody [EPR21776] - BSA and Azide free ab231891



## 2 Images

#### Overview

**Product name** Anti-IL-17A antibody [EPR21776] - BSA and Azide free

**Description** Rabbit monoclonal [EPR21776] to IL-17A - BSA and Azide free

**Host species** Rabbit

**Tested applications** Suitable for: WB

Reacts with: Mouse **Species reactivity** 

**Immunogen** Recombinant fragment. This information is proprietary to Abcam and/or its suppliers.

Positive control WB: EL4 cells treated with PMA, ionomycin and Brefeldin A, whole cell lysate.

**General notes** ab231891 is the carrier-free version of ab218013.

> Our carrier-free antibodies are typically supplied in a PBS-only formulation, purified and free of BSA, sodium azide and glycerol. The carrier-free buffer and high concentration allow for increased conjugation efficiency.

This conjugation-ready format is designed for use with fluorochromes, metal isotopes, oligonucleotides, and enzymes, which makes them ideal for antibody labelling, functional and cellbased assays, flow-based assays (e.g. mass cytometry) and Multiplex Imaging applications.

Use our conjugation kits for antibody conjugates that are ready-to-use in as little as 20 minutes with <1 minute hands-on-time and 100% antibody recovery: available for fluorescent dyes, HRP, biotin and gold.

This product is compatible with the Maxpar® Antibody Labeling Kit from Fluidigm, without the need for antibody preparation. Maxpar<sup>®</sup> is a trademark of Fluidigm Canada Inc.

This product is a recombinant monoclonal antibody, which offers several advantages including:

- High batch-to-batch consistency and reproducibility
- Improved sensitivity and specificity
- Long-term security of supply
- Animal-free production

For more information see here.

Our RabMAb® technology is a patented hybridoma-based technology for making rabbit monoclonal antibodies. For details on our patents, please refer to **RabMAb**® **patents**.

#### **Properties**

Form Liquid

**Storage instructions** Shipped at 4°C. Store at +4°C. Do Not Freeze.

Storage buffer pH: 7.2

Constituent: PBS

Carrier free Yes

Purity Protein A purified

ClonalityMonoclonalClone numberEPR21776

**Isotype** IgG

## **Applications**

The Abpromise guarantee Our Abpromise guarantee covers the use of ab231891 in the following tested applications.

The application notes include recommended starting dilutions; optimal dilutions/concentrations should be determined by the end user.

Application	Abreviews	Notes
WB		Use at an assay dependent concentration. Detects a band of approximately 14,17 kDa (predicted molecular weight: 17 kDa).

#### **Target**

**Function** Induces stromal cells to produce proinflammatory and hematopoietic cytokines. Enhances the

surface expression of the intracellular adhesion molecule-1 (ICAM-1) in fibroblasts.

**Tissue specificity** Restricted to activated memory T-cells.

**Sequence similarities** Belongs to the IL-17 family.


Post-translational

modifications

Found both in glycosylated and nonglycosylated forms.

Cellular localization Secreted.

#### **Images**



Western blot - Anti-IL-17A antibody [EPR21776] - BSA and Azide free (ab231891)

**All lanes :** Anti-IL-17A antibody [EPR21776] (<u>ab218013</u>) at 1/1000 dilution

Lane 1 : Untreated EL4 (mouse lymphoma T lymphocyte) whole cell lysate

**Lane 2**: EL4 treated with 50 ng/ml Phorbol-12-myristate-13-acetate (PMA) and 500 ng/ml ionomycin (<u>ab120116</u>) for 6 hours, then with 500 ng/ml Brefeldin A for 18 hours, whole cell lysate

Lysates/proteins at 10 µg per lane.

#### **Secondary**

**All lanes :** Goat Anti-Rabbit lgG H&L (HRP) (<u>ab97051</u>) at 1/100000 dilution

Developed using the ECL technique.

**Predicted band size:** 17 kDa **Observed band size:** 14,17 kDa


Exposure time: 3 minutes

Blocking/dilution buffer and concentration: 5% NFDM/TBST

Expression of IL17A can be induced by PMA and lonomycin treatment (PMID 28382171).

The expression profile is consistent with the literature (PMID 9764847).

This data was developed using the same antibody clone in a different buffer formulation containing PBS, BSA, glycerol, and sodium azide (<u>ab218013</u>).



Please note: All products are "FOR RESEARCH USE ONLY. NOT FOR USE IN DIAGNOSTIC PROCEDURES"

#### Our Abpromise to you: Quality guaranteed and expert technical support

- Replacement or refund for products not performing as stated on the datasheet
- Valid for 12 months from date of delivery
- Response to your inquiry within 24 hours
- We provide support in Chinese, English, French, German, Japanese and Spanish
- Extensive multi-media technical resources to help you
- We investigate all quality concerns to ensure our products perform to the highest standards

If the product does not perform as described on this datasheet, we will offer a refund or replacement. For full details of the Abpromise, please visit <a href="https://www.abcam.com/abpromise">https://www.abcam.com/abpromise</a> or contact our technical team.

#### Terms and conditions

• Guarantee only valid for products bought direct from Abcam or one of our authorized distributors