

Product datasheet

Anti-IL22 RA2/IL-22BP antibody [EPRR23006-70] ab267467

Recombinant RabMAb

5 Images

Overview

Product name	Anti-IL22 RA2/IL-22BP antibody [EPRR23006-70]
Description	Rabbit monoclonal [EPRR23006-70] to IL22 RA2/IL-22BP
Host species	Rabbit
Tested applications	Suitable for: IHC-P Unsuitable for: Flow Cyt, ICC/IF, IP or WB
Species reactivity	Reacts with: Human
Immunogen	Recombinant fragment. This information is proprietary to Abcam and/or its suppliers.
Positive control	IHC-P: Human tonsil, Human colon, Human carcinoma and Human liver tissues.
General notes	This product is a recombinant monoclonal antibody, which offers several advantages including: <ul style="list-style-type: none"> - High batch-to-batch consistency and reproducibility - Improved sensitivity and specificity - Long-term security of supply - Animal-free production For more information see here . Our RabMAb [®] technology is a patented hybridoma-based technology for making rabbit monoclonal antibodies. For details on our patents, please refer to RabMAb[®] patents .

Properties

Form	Liquid
Storage instructions	Shipped at 4°C. Store at +4°C short term (1-2 weeks). Upon delivery aliquot. Store at -20°C long term. Avoid freeze / thaw cycle.
Storage buffer	pH: 7.2 Preservative: 0.01% Sodium azide Constituents: PBS, 0.05% BSA, 40% Glycerol (glycerin, glycerine)
Purity	Preadsorbed IgG fraction
Clonality	Monoclonal
Clone number	EPRR23006-70

Isotype

IgG

Applications

The Abpromise guarantee

Our **Abpromise guarantee** covers the use of ab267467 in the following tested applications.

The application notes include recommended starting dilutions; optimal dilutions/concentrations should be determined by the end user.

Application	Abreviews	Notes
IHC-P		1/500. Perform heat mediated antigen retrieval with Tris/EDTA buffer pH 9.0 before commencing with IHC staining protocol.

Application notes

Is unsuitable for Flow Cyt, ICC/IF, IP or WB.

Target

Function

Isoform 2 is a receptor for IL22. Binds to IL22, prevents interaction with the functional IL-22R complex and blocks the activity of IL22 (in vitro). May play an important role as an IL22 antagonist in the regulation of inflammatory responses.

Isoform 1 may play a role in establishing and maintaining successful pregnancy.

Tissue specificity

Expressed in placenta, spleen, breast, skin and lung. Also detected in intestinal tract, testis, brain, heart and thymus. No expression found in prostate, bladder, kidney, ovary, muscle, bone marrow, liver and uterus. Isoform 1 is expressed only in placenta. Isoform 2 is expressed in placenta and breast and at lower level in spleen, skin, thymus and stomach.

Sequence similarities


Belongs to the type II cytokine receptor family.

Contains 3 fibronectin type-III domains.

Cellular localization

Secreted.


Images



Immunohistochemical analysis of paraffin-embedded Human tonsil tissue labeling IL22 RA2/IL-22BP with ab267467 at 1/500 dilution (1.09 ug/ml) followed by a ready to use Rabbit specific IHC polymer detection kit HRP/DAB (**ab209101**). Positive staining on human tonsil (PMID: 28512157) is observed. The section was incubated with ab267467 for 30 mins at RT. The immunostaining staining was performed on a Leica Biosystems BOND® RX instrument. Counterstained with Hematoxylin.

Secondary antibody only control: Secondary antibody is a ready to use Rabbit specific IHC polymer detection kit HRP/DAB (**ab209101**).

Heat mediated antigen retrieval with Tris-EDTA buffer (pH 9.0, epitope retrieval solution 2) for 20 mins.




Immunohistochemistry (Formalin/PFA-fixed paraffin-embedded sections) - Anti-IL22 RA2/IL-22BP antibody [EPRR23006-70] (ab267467)

Immunohistochemical analysis of paraffin-embedded Human carcinoma tissue labeling IL22 RA2/IL-22BP with ab267467 at 1/500 dilution (1.09 ug/ml) followed by a ready to use Rabbit specific IHC polymer detection kit HRP/DAB ([ab209101](#)). Positive staining on stromal cells in human carcinoma (PMID: 26329427) is observed. The section was incubated with ab267467 for 30 mins at RT. The immunostaining staining was performed on a Leica Biosystems BOND® RX instrument. Counterstained with Hematoxylin.

Secondary antibody only control: Secondary antibody is a ready to use Rabbit specific IHC polymer detection kit HRP/DAB ([ab209101](#)).

Heat mediated antigen retrieval with Tris-EDTA buffer (pH 9.0, epitope retrieval solution 2) for 20 mins.




Immunohistochemistry (Formalin/PFA-fixed paraffin-embedded sections) - Anti-IL22 RA2/IL-22BP antibody [EPRR23006-70] (ab267467)

Immunohistochemical analysis of paraffin-embedded Human colon tissue labeling IL22 RA2/IL-22BP with ab267467 at 1/500 dilution (1.09 ug/ml) followed by a ready to use Rabbit specific IHC polymer detection kit HRP/DAB ([ab209101](#)). Positive staining on stromal cells in human colon (PMID: 26329427) is observed. The section was incubated with ab267467 for 30 mins at RT. The immunostaining staining was performed on a Leica Biosystems BOND® RX instrument. Counterstained with Hematoxylin.

Secondary antibody only control: Secondary antibody is a ready to use Rabbit specific IHC polymer detection kit HRP/DAB ([ab209101](#)).

Heat mediated antigen retrieval with Tris-EDTA buffer (pH 9.0, epitope retrieval solution 2) for 20 mins.



Immunohistochemistry (Formalin/PFA-fixed paraffin-embedded sections) - Anti-IL22 RA2/IL-22BP antibody [EPRR23006-70] (ab267467)

Immunohistochemical analysis of paraffin-embedded Human liver tissue labeling IL22 RA2/IL-22BP with ab267467 at 1/500 dilution (1.09 ug/ml) followed by a ready to use Rabbit specific IHC polymer detection kit HRP/DAB (**ab209101**). **Negative control:** no staining on human liver (PMID: 21674558, PMID: 23653115) is observed. The section was incubated with ab267467 for 30 mins at RT. The immunostaining staining was performed on a Leica Biosystems BOND® RX instrument. Counterstained with Hematoxylin.

Secondary antibody only control: Secondary antibody is a ready to use Rabbit specific IHC polymer detection kit HRP/DAB (**ab209101**).

Heat mediated antigen retrieval with Tris-EDTA buffer (pH 9.0, epitope retrieval solution 2) for 20 mins.

Why choose a recombinant antibody?



Anti-IL22 RA2/IL-22BP antibody [EPRR23006-70] (ab267467)

Please note: All products are "FOR RESEARCH USE ONLY. NOT FOR USE IN DIAGNOSTIC PROCEDURES"

Our Abpromise to you: Quality guaranteed and expert technical support

- Replacement or refund for products not performing as stated on the datasheet
- Valid for 12 months from date of delivery
- Response to your inquiry within 24 hours
- We provide support in Chinese, English, French, German, Japanese and Spanish
- Extensive multi-media technical resources to help you
- We investigate all quality concerns to ensure our products perform to the highest standards

If the product does not perform as described on this datasheet, we will offer a refund or replacement. For full details of the Abpromise, please visit <https://www.abcam.com/abpromise> or contact our technical team.

Terms and conditions

- Guarantee only valid for products bought direct from Abcam or one of our authorized distributors