abcam

Product datasheet

Anti-K78 antibody ab122578

4 Images

Overview

Product name Anti-K78 antibody

Description Rabbit polyclonal to K78

Host species Rabbit

Tested applications Suitable for: IHC-P

Species reactivity Reacts with: Human

Immunogen Recombinant fragment corresponding to Human K78 aa 447-497.

Sequence:

VGGGLGSTCGLGSGKGSPGSCCTSIVTGGSNIILGSGKDP

VLDSCSVSGS S

Run BLAST with
Run BLAST with

Positive control IHC-P: Oesophagus, cervix and tonsil tissues.

General notesThe Life Science industry has been in the grips of a reproducibility crisis for a number of years.

Abcam is leading the way in addressing this with our range of recombinant monoclonal antibodies and knockout edited cell lines for gold-standard validation. Please check that this product meets

your needs before purchasing.

If you have any questions, special requirements or concerns, please send us an inquiry and/or contact our Support team ahead of purchase. Recommended alternatives for this product can be

found below, along with publications, customer reviews and Q&As

Properties

Form Liquid

Storage instructions Shipped at 4°C. Store at -20°C or -80°C. Avoid freeze / thaw cycle. Store undiluted.

Storage buffer pH: 7.20

Preservative: 0.02% Sodium azide

Constituents: 59% PBS, 40% Glycerol (glycerin, glycerine)

Purity Immunogen affinity purified

Clonality Polyclonal

Isotype IgG

1

Applications

The Abpromise guarantee Our Abpromise guarantee covers the use of ab122578 in the following tested applications.


The application notes include recommended starting dilutions; optimal dilutions/concentrations should be determined by the end user.

Application	Abreviews	Notes
IHC-P		1/200 - 1/500. Perform heat mediated antigen retrieval with citrate buffer pH 6 before commencing with IHC staining protocol.

Target


Tissue specificity	Expressed in tongue, but not in skin or in any other tissues or organs examined.	
Sequence similarities	Belongs to the intermediate filament family.	

Images




Immunohistochemistry (Formalin/PFA-fixed paraffinembedded sections) - Anti-K78 antibody (ab122578)

Immunohistochemical analysis of formalin-fixed, paraffin-embedded human oesophagus tissue labeling K78 with ab122578 at 1/500.




Immunohistochemistry (Formalin/PFA-fixed paraffinembedded sections) - Anti-K78 antibody (ab122578)

Immunohistochemical analysis of formalin-fixed, paraffin-embedded human cervix tissue labeling K78 with ab122578 at 1/500.



Immunohistochemistry (Formalin/PFA-fixed paraffinembedded sections) - Anti-K78 antibody (ab122578)

Immunohistochemical analysis of formalin-fixed, paraffin-embedded human tonsil tissue labeling K78 with ab122578 at 1/500.



Immunohistochemistry (Formalin/PFA-fixed paraffinembedded sections) - Anti-K78 antibody (ab122578)

Immunohistochemical analysis of formalin-fixed, paraffin-embedded human stomach tissue labeling K78 with ab122578 at 1/500. No positivity observed.

Our Abpromise to you: Quality guaranteed and expert technical support

- · Replacement or refund for products not performing as stated on the datasheet
- · Valid for 12 months from date of delivery
- · Response to your inquiry within 24 hours
- We provide support in Chinese, English, French, German, Japanese and Spanish
- Extensive multi-media technical resources to help you
- · We investigate all quality concerns to ensure our products perform to the highest standards

If the product does not perform as described on this datasheet, we will offer a refund or replacement. For full details of the Abpromise, please visit https://www.abcam.com/abpromise or contact our technical team.

Terms and conditions

· Guarantee only valid for products bought direct from Abcam or one of our authorized distributors