

Anti-Lipoprotein a antibody [EPR19731] ab208184

Recombinant RabMAb

5 Images

Overview

Product name	Anti-Lipoprotein a antibody [EPR19731]
Description	Rabbit monoclonal [EPR19731] to Lipoprotein a
Host species	Rabbit
Tested applications	Suitable for: IHC-P, WB
Species reactivity	Reacts with: Human
Immunogen	Recombinant fragment. This information is proprietary to Abcam and/or its suppliers.
Positive control	WB: Human serum, plasma, liver, blood and adipose lysates. IHC-P: Human liver and glioma tissues.
General notes	<p>This product is a recombinant monoclonal antibody, which offers several advantages including:</p> <ul style="list-style-type: none"> - High batch-to-batch consistency and reproducibility - Improved sensitivity and specificity - Long-term security of supply - Animal-free production <p>For more information see here.</p> <p>Our RabMAb[®] technology is a patented hybridoma-based technology for making rabbit monoclonal antibodies. For details on our patents, please refer to RabMAb[®] patents.</p>

Properties

Form	Liquid
Storage instructions	Shipped at 4°C. Store at +4°C short term (1-2 weeks). Upon delivery aliquot. Store at -20°C long term. Avoid freeze / thaw cycle.
Storage buffer	<p>pH: 7.2</p> <p>Preservative: 0.01% Sodium azide</p> <p>Constituents: 59% PBS, 40% Glycerol (glycerin, glycerine), 0.05% BSA</p>
Purity	Protein A purified
Clonality	Monoclonal
Clone number	EPR19731
Isotype	IgG

Applications

The Abpromise guarantee

Our **Abpromise guarantee** covers the use of ab208184 in the following tested applications.

The application notes include recommended starting dilutions; optimal dilutions/concentrations should be determined by the end user.


Application	Abreviews	Notes
IHC-P		1/1000. Perform heat mediated antigen retrieval with Tris/EDTA buffer pH 9.0 before commencing with IHC staining protocol.
WB		1/5000. Detects a band of approximately 100-500 kDa (predicted molecular weight: 501 kDa).

Target

Relevance

Lipoprotein(a) (Lp(a)) is a lipoprotein subclass assembled in the blood from low density lipoprotein (LDL) molecules and apolipoprotein-a (apo-a). Lp(a) recruits inflammatory cells through interaction with Mac-1 integrin. High Lp(a) in blood is a risk factor for coronary heart disease, cerebrovascular disease, atherosclerosis, thrombosis, and stroke. Lp(a) concentrations may be affected by disease states, but are only moderately affected by diet, exercise and other environmental factors. Lipid-reducing drugs have no effect on Lp(a) concentration. High Lp(a) predicts risk of early atherosclerosis similar to high LDL, but in advanced atherosclerosis, Lp(a) is a risk factor independent of LDL, indicating a coagulant risk of plaque thrombosis. Apo(a) contains domains that are very similar to plasminogen (PLG). Lp(a) accumulates in the vessel wall and inhibits binding of PLG to the cell surface, reducing plasmin generation which increases clotting. This inhibition also promotes proliferation of smooth muscle cells. These unique features of Lp(a) suggest a role in the generation of clots and atherosclerosis.

Images



All lanes : Anti-Lipoprotein a antibody [EPR19731] (ab208184) at 1/5000 dilution

Lane 1 : Human serum

Lane 2 : Human plasma

Lane 3 : Human liver tissue lysate

Lane 4 : Human blood

Lane 5 : Human adipose tissue lysate

Lysates/proteins at 10 µg per lane.

Secondary

All lanes : Goat Anti-Rabbit IgG Peroxidase Conjugate, specific to the non-reduced form of IgG at 1/10000 dilution


Predicted band size: 501 kDa

Observed band size: 100-500 kDa

Exposure time: 3 minutes

Blocking/Dilution buffer: 5% NFDM/TBST.

The expression profile observed is consistent with what has been described in the literature (PMID: 9590382, 10484779 and 10703674).



All lanes : Anti-Lipoprotein a antibody [EPR19731] (ab208184) at 1/5000 dilution

Lane 1 : Human serum

Lane 2 : Human plasma

Lane 3 : Human liver lysate

Lane 4 : Human blood

Lane 5 : Human adipose lysate

Lysates/proteins at 10 µg per lane.

Secondary

All lanes : Goat Anti-Rabbit IgG Peroxidase Conjugate, specific to the non-reduced form of IgG at 1/10000 dilution


Predicted band size: 501 kDa

Observed band size: 100-500 kDa

Exposure time: 30 seconds

Blocking/Dilution buffer: 5% NFDM/TBST.

The expression profile observed is consistent with what has been described in the literature (PMID: 9590382, 10484779 and 10703674).




Immunohistochemistry (Formalin/PFA-fixed paraffin-embedded sections) - Anti-Lipoprotein a antibody [EPR19731] (ab208184)

Immunohistochemical analysis of paraffin-embedded human liver tissue labeling Lipoprotein a with ab208184 at 1/1000 dilution, followed by Goat Anti-Rabbit IgG H&L (HRP) ([ab97051](#)) at 1/500 dilution. Cytoplasmic staining on human liver is observed. Counter stained with Hematoxylin.

Secondary antibody only control: Used PBS instead of primary antibody, secondary antibody is Goat Anti-Rabbit IgG H&L (HRP) ([ab97051](#)) at 1/500 dilution.

Perform heat mediated antigen retrieval with Tris/EDTA buffer pH 9.0 before commencing with IHC staining protocol.






Immunohistochemistry (Formalin/PFA-fixed paraffin-embedded sections) - Anti-Lipoprotein a antibody [EPR19731] (ab208184)

Immunohistochemical analysis of paraffin-embedded human glioma tissue labeling Lipoprotein a with ab208184 at 1/1000 dilution, followed by Goat Anti-Rabbit IgG H&L (HRP) ([ab97051](#)) at 1/500 dilution. Cytoplasmic staining on blood vessels of human glioma is observed. Counter stained with Hematoxylin.

Secondary antibody only control: Used PBS instead of primary antibody, secondary antibody is Goat Anti-Rabbit IgG H&L (HRP) ([ab97051](#)) at 1/500 dilution.

Perform heat mediated antigen retrieval with Tris/EDTA buffer pH 9.0 before commencing with IHC staining protocol.

Why choose a recombinant antibody?

 <p>Research with confidence Consistent and reproducible results</p>	 <p>Long-term and scalable supply Recombinant technology</p>
 <p>Success from the first experiment Confirmed specificity</p>	 <p>Ethical standards compliant Animal-free production</p>

Anti-Lipoprotein a antibody [EPR19731] (ab208184)

Please note: All products are "FOR RESEARCH USE ONLY. NOT FOR USE IN DIAGNOSTIC PROCEDURES"

Our Abpromise to you: Quality guaranteed and expert technical support

- Replacement or refund for products not performing as stated on the datasheet
- Valid for 12 months from date of delivery
- Response to your inquiry within 24 hours
- We provide support in Chinese, English, French, German, Japanese and Spanish
- Extensive multi-media technical resources to help you
- We investigate all quality concerns to ensure our products perform to the highest standards

If the product does not perform as described on this datasheet, we will offer a refund or replacement. For full details of the Abpromise, please visit <https://www.abcam.com/abpromise> or contact our technical team.

Terms and conditions

- Guarantee only valid for products bought direct from Abcam or one of our authorized distributors