abcam

Product datasheet

Anti-LRRK2 (phospho T1410) antibody [MJFR4-25-5] ab140107

Recombinant RabMAb

2 References 3 Images

Overview

Product name Anti-LRRK2 (phospho T1410) antibody [MJFR4-25-5]

Description Rabbit monoclonal [MJFR4-25-5] to LRRK2 (phospho T1410)

Host species Rabbit

Tested applications Suitable for: WB

Species reactivity Reacts with: Human

Predicted to work with: Mouse, Rat

Immunogen Synthetic peptide corresponding to Human LRRK2 (phospho T1410).

Database link: Q5S007

Positive control LRRK2 wild type transfected 293T in vitro auto-phosphorylation.

General notesThis antibody was developed with support of The Michael J. Fox Foundation (MJFF) with the

assistance of a consortium of investigators to help accelerate LRRK2 research.

LRRK2 (Leucine-rich repeat kinase 2, dardarin) is a multi-domain protein belonging to the ROCO family of proteins that contains a kinase and GTPase domain among its many protein interaction

domains. LRRK2 is mutated in a significant number of Parkinson's disease (PD) patients.

Mutations in this gene account for 4% of PD, and are observed in 1% of sporadic PD patients. The most common mutation replaces glycine 2019 with a serine that results in increased LRRK2 kinase activity. This indicates that inhibitors of LRRK2 kinase activity might be of therapeutic benefit for the treatment of Parkinson's disease and has stimulated much activity in this field of research. Based upon mass spectrometry findings, a number of other residues within LRRK2 have also been found to be phosphorylated as well.

nave also been found to be phosphorylated as well.

Currently, the physiological relevance of these phospho-sites is not clear. Thus with the generation of this phospho-specific antibody, it is MJFF's hope that investigators may have at hand a critical tool to assist in their research endeavors that might thereby lend further clarity to the field of LRRK2 and its role in PD pathogenesis.

Acknowledgements: The Michael J. Fox Foundation would like to acknowlege the assistance of the following laboratories and individuals, whose input, guidance and assistance in testing all phosphospecific LRRK2 antibodies was critical:

- The Laboratory of Dr. Dario Alessi (University of Dundee) Paul Davies, PhD
- The Laboratory of Dr. Mark Cookson (National Institute on Aging) Alexandra Beilina, PhD
- The Laboratory of Dr. Johannes Gloeckner (Helmholtz Zentrum Munchen)

- The Laboratory of Dr. Takeshi lwatsubo (University of Tokyo) Genta Ito, PhD
- The Laboratory of Dr. Jeremy Nichols (The Parkinson's Institute)
- The Laboratory of Dr. Andrew West (University of Alabama)

This product is a recombinant monoclonal antibody, which offers several advantages including:

- High batch-to-batch consistency and reproducibility
- Improved sensitivity and specificity
- Long-term security of supply
- Animal-free production

For more information see here.

Our RabMAb[®] technology is a patented hybridoma-based technology for making rabbit monoclonal antibodies. For details on our patents, please refer to **RabMAb**[®] **patents**.

This antibody was developed with support from The Michael J. Fox Foundation.



Properties

Form Liquid

Storage instructions Shipped at 4°C. Store at -20°C.

Storage buffer pH: 7.2

Preservative: 0.01% Sodium azide

Constituents: 9% PBS, 40% Glycerol (glycerin, glycerine), 0.05% BSA, 50% Tissue culture

supernatant

Purity Protein A purified

Clonality Monoclonal
Clone number MJFR4-25-5

Isotype IgG

Applications

The Abpromise guarantee

Our **Abpromise guarantee** covers the use of ab140107 in the following tested applications.

The application notes include recommended starting dilutions; optimal dilutions/concentrations should be determined by the end user.

Application	Abreviews	Notes
WB		1/1000 - 1/5000. Predicted molecular weight: 286 kDa.

Target

Function

Positively regulates autophagy through a calcium-dependent activation of the CaMKK/AMPK signaling pathway. The process involves activation of nicotinic acid adenine dinucleotide phosphate (NAADP) receptors, increase in lysosomal pH, and calcium release from lysosomes. Together with RAB29, plays a role in the retrograde trafficking pathway for recycling proteins,

such as mannose 6 phosphate receptor (M6PR), between lysosomes and the Golgi apparatus in a retromer-dependent manner. Regulates neuronal process morphology in the intact central nervous system (CNS). Plays a role in synaptic vesicle trafficking. Phosphorylates PRDX3. Has GTPase activity. May play a role in the phosphorylation of proteins central to Parkinson disease.

Tissue specificity

Expressed in the brain. Expressed in pyramidal neurons in all cortical laminae of the visual cortex, in neurons of the substantia nigra pars compacta and caudate putamen (at protein level). Expressed throughout the adult brain, but at a lower level than in heart and liver. Also expressed in placenta, lung, skeletal muscle, kidney and pancreas. In the brain, expressed in the cerebellum, cerebral cortex, medulla, spinal cord occipital pole, frontal lobe, temporal lobe and putamen. Expression is particularly high in brain dopaminoceptive areas.

Involvement in disease

Parkinson disease 8

Sequence similarities

Belongs to the protein kinase superfamily. TKL Ser/Thr protein kinase family.

Contains 12 LRR (leucine-rich) repeats. Contains 1 protein kinase domain.

Contains 1 Roc domain. Contains 7 WD repeats.

Domain

The seven-bladed WD repeat region is critical for synaptic vesicle trafficking and mediates interaction with multiple vesicle-associated presynaptic proteins.

The Roc domain mediates homodimerization and regulates kinase activity.


Post-translational modifications

Autophosphorylated.

Cellular localization

Membrane. Cytoplasm. Perikaryon. Mitochondrion. Golgi apparatus. Cell projection, axon. Cell projection, dendrite. Endoplasmic reticulum. Cytoplasmic vesicle, secretory vesicle, synaptic vesicle membrane. Endosome. Lysosome. Mitochondrion outer membrane. Mitochondrion inner membrane. Mitochondrion matrix. Predominantly associated with intracytoplasmic vesicular and membranous structures (By similarity). Localized in the cytoplasm and associated with cellular membrane structures. Predominantly associated with the mitochondrial outer membrane of the mitochondria. Colocalized with RAB29 along tubular structures emerging from Golgi apparatus. Localizes in intracytoplasmic punctate structures of neuronal perikarya and dendritic and axonal processes.

Images



Western blot - Anti-LRRK2 (phospho T1410) antibody [MJFR4-25-5] (ab140107)


This image is courtesy of Drs. Cookson and Beilina (National Institute on Aging)

All lanes : Anti-LRRK2 (phospho T1410) antibody [MJFR4-25-5] (ab140107) at 1/1000 dilution

Lane 1 : LRRK2 wild-type transfected 293T in vitro autophosphorylation

Lane 2: LRRK2 T1410A in vitro auto-phosphorylation

Predicted band size: 286 kDa



Western blot - Anti-LRRK2 (phospho T1410) antibody [MJFR4-25-5] (ab140107)

This image is courtesy of Drs. Cookson and Beilina (National Institute on Aging)

All lanes : Anti-LRRK2 (phospho T1410) antibody [MJFR4-25-5] (ab140107) at 1/5000 dilution

Lane 1 : LRRK2 wild type transfected 293T in vitro autophosphorylation

Lane 2: LRRK2 T1410A in vitro auto-phosphorylation

Predicted band size: 286 kDa



Animal-free

production

Anti-LRRK2 (phospho T1410) antibody [MJFR4-25-5] (ab140107)

Confirmed

specificity

Our Abpromise to you: Quality guaranteed and expert technical support

- · Replacement or refund for products not performing as stated on the datasheet
- · Valid for 12 months from date of delivery
- Response to your inquiry within 24 hours
- We provide support in Chinese, English, French, German, Japanese and Spanish
- Extensive multi-media technical resources to help you
- · We investigate all quality concerns to ensure our products perform to the highest standards

If the product does not perform as described on this datasheet, we will offer a refund or replacement. For full details of the Abpromise, please visit https://www.abcam.com/abpromise or contact our technical team.

Terms and conditions

· Guarantee only valid for products bought direct from Abcam or one of our authorized distributors