abcam

Product datasheet

Anti-NARS antibody [EPR8221] - BSA and Azide free ab248320



4 Images

Overview

Product name Anti-NARS antibody [EPR8221] - BSA and Azide free

Description Rabbit monoclonal [EPR8221] to NARS - BSA and Azide free

Host species Rabbit

Tested applications Suitable for: IHC-P, WB

Unsuitable for: Flow Cyt or ICC/IF

Species reactivity Reacts with: Human

Immunogen Synthetic peptide. This information is proprietary to Abcam and/or its suppliers.

General notes ab248320 is the carrier-free version of ab129162.

> Our carrier-free antibodies are typically supplied in a PBS-only formulation, purified and free of BSA, sodium azide and glycerol. The carrier-free buffer and high concentration allow for increased conjugation efficiency.

This conjugation-ready format is designed for use with fluorochromes, metal isotopes, oligonucleotides, and enzymes, which makes them ideal for antibody labelling, functional and cellbased assays, flow-based assays (e.g. mass cytometry) and Multiplex Imaging applications.

Use our conjugation kits for antibody conjugates that are ready-to-use in as little as 20 minutes with <1 minute hands-on-time and 100% antibody recovery: available for fluorescent dyes, HRP, biotin and gold.

This product is compatible with the Maxpar® Antibody Labeling Kit from Fluidigm, without the need for antibody preparation. Maxpar[®] is a trademark of Fluidigm Canada Inc.

This product is a recombinant monoclonal antibody, which offers several advantages including:

- High batch-to-batch consistency and reproducibility
- Improved sensitivity and specificity
- Long-term security of supply
- Animal-free production

For more information see here.

Our RabMAb® technology is a patented hybridoma-based technology for making rabbit monoclonal antibodies. For details on our patents, please refer to RabMAb® patents.

Mouse, Rat: We have preliminary internal testing data to indicate this antibody may not react with


1

Properties

Form Liquid

Storage instructions Shipped at 4°C. Store at +4°C. Do Not Freeze.

Dissociation constant (K_D) $K_D = 7.09 \times 10^{-11} M$



Learn more about K_D

Storage buffer pH: 7.2

Constituent: PBS

Carrier free Yes

Purity Protein A purified

ClonalityMonoclonalClone numberEPR8221

Isotype IgG

Applications

The Abpromise guarantee Our **Abpromise guarantee** covers the use of ab248320 in the following tested applications.

The application notes include recommended starting dilutions; optimal dilutions/concentrations should be determined by the end user.

Application	Abreviews	Notes
IHC-P		Use at an assay dependent concentration. Perform heat mediated antigen retrieval with citrate buffer pH 6 before commencing with IHC staining protocol.
WB		Use at an assay dependent concentration. Predicted molecular weight: 63 kDa.


Application notes Is unsuitable for Flow Cyt or ICC/IF.

Target

Sequence similarities Belongs to the class-II aminoacyl-tRNA synthetase family.

Cellular localization Cytoplasm.


Images



Immunohistochemistry (Formalin/PFA-fixed paraffinembedded sections) - Anti-NARS antibody

[EPR8221] - BSA and Azide free (ab248320)

This data was developed using <u>ab129162</u>, the same antibody clone in a different buffer formulation.<u>ab129162</u>, at 1/50 dilution, staining NARS in paraffin-embedded Human kidney tissue by Immunohistochemistry. Perform heat mediated antigen retrieval with citrate buffer pH 6 before commencing with IHC staining protocol.



Western blot - Anti-NARS antibody [EPR8221] - BSA and Azide free (ab248320)

All lanes : Anti-NARS antibody [EPR8221] (<u>ab129162</u>) at 1/10000 dilution

Lane 1: Human fetal liver tissue lysate

Lane 2 : HepG2 cell lysate

Lane 3: K562 cell lysate

Lane 4: HT-1080 cell lysate


Lysates/proteins at 10 µg per lane.

Secondary

All lanes: HRP labelled Goat anti-Rabbit lgG at 1/2000 dilution

Predicted band size: 63 kDa


This data was developed using <u>ab129162</u>, the same antibody clone in a different buffer formulation.



This data was developed using $\underline{ab129162}$, the same antibody clone in a different buffer formulation. Equilibrium disassociation constant (K_D)

Learn more about K_D

Click here to learn more about K_D



Please note: All products are "FOR RESEARCH USE ONLY. NOT FOR USE IN DIAGNOSTIC PROCEDURES"

Our Abpromise to you: Quality guaranteed and expert technical support

- Replacement or refund for products not performing as stated on the datasheet
- · Valid for 12 months from date of delivery
- Response to your inquiry within 24 hours
- We provide support in Chinese, English, French, German, Japanese and Spanish
- Extensive multi-media technical resources to help you
- We investigate all quality concerns to ensure our products perform to the highest standards

If the product does not perform as described on this datasheet, we will offer a refund or replacement. For full details of the Abpromise, please visit https://www.abcam.com/abpromise or contact our technical team.

Terms and conditions

• Guarantee only valid for products bought direct from Abcam or one of our authorized distributors