

Product datasheet

Anti-NUDT16 antibody ab204739

2 Images

Overview

Product name	Anti-NUDT16 antibody
Description	Rabbit polyclonal to NUDT16
Host species	Rabbit
Tested applications	Suitable for: IHC-P, ICC/IF
Species reactivity	Reacts with: Human
Immunogen	Recombinant fragment corresponding to Human NUDT16. Database link: Q96DE0 Run BLAST with Run BLAST with
Positive control	Human appendix tissue and MCF7 cells.
General notes	<p>The Life Science industry has been in the grips of a reproducibility crisis for a number of years. Abcam is leading the way in addressing this with our range of recombinant monoclonal antibodies and knockout edited cell lines for gold-standard validation. Please check that this product meets your needs before purchasing.</p> <p>If you have any questions, special requirements or concerns, please send us an inquiry and/or contact our Support team ahead of purchase. Recommended alternatives for this product can be found below, along with publications, customer reviews and Q&As</p>

Properties

Form	Liquid
Storage instructions	Shipped at 4°C. Store at +4°C short term (1-2 weeks). Upon delivery aliquot. Store at -20°C long term. Avoid freeze / thaw cycle.
Storage buffer	pH: 7.20 Preservative: 0.02% Sodium azide Constituents: 59% PBS, 40% Glycerol (glycerin, glycerine)
Purity	Immunogen affinity purified
Clonality	Polyclonal
Isotype	IgG

Applications

The Abpromise guarantee

Our **Abpromise guarantee** covers the use of ab204739 in the following tested applications.

The application notes include recommended starting dilutions; optimal dilutions/concentrations should be determined by the end user.

Application	Abreviews	Notes
IHC-P		1/20 - 1/50. Perform heat mediated antigen retrieval with citrate buffer pH 6 before commencing with IHC staining protocol.
ICC/IF		Use a concentration of 0.25 - 2 µg/ml.

Target

Function

RNA-decapping enzyme that binds specifically to U8 snoRNA. Part of the U8 snoRNP complex that is required for the accumulation of mature 5.8S and 28S rRNA. Has diphosphatase activity and removes m7G and m227G caps from U8 snoRNA. Has broad substrate specificity with manganese or cobalt as cofactor and can act on various RNA species (in vitro).


Sequence similarities

Belongs to the Nudix hydrolase family.
Contains 1 nudix hydrolase domain.

Cellular localization


Nucleus > nucleolus. Nucleus > nucleoplasm. Predominantly localized in nucleolus, and in a minor proportion in distinct foci in the nucleoplasm.

Images



Immunohistochemical analysis of paraffin-embedded Human appendix tissue labeling NUDT16 with ab204739 at a dilution of 1/20.

Immunohistochemistry (Formalin/PFA-fixed paraffin-embedded sections) - Anti-NUDT16 antibody (ab204739)



Immunofluorescent analysis of MCF7 cells labeling NUDT16 with ab204739 at 4 $\mu\text{g/mL}$.

Immunocytochemistry/ Immunofluorescence - Anti-NUDT16 antibody (ab204739)

Please note: All products are "FOR RESEARCH USE ONLY. NOT FOR USE IN DIAGNOSTIC PROCEDURES"

Our Abpromise to you: Quality guaranteed and expert technical support

- Replacement or refund for products not performing as stated on the datasheet
- Valid for 12 months from date of delivery
- Response to your inquiry within 24 hours
- We provide support in Chinese, English, French, German, Japanese and Spanish
- Extensive multi-media technical resources to help you
- We investigate all quality concerns to ensure our products perform to the highest standards

If the product does not perform as described on this datasheet, we will offer a refund or replacement. For full details of the Abpromise, please visit <https://www.abcam.com/abpromise> or contact our technical team.

Terms and conditions

- Guarantee only valid for products bought direct from Abcam or one of our authorized distributors