

Product datasheet

Anti-PADI4 / PAD4 antibody ab50332

[11 References](#) [1 Image](#)

Overview

Product name	Anti-PADI4 / PAD4 antibody
Description	Rabbit polyclonal to PAD4 / PAD4
Host species	Rabbit
Tested applications	Suitable for: WB
Species reactivity	Reacts with: Human
Immunogen	Synthetic peptide corresponding to amino acids 1-15 of human PADI4, conjugated to KLH via a C-terminal added cysteine residue Run BLAST with Expasy Run BLAST with NCBI
Positive control	Extracts of DMSO-treated HL60 cells.
General notes	<p>The Life Science industry has been in the grips of a reproducibility crisis for a number of years. Abcam is leading the way in addressing this with our range of recombinant monoclonal antibodies and knockout edited cell lines for gold-standard validation. Please check that this product meets your needs before purchasing.</p> <p>If you have any questions, special requirements or concerns, please send us an inquiry and/or contact our Support team ahead of purchase. Recommended alternatives for this product can be found below, along with publications, customer reviews and Q&As</p>

Properties

Form	Liquid
Storage instructions	Shipped at 4°C. Store at +4°C short term (1-2 weeks). Upon delivery aliquot. Store at -20°C or -80°C. Avoid freeze / thaw cycle.
Storage buffer	pH: 7.40 Preservative: 0.097% Sodium azide Constituent: 0.0268% PBS
Purity	Ion Exchange Chromatography
Clonality	Polyclonal
Isotype	IgG

Applications

The Abpromise guarantee

Our **Abpromise guarantee** covers the use of ab50332 in the following tested applications.

The application notes include recommended starting dilutions; optimal dilutions/concentrations should be determined by the end user.

Application	Abreviews	Notes
WB		1/1000 - 1/2000. Predicted molecular weight: 74 kDa.

Target

Function

Catalyzes the citrullination/deimination of arginine residues of proteins. Citrullinates histone H3 at 'Arg-8' and/or 'Arg-17' and histone H4 at 'Arg-3', which prevents their methylation by CARM1 and HRMT1L2/PRMT1 and represses transcription. Citrullinates EP300/P300 at 'Arg-2142', which favors its interaction with NCOA2/GRIP1.

Tissue specificity

Expressed in eosinophils and neutrophils, not expressed in peripheral monocytes or lymphocytes.

Involvement in disease

Genetic variations in PADI4 are a cause of susceptibility to rheumatoid arthritis (RA) [MIM:180300]. It is a systemic inflammatory disease with autoimmune features and a complex genetic component. It primarily affects the joints and is characterized by inflammatory changes in the synovial membranes and articular structures, widespread fibrinoid degeneration of the collagen fibers in mesenchymal tissues, and by atrophy and rarefaction of bony structures. Note=Could have an important role in the pathogenesis of rheumatoid arthritis by increasing citrullination of proteins in rheumatoid arthritis synovial tissues, leading, in a cytokine-rich milieu, to a break in tolerance to citrullinated peptides processed and presented in the appropriate HLA context.


Sequence similarities

Belongs to the protein arginine deiminase family.

Cellular localization

Cytoplasm. Nucleus. Cytoplasmic granule. Cytoplasmic granules of eosinophils and neutrophils.

Images



All lanes : Anti-PADI4 / PAD4 antibody (ab50332) at 1/1000 dilution

Lane 1 : 293-T cells

Lane 2 : 293-T cells transfected with PADI4 cDNA

Lane 3 : HL60 cells

Lane 4 : HL60 cells induced with 1.25% DMSO for three days

Secondary

All lanes : Goat Anti-Rabbit IgG

Predicted band size: 74 kDa

Observed band size: ~62 kDa

Please note: All products are "FOR RESEARCH USE ONLY. NOT FOR USE IN DIAGNOSTIC PROCEDURES"

Our Abpromise to you: Quality guaranteed and expert technical support

- Replacement or refund for products not performing as stated on the datasheet
- Valid for 12 months from date of delivery
- Response to your inquiry within 24 hours

- We provide support in Chinese, English, French, German, Japanese and Spanish
- Extensive multi-media technical resources to help you
- We investigate all quality concerns to ensure our products perform to the highest standards

If the product does not perform as described on this datasheet, we will offer a refund or replacement. For full details of the Abpromise, please visit <https://www.abcam.com/abpromise> or contact our technical team.

Terms and conditions

- Guarantee only valid for products bought direct from Abcam or one of our authorized distributors