

Product datasheet

Anti-PCB antibody [EPR7366] - BSA and Azide free ab240025

KO VALIDATED Recombinant RabMAb

2 Images

Overview		
Product name	Anti-PCB antibody [EPR7366] - BSA and Azide free	
Description	Rabbit monoclonal [EPR7366] to PCB - BSA and Azide free	
Host species	Rabbit	
Tested applications	Suitable for: WB Unsuitable for: Flow Cyt,ICC/IF,IHC-P or IP	
Species reactivity	Reacts with: Mouse, Rat, Human	
Immunogen	Synthetic peptide. This information is proprietary to Abcam and/or its suppliers.	
General notes	ab240025 is the carrier-free version of <u>ab126707</u> .	
	Our <u>carrier-free</u> antibodies are typically supplied in a PBS-only formulation, purified and free of BSA, sodium azide and glycerol. The carrier-free buffer and high concentration allow for increased conjugation efficiency.	
	This conjugation-ready format is designed for use with fluorochromes, metal isotopes, oligonucleotides, and enzymes, which makes them ideal for antibody labelling, functional and cell-based assays, flow-based assays (e.g. mass cytometry) and Multiplex Imaging applications.	
	Use our conjugation kits for antibody conjugates that are ready-to-use in as little as 20 minutes with <1 minute hands-on-time and 100% antibody recovery: available for fluorescent dyes, HRP, biotin and gold.	
	This product is compatible with the Maxpar [®] Antibody Labeling Kit from Fluidigm, without the need for antibody preparation. $Maxpar^{®}$ is a trademark of Fluidigm Canada Inc.	
	 This product is a recombinant monoclonal antibody, which offers several advantages including: High batch-to-batch consistency and reproducibility Improved sensitivity and specificity Long-term security of supply Animal-free production For more information see here. Our RabMAb[®] technology is a patented hybridoma-based technology for making rabbit monoclonal antibodies. For details on our patents, please refer to RabMAb[®] patents. 	

Properties

Form	Liquid		
Storage instructions	Shipped at 4°C. Store at +4°C. Do Not Freeze.		
Dissociation constant (K _D)	$K_{D} = 1.15 \times 10^{-10} M$		
	LOW 10 ⁻⁶ -7 -8 -9 -10 -11 -12 Learn more about K _D		
Storage buffer	pH: 7.2		
	Constituent: PBS		
Carrier free	Yes		
Purity	Protein A purified		
Clonality	Monoclonal		
Clone number	EPR7366		
lsotype	lgG		


Applications

 The Abpromise guarantee
 Our Abpromise guarantee
 covers the use of ab240025 in the following tested applications.

 The application notes include recommended starting dilutions; optimal dilutions/concentrations should be determined by the end user.


Application	Abreviews	Notes	
WB		Use at an assay dependent concentration. Detects a band of approximately 130 kDa (predicted molecular weight: 130 kDa).	
Application notes	Is unsuitable for Flow Cyt, ICC/IF, IHC-P or IP.		
Target			
Function	Pyruvate carboxylase catalyzes a 2-step reaction, involving the ATP-dependent carboxylation of the covalently attached biotin in the first step and the transfer of the carboxyl group to pyruvate in the second. Catalyzes in a tissue specific manner, the initial reactions of glucose (liver, kidney) and lipid (adipose tissue, liver, brain) synthesis from pyruvate.		
Pathway	Carbohydrate biosynthesis; gluconeogenesis.		
Involvement in disease	Defects in PC are the cause of pyruvate carboxylase deficiency (PC deficiency) [MIM:266150]. PC deficiency leads to lactic acidosis, mental retardation and death. It occurs in three forms: mild or type A, severe neonatal or type B, and a very mild lacticacidemia.		
Sequence similarities	Contains 1 ATP-grasp domain. Contains 1 biotin carboxylation domain. Contains 1 biotinyl-binding domain. Contains 1 carboxyltransferase domain.		
Cellular localization	Mitochondrion matrix.		

Images



OI-RD Scanning - Anti-PCB antibody [EPR7366] -

BSA and Azide free (ab240025)



Please note: All products are "FOR RESEARCH USE ONLY. NOT FOR USE IN DIAGNOSTIC PROCEDURES"

Our Abpromise to you: Quality guaranteed and expert technical support

- · Replacement or refund for products not performing as stated on the datasheet
- Valid for 12 months from date of delivery
- Response to your inquiry within 24 hours
- We provide support in Chinese, English, French, German, Japanese and Spanish
- Extensive multi-media technical resources to help you
- We investigate all quality concerns to ensure our products perform to the highest standards

Equilibrium disassociation constant (K_D)

Learn more about K_D

Click here to learn more about KD

This data was developed using the same antibody clone in a different buffer formulation containing PBS, BSA, glycerol, and sodium azide (<u>ab126707</u>).

If the product does not perform as described on this datasheet, we will offer a refund or replacement. For full details of the Abpromise, please visit <u>https://www.abcam.com/abpromise</u> or contact our technical team.

Terms and conditions

• Guarantee only valid for products bought direct from Abcam or one of our authorized distributors