abcam

Product datasheet

Anti-PDE1A antibody ab96336

1 References 2 Images

Overview

Product name Anti-PDE1A antibody

Description Rabbit polyclonal to PDE1A

Host species Rabbit

Suitable for: WB, ICC/IF **Tested applications** Species reactivity Reacts with: Human

Predicted to work with: Mouse, Rat, Cow, Dog

Immunogen Recombinant fragment corresponding to a region within amino acids 212-520 of Human PDE1A

(NP_001003683).

Positive control EB: H1299 and HeLa whole cell lysates; 293T, A431, H1299, HepG2, MOLT4 and Raji cell

lysates ICC/lf: HeLa cell

General notes The Life Science industry has been in the grips of a reproducibility crisis for a number of years.

> Abcam is leading the way in addressing this with our range of recombinant monoclonal antibodies and knockout edited cell lines for gold-standard validation. Please check that this product meets

your needs before purchasing.

If you have any questions, special requirements or concerns, please send us an inquiry and/or contact our Support team ahead of purchase. Recommended alternatives for this product can be

found below, along with publications, customer reviews and Q&As

Properties

Form Liquid

Storage instructions Shipped at 4°C. Upon delivery aliquot and store at -20°C or -80°C. Avoid repeated freeze / thaw

cycles.

Storage buffer pH: 7.00

Preservative: 0.01% Thimerosal (merthiolate)

Constituents: 1.21% Tris, 0.75% Glycine, 10% Glycerol (glycerin, glycerine)

Purity Immunogen affinity purified

Clonality Polyclonal

Isotype ΙgG

Applications

The Abpromise guarantee

Our <u>Abpromise guarantee</u> covers the use of ab96336 in the following tested applications.

The application notes include recommended starting dilutions; optimal dilutions/concentrations should be determined by the end user.

Application	Abreviews	Notes
WB		1/500 - 1/3000. Predicted molecular weight: 61 kDa.
ICC/IF		1/100 - 1/200.


Target

Function	Cyclic nucleotide phosphodiesterase with a dual-specificity for the second messengers cAMP	
	and cGMP, which are key regulators of many important physiological processes. Has a higher	
	affinity for cGMP than for cAMP.	
Tissue specificity	Several tissues, including brain, kidney, testes and heart.	

Sequence similarities

Belongs to the cyclic nucleotide phosphodiesterase family. PDE1 subfamily.

Images



All lanes: Anti-PDE1A antibody (ab96336) at 1/1000 dilution


Lane 1: H1299 whole cell lysate

Lane 2: HeLa whole cell lysate

Lysates/proteins at 30 µg per lane.

Predicted band size: 61 kDa

7.5% SDS-PAGE



ab96336, at a 1/200 dilution, staining PDE1A in paraformaldehyde fixed HeLa by Immunofluorescence.

Lower image is merged with DNA probe.

Please note: All products are "FOR RESEARCH USE ONLY. NOT FOR USE IN DIAGNOSTIC PROCEDURES"

Our Abpromise to you: Quality guaranteed and expert technical support

- Replacement or refund for products not performing as stated on the datasheet
- · Valid for 12 months from date of delivery
- Response to your inquiry within 24 hours
- We provide support in Chinese, English, French, German, Japanese and Spanish
- Extensive multi-media technical resources to help you
- · We investigate all quality concerns to ensure our products perform to the highest standards

If the product does not perform as described on this datasheet, we will offer a refund or replacement. For full details of the Abpromise, please visit https://www.abcam.com/abpromise or contact our technical team.

Terms and conditions

· Guarantee only valid for products bought direct from Abcam or one of our authorized distributors