abcam

Product datasheet

PE Anti-NCAM1 antibody [EP2567Y] ab237457

Recombinant

RabMAb

2 Images

Overview

Product name PE Anti-NCAM1 antibody [EP2567Y]

Description PE Rabbit monoclonal [EP2567Y] to NCAM1

Host species Rabbit

Conjugation PE. Ex: 488nm, Em: 575nm

Tested applications Suitable for: Flow Cyt (Intra)

Species reactivity Reacts with: Human

Immunogen Synthetic peptide. This information is proprietary to Abcam and/or its suppliers.

Positive control Flow Cyt (intra): U-87 MG cells.

General notesThis product is a recombinant monoclonal antibody, which offers several advantages including:

- High batch-to-batch consistency and reproducibility

- Improved sensitivity and specificity

Long-term security of supplyAnimal-free production

For more information see here.

Our RabMAb[®] technology is a patented hybridoma-based technology for making rabbit monoclonal antibodies. For details on our patents, please refer to **RabMAb**[®] **patents**.

Properties

Form Liquid

Storage instructions Shipped at 4°C. Store at +4°C short term (1-2 weeks). Upon delivery aliquot. Store at +4°C. Store

In the Dark.

Storage buffer pH: 7.4

Preservative: 0.02% Sodium azide Constituents: 1% BSA, PBS

Purity Affinity purified

Clonality Monoclonal
Clone number EP2567Y

Isotype IgG

1

Applications

The Abpromise guarantee

Our **Abpromise guarantee** covers the use of ab237457 in the following tested applications.

The application notes include recommended starting dilutions; optimal dilutions/concentrations should be determined by the end user.

Application	Abreviews	Notes
Flow Cyt (Intra)		1/100.

Target

Function This protein is a cell adhesion molecule involved in neuron-neuron adhesion, neurite fasciculation,


outgrowth of neurites, etc.

Sequence similaritiesContains 2 fibronectin type-III domains.

Contains 5 lg-like C2-type (immunoglobulin-like) domains.

Cellular localization Secreted and Cell membrane.

Images




Flow Cytometry (Intracellular) - PE Anti-NCAM1 antibody [EP2567Y] (ab237457)

Overlay histogram showing U87MG cells stained with ab237457 (red line). The cells were fixed with 4% formaldehyde (10 min) and then permeabilized with 0.1% PBS-Triton X-100 for 15 min. The cells were then incubated in 1x PBS / 10% normal goat serum to block non-specific protein-protein interactions followed by the antibody (ab237457, 1/100 dilution) for 30 min at 22°C.

Isotype control antibody (black line) was Rabbit IgG (monoclonal) Phycoerythrin (ab209478) used at the same concentration and conditions as the primary antibody. Unlabeled sample (blue line) was also used as a control. Acquisition of >5,000 events were collected using a 50 mW Yellow/Green laser (561nm) and 586/15 bandpass filter.

This antibody gave a positive signal in U87MG cells fixed with 80% methanol (5 min)/permeabilized with 0.1% PBS-Triton X-100 for 15 min used under the same conditions.



Please note: All products are "FOR RESEARCH USE ONLY. NOT FOR USE IN DIAGNOSTIC PROCEDURES"

Our Abpromise to you: Quality guaranteed and expert technical support

- · Replacement or refund for products not performing as stated on the datasheet
- Valid for 12 months from date of delivery
- Response to your inquiry within 24 hours
- We provide support in Chinese, English, French, German, Japanese and Spanish
- Extensive multi-media technical resources to help you
- We investigate all quality concerns to ensure our products perform to the highest standards

If the product does not perform as described on this datasheet, we will offer a refund or replacement. For full details of the Abpromise, please visit https://www.abcam.com/abpromise or contact our technical team.

Terms and conditions

• Guarantee only valid for products bought direct from Abcam or one of our authorized distributors