abcam

Product datasheet

PE/Cy7® Anti-CD99 antibody [3B2/TA8] ab253260

1 Image

Overview

Product name PE/Cy7® Anti-CD99 antibody [3B2/TA8]

Description PE/Cy7® Mouse monoclonal [3B2/TA8] to CD99

Host species Mouse

Conjugation PE/Cy7®. Ex: 496nm, Em: 774nm

Tested applications
Suitable for: Flow Cyt
Species reactivity
Reacts with: Human

Immunogen Tissue, cells or virus corresponding to Human CD99. Human thymocytes.

Positive control Flow Cyt: Human peripheral blood cells.

General notes

This product or portions thereof is manufactured under license from Carnegie Mellon University

under U.S. Patent Number 5, 268, 486 and related patents. Cy® and CyDye® are trademarks of

Cytiva.

The Life Science industry has been in the grips of a reproducibility crisis for a number of years. Abcam is leading the way in addressing this with our range of recombinant monoclonal antibodies and knockout edited cell lines for gold-standard validation. Please check that this product meets

your needs before purchasing.

If you have any questions, special requirements or concerns, please send us an inquiry and/or contact our Support team ahead of purchase. Recommended alternatives for this product can be

found below, along with publications, customer reviews and Q&As

Properties

Form Liquid

Storage instructions Shipped at 4°C. Store at +4°C. Store In the Dark.

Storage buffer pH: 7.4

Preservative: 0.0975% Sodium azide

Constituent: PBS

Purity Size exclusion

Purification notes The purified antibody is conjugated with tandem dye PE-Cy[™]7 under optimum conditions. The

conjugate is purified by size-exclusion chromatography and adjusted for direct use.

Clonality Monoclonal

1

Clone number 3B2/TA8

Isotype IgG2a

Applications

The Abpromise guarantee Our Abpromise guarantee covers the use of ab253260 in the following tested applications.

The application notes include recommended starting dilutions; optimal dilutions/concentrations should be determined by the end user.

Application	Abreviews	Notes
Flow Cyt		Use 4µl for 10 ⁶ cells. Or 4 µL per 100 µL whole blood.

Target

Function Involved in T-cell adhesion processes. It is involved in spontaneous rosette formation with

erythrocytes.

Sequence similarities Belongs to the CD99 family.


Post-translational

Extensively O-glycosylated.

modifications

Cellular localization Membrane.

Images



Flow cytometric analysis of human peripheral blood cells labeling CD99 with ab253260.

Surface staining.

Please note: All products are "FOR RESEARCH USE ONLY. NOT FOR USE IN DIAGNOSTIC PROCEDURES"

Our Abpromise to you: Quality guaranteed and expert technical support

- Replacement or refund for products not performing as stated on the datasheet
- Valid for 12 months from date of delivery
- · Response to your inquiry within 24 hours
- We provide support in Chinese, English, French, German, Japanese and Spanish
- Extensive multi-media technical resources to help you
- We investigate all quality concerns to ensure our products perform to the highest standards

If the product does not perform as described on this datasheet, we will offer a refund or replacement. For full details of the Abpromise, please visit https://www.abcam.com/abpromise or contact our technical team.

Terms and conditions

• Guarantee only valid for products bought direct from Abcam or one of our authorized distributors