abcam

Product datasheet

PerCP Rabbit IgG, monoclonal [EPR25A] - Isotype Control ab222107

Recombinant RabMAb

2 Images

Overview

Product name PerCP Rabbit IgG, monoclonal [EPR25A] - Isotype Control

Conjugation PerCP. Ex: 482nm, Em: 675nm

Suitable for: Flow Cyt (Intra) **Tested applications**

Immunogen Chemical/ Small Molecule conjugated to keyhole limpet haemocyanin. KLH is a copper containing

oxygen carrier occurring freely dissolved in the hemolymph of many molluscs and arthropods.KLH

forms a large complex composed of ~50 kDa subunits.

General notes KLH is often used in molecular immunology as a carrier protein conjugated to low molecular

> weight molecules such as peptides, amino acids, nucleic acids, drugs or toxins to render them more immunogenic due to the size of the conjugate complex and the immunogenicity of KLH.

> This product is a recombinant monoclonal antibody, which offers several advantages including:

- High batch-to-batch consistency and reproducibility

- Improved sensitivity and specificity

- Long-term security of supply

- Animal-free production

For more information see here.

Our RabMAb® technology is a patented hybridoma-based technology for making rabbit monoclonal antibodies. For details on our patents, please refer to **RabMAb**® **patents**.

Properties

Form Liquid

Storage instructions Shipped at 4°C. Upon delivery aliquot. Store at +4°C. Do Not Freeze. Store In the Dark.

Storage buffer

Preservative: 0.02% Sodium azide Constituents: 1% BSA, PBS

Purity Protein A purified

Clonality Monoclonal Clone number EPR25A

Isotype IgG

Applications


The Abpromise guarantee

Our <u>Abpromise guarantee</u> covers the use of ab222107 in the following tested applications.

The application notes include recommended starting dilutions; optimal dilutions/concentrations should be determined by the end user.

Application	Abreviews	Notes
Flow Cyt (Intra)		Use at an assay dependent concentration. Please note: This product should be diluted to the same concentration (not dilution) of the primary antibody to be used.

Images



Flow Cytometry (Intracellular) - PerCP Rabbit IgG, monoclonal [EPR25A] - Isotype Control (ab222107) Overlay histogram showing NIH3T3 cells stained with <u>ab220526</u> (red line). The cells were fixed with 4% formaldehyde (10 min) and then permeabilized with 0.1% PBS-Triton X-100 for 15 min. The cells were then incubated in 1x PBS / 10% normal goat serum to block non-specific protein-protein interactions followed by the antibody (<u>ab220526</u>, 1/50 dilution) for 30 min at 22°C.

Isotype control antibody (black line) was rabbit IgG (monoclonal)

PerCP (ab222107) used at the same concentration and conditions
as the primary antibody. Unlabelled sample (blue line) was also
used as a control.

Acquisition of >5,000 events were collected using a 50 mW Blue laser (488nm) and 685/35 bandpass filter.

This antibody gave a positive signal in NIH3T3 cells fixed with 80% methanol (5 min)/permeabilized with 0.1% PBS-Triton X-100 for 15 min used under the same conditions.



PerCP Rabbit IgG, monoclonal [EPR25A] - Isotype Control (ab222107)

Please note: All products are "FOR RESEARCH USE ONLY. NOT FOR USE IN DIAGNOSTIC PROCEDURES"

Our Abpromise to you: Quality guaranteed and expert technical support

- · Replacement or refund for products not performing as stated on the datasheet
- · Valid for 12 months from date of delivery
- · Response to your inquiry within 24 hours
- We provide support in Chinese, English, French, German, Japanese and Spanish
- Extensive multi-media technical resources to help you
- · We investigate all quality concerns to ensure our products perform to the highest standards

If the product does not perform as described on this datasheet, we will offer a refund or replacement. For full details of the Abpromise, please visit https://www.abcam.com/abpromise or contact our technical team.

Terms and conditions

· Guarantee only valid for products bought direct from Abcam or one of our authorized distributors