# abcam

## Product datasheet

# Anti-Placental lactogen antibody [EPR8265] - BSA and Azide free ab248818



### 3 Images

#### Overview

**Product name** Anti-Placental lactogen antibody [EPR8265] - BSA and Azide free

**Description** Rabbit monoclonal [EPR8265] to Placental lactogen - BSA and Azide free

**Host species** Rabbit

**Tested applications** Suitable for: IHC-P, WB

Unsuitable for: ICC/IF

Species reactivity Reacts with: Human

**Immunogen** Synthetic peptide. This information is proprietary to Abcam and/or its suppliers.

**General notes** ab248818 is the carrier-free version of ab137099.

> Our carrier-free antibodies are typically supplied in a PBS-only formulation, purified and free of BSA, sodium azide and glycerol. The carrier-free buffer and high concentration allow for increased conjugation efficiency.

This conjugation-ready format is designed for use with fluorochromes, metal isotopes, oligonucleotides, and enzymes, which makes them ideal for antibody labelling, functional and cellbased assays, flow-based assays (e.g. mass cytometry) and Multiplex Imaging applications.

Use our conjugation kits for antibody conjugates that are ready-to-use in as little as 20 minutes with <1 minute hands-on-time and 100% antibody recovery: available for fluorescent dyes, HRP, biotin and gold.

This product is compatible with the Maxpar<sup>®</sup> Antibody Labeling Kit from Fluidigm, without the need for antibody preparation. Maxpar<sup>®</sup> is a trademark of Fluidigm Canada Inc.

This product is a recombinant monoclonal antibody, which offers several advantages including:

- High batch-to-batch consistency and reproducibility
- Improved sensitivity and specificity
- Long-term security of supply
- Animal-free production

For more information see here.

Our RabMAb® technology is a patented hybridoma-based technology for making rabbit monoclonal antibodies. For details on our patents, please refer to **RabMAb**® **patents**.

Mouse, Rat: We have preliminary internal testing data to indicate this antibody may not react with

1

these species. Please contact us for more information.

### **Properties**

Form Liquid

**Storage instructions** Shipped at 4°C. Store at +4°C. Do Not Freeze.

Storage buffer pH: 7.2

Constituent: PBS

Carrier free Yes

Purity Protein A purified

Clonality Monoclonal
Clone number EPR8265

**Isotype** IgG

### **Applications**

The Abpromise guarantee Our Abpromise guarantee covers the use of ab248818 in the following tested applications.

The application notes include recommended starting dilutions; optimal dilutions/concentrations should be determined by the end user.

Application	Abreviews	Notes
IHC-P		Use at an assay dependent concentration. Perform heat mediated antigen retrieval with citrate buffer pH 6 before commencing with IHC staining protocol.
WB		Use at an assay dependent concentration. Predicted molecular weight: 25 kDa.

**Application notes** Is unsuitable for ICC/IF.


#### **Target**

Relevance Function: Produced only during pregnancy and is involved in stimulating lactation, fetal growth and

metabolism. Does not interact with GHR but only activates PRLR through zinc-induced

dimerization. Similarity: Belongs to the somatotropin/prolactin family.

# **Images**




Western blot - Anti-Placental lactogen antibody [EPR8265] - BSA and Azide free (ab248818) Anti-Placental lactogen antibody [EPR8265] (ab137099) at 1/50000 dilution + Human placenta lysate at 10  $\mu g$ 

#### Secondary

HRP-labelled Goat anti-Rabbit at 1/2000 dilution


Predicted band size: 25 kDa

This data was developed using <u>ab137099</u>, the same antibody clone in a different buffer formulation.



Immunohistochemistry (Formalin/PFA-fixed paraffinembedded sections) - Anti-Placental lactogen antibody [EPR8265] - BSA and Azide free (ab248818)

This data was developed using <u>ab137099</u>, the same antibody clone in a different buffer formulation.lmmunohistochemical analysis of paraffin-embedded Human placenta tissue labelling Placental lactogen with <u>ab137099</u> at 1/250 dilution. Perform heat mediated antigen retrieval with citrate buffer pH 6 before commencing with IHC staining protocol.



Please note: All products are "FOR RESEARCH USE ONLY. NOT FOR USE IN DIAGNOSTIC PROCEDURES"

## Our Abpromise to you: Quality guaranteed and expert technical support

- Replacement or refund for products not performing as stated on the datasheet
- Valid for 12 months from date of delivery
- Response to your inquiry within 24 hours
- We provide support in Chinese, English, French, German, Japanese and Spanish
- Extensive multi-media technical resources to help you
- We investigate all quality concerns to ensure our products perform to the highest standards

If the product does not perform as described on this datasheet, we will offer a refund or replacement. For full details of the Abpromise, please visit <a href="https://www.abcam.com/abpromise">https://www.abcam.com/abpromise</a> or contact our technical team.

#### Terms and conditions

• Guarantee only valid for products bought direct from Abcam or one of our authorized distributors