abcam

Product datasheet

Anti-POLR3A antibody - N-terminal ab138023

★★★★★ 1 Abreviews 1 Image

Overview

Product name Anti-POLR3A antibody - N-terminal

Description Rabbit polyclonal to POLR3A - N-terminal

Host species Rabbit

Tested applications Suitable for: WB

Species reactivity Reacts with: Human

Predicted to work with: Mouse

Immunogen Synthetic peptide derived from the N terminal of Human POLR3A

Positive control 293 cell lysate

General notesThe Life Science industry has been in the grips of a reproducibility crisis for a number of years.

Abcam is leading the way in addressing this with our range of recombinant monoclonal antibodies and knockout edited cell lines for gold-standard validation. Please check that this product meets

your needs before purchasing.

If you have any questions, special requirements or concerns, please send us an inquiry and/or contact our Support team ahead of purchase. Recommended alternatives for this product can be

found below, along with publications, customer reviews and Q&As

Properties

Form Liquid

Storage instructions Shipped at 4°C. Store at -20°C.

Storage buffer pH: 7.40

Preservative: 0.02% Sodium azide

Constituents: 49% PBS, 50% Glycerol (glycerin, glycerine), 0.88% Sodium chloride

PBS without Mg2+ and Ca2+

Purity Immunogen affinity purified

Clonality Polyclonal

Isotype IgG

Applications

1

The Abpromise quarantee

Our **Abpromise guarantee** covers the use of ab138023 in the following tested applications.

The application notes include recommended starting dilutions; optimal dilutions/concentrations should be determined by the end user.

Application	Abreviews	Notes
WB		1/500 - 1/1000. Predicted molecular weight: 156 kDa.

Target

Function

DNA-dependent RNA polymerase catalyzes the transcription of DNA into RNA using the four ribonucleoside triphosphates as substrates. Largest and catalytic core component of RNA polymerase III which synthesizes small RNAs, such as 5S rRNA and tRNAs. Forms the polymerase active center together with the second largest subunit. A single-stranded DNA template strand of the promoter is positioned within the central active site cleft of Pol III. A bridging helix emanates from RPC1 and crosses the cleft near the catalytic site and is thought to promote translocation of Pol III by acting as a ratchet that moves the RNA-DNA hybrid through the active site by switching from straight to bent conformations at each step of nucleotide addition (By similarity). Plays a key role in sensing and limiting infection by intracellular bacteria and DNA viruses. Acts as nuclear and cytosolic DNA sensor involved in innate immune response. Can sense non-self dsDNA that serves as template for transcription into dsRNA. The non-self RNA polymerase III transcripts, such as Epstein-Barr virus-encoded RNAs (EBERs) induce type I interferon and NF- Kappa-B through the RIG-I pathway.

Tissue specificity

Expressed in the brain, in the cortex and the white matter (at protein level).

Involvement in disease

 $Leuko dystrophy, hypomyelinating, 7, with or without oligodontia \ and/or \ hypogona dotropic$

hypogonadism


Sequence similarities

Belongs to the RNA polymerase beta' chain family.

Cellular localization

Nucleus.

Images



Western blot - Anti-POLR3A antibody - N-terminal (ab138023)

Anti-POLR3A antibody - N-terminal (ab138023) at 1/500 dilution + 293 cell lysate at 30 µg

Predicted band size: 156 kDa

Our Abpromise to you: Quality guaranteed and expert technical support

- · Replacement or refund for products not performing as stated on the datasheet
- · Valid for 12 months from date of delivery
- · Response to your inquiry within 24 hours
- We provide support in Chinese, English, French, German, Japanese and Spanish
- Extensive multi-media technical resources to help you
- · We investigate all quality concerns to ensure our products perform to the highest standards

If the product does not perform as described on this datasheet, we will offer a refund or replacement. For full details of the Abpromise, please visit https://www.abcam.com/abpromise or contact our technical team.

Terms and conditions

· Guarantee only valid for products bought direct from Abcam or one of our authorized distributors