# abcam

### Product datasheet

# Anti-Pyrophosphatase 1 antibody [EPR11282] - BSA and Azide free ab250366



#### 4 Images

#### Overview

**Product name** Anti-Pyrophosphatase 1 antibody [EPR11282] - BSA and Azide free

**Description** Rabbit monoclonal [EPR11282] to Pyrophosphatase 1 - BSA and Azide free

**Host species** Rabbit

**Tested applications** Suitable for: IP, Flow Cyt (Intra), WB

Species reactivity Reacts with: Human

**Immunogen** Synthetic peptide. This information is proprietary to Abcam and/or its suppliers.

**General notes** ab250366 is the carrier-free version of ab181126.

> Our carrier-free antibodies are typically supplied in a PBS-only formulation, purified and free of BSA, sodium azide and glycerol. The carrier-free buffer and high concentration allow for increased conjugation efficiency.

This conjugation-ready format is designed for use with fluorochromes, metal isotopes, oligonucleotides, and enzymes, which makes them ideal for antibody labelling, functional and cellbased assays, flow-based assays (e.g. mass cytometry) and Multiplex Imaging applications.

Use our conjugation kits for antibody conjugates that are ready-to-use in as little as 20 minutes with <1 minute hands-on-time and 100% antibody recovery: available for fluorescent dyes, HRP, biotin and gold.

This product is compatible with the Maxpar® Antibody Labeling Kit from Fluidigm, without the need for antibody preparation. Maxpar<sup>®</sup> is a trademark of Fluidigm Canada Inc.

This product is a recombinant monoclonal antibody, which offers several advantages including:

- High batch-to-batch consistency and reproducibility
- Improved sensitivity and specificity
- Long-term security of supply
- Animal-free production

For more information see here.

Our RabMAb® technology is a patented hybridoma-based technology for making rabbit monoclonal antibodies. For details on our patents, please refer to **RabMAb**® patents.

**Properties** 

Form Liquid

**Storage instructions** Shipped at 4°C. Store at +4°C. Do Not Freeze.

Storage buffer pH: 7.2

Constituent: PBS

Carrier free Yes

**Purity** Affinity purified

ClonalityMonoclonalClone numberEPR11282

**Isotype** IgG

#### **Applications**

The Abpromise guarantee Our Abpromise guarantee covers the use of ab250366 in the following tested applications.

The application notes include recommended starting dilutions; optimal dilutions/concentrations should be determined by the end user.

Application	Abreviews	Notes
IP		Use at an assay dependent concentration.
Flow Cyt (Intra)		Use at an assay dependent concentration.
WB		Use at an assay dependent concentration. Detects a band of approximately 33 kDa (predicted molecular weight: 33 kDa).


#### **Target**

**Tissue specificity** Expressed ubiquitously.

Sequence similarities Belongs to the PPase family.

Cellular localization Cytoplasm.

## **Images**



Western blot - Anti-Pyrophosphatase 1 antibody [EPR11282] - BSA and Azide free (ab250366)

**All lanes :** Anti-Pyrophosphatase 1 antibody [EPR11282] (ab181126) at 1/10000 dilution

Lane 1 : HeLa cell lysate

Lane 2: HepG2 cell lysate

Lane 3: 293T (Human embryonic kidney epithelial cell) cell lysate

Lysates/proteins at 20 µg per lane.

#### **Secondary**


**All lanes :** Goat Anti-Rabbit lgG, (H+L), Peroxidase conjugated at 1/1000 dilution

Predicted band size: 33 kDa


This data was developed using <u>ab181126</u>, the same antibody clone in a different buffer formulation.

This data was developed using <u>ab181126</u>, the same antibody clone in a different buffer formulation.

Intracellular Flow Cytometry analysis of HepG2 cells using <a href="mailto:ab181126">ab181126</a> at a 1/290 dilution (red) or a Rabbit monoclonal IgG (negative) (green). Goat anti rabbit IgG (FITC) secondary used at a 1/150 dilution.




Flow Cytometry (Intracellular) - Anti-Pyrophosphatase 1 antibody [EPR11282] - BSA and Azide free (ab250366)



Immunoprecipitation - Anti-Pyrophosphatase 1 antibody [EPR11282] - BSA and Azide free (ab250366)

This data was developed using <u>ab181126</u>, the same antibody clone in a different buffer formulation.Detection of Human Pyrophosphatase 1 by Western Blot of Immunoprecipitate. MOLT4 whole cell lysate loaded, <u>ab181126</u> used for blotting immunoprecipitated Pyrophosphatase 1 at a 1/60 dilution. Goat Anti-Rabbit IgG, (H+L), Peroxidase conjugated secondary used at a 1/1000 dilution.



Please note: All products are "FOR RESEARCH USE ONLY. NOT FOR USE IN DIAGNOSTIC PROCEDURES"

#### Our Abpromise to you: Quality guaranteed and expert technical support

- Replacement or refund for products not performing as stated on the datasheet
- Valid for 12 months from date of delivery
- Response to your inquiry within 24 hours
- We provide support in Chinese, English, French, German, Japanese and Spanish
- Extensive multi-media technical resources to help you
- · We investigate all quality concerns to ensure our products perform to the highest standards

If the product does not perform as described on this datasheet, we will offer a refund or replacement. For full details of the Abpromise, please visit <a href="https://www.abcam.com/abpromise">https://www.abcam.com/abpromise</a> or contact our technical team.

#### Terms and conditions

• Guarantee only valid for products bought direct from Abcam or one of our authorized distributors