

Product datasheet

Anti-Rab11A antibody [EPR7587(B)] - BSA and Azide free ab240036

Recombinant RabMAb

2 Images

Overview		
Product name	Anti-Rab11A antibody [EPR7587(B)] - BSA and Azide free	
Description	Rabbit monoclonal [EPR7587(B)] to Rab11A - BSA and Azide free	
Host species	Rabbit	
Tested applications	Suitable for: IP, WB	
Species reactivity	Reacts with: Mouse, Rat, Human	
Immunogen	Synthetic peptide. This information is proprietary to Abcam and/or its suppliers.	
General notes	ab240036 is the carrier-free version of <u>ab128913</u> .	
	Our <u>carrier-free</u> antibodies are typically supplied in a PBS-only formulation, purified and free of BSA, sodium azide and glycerol. The carrier-free buffer and high concentration allow for increased conjugation efficiency.	
	This conjugation-ready format is designed for use with fluorochromes, metal isotopes, oligonucleotides, and enzymes, which makes them ideal for antibody labelling, functional and cell-based assays, flow-based assays (e.g. mass cytometry) and Multiplex Imaging applications.	
	Use our conjugation kits for antibody conjugates that are ready-to-use in as little as 20 minutes with <1 minute hands-on-time and 100% antibody recovery: available for fluorescent dyes, HRP, biotin and gold.	
	This product is compatible with the Maxpar [®] Antibody Labeling Kit from Fluidigm, without the need for antibody preparation. Maxpar [®] is a trademark of Fluidigm Canada Inc.	
	 This product is a recombinant monoclonal antibody, which offers several advantages including: High batch-to-batch consistency and reproducibility Improved sensitivity and specificity Long-term security of supply Animal-free production For more information <u>see here</u>. Our RabMAb[®] technology is a patented hybridoma-based technology for making rabbit monoclonal antibodies. For details on our patents, please refer to <u>RabMAb[®] patents</u>. 	

Form	Liquid		
Storage instructions	Shipped at 4°C. Store at +4°C. Do Not Freeze.		
Storage buffer	pH: 7.2 Constituent: PBS		
Carrier free	Yes		
Purity	Protein A purified		
Clonality	Monoclonal		
Clone number	EPR7587(B)		
lsotype	lgG		

Applications


The Abpromise guaranteeOur Abpromise guaranteecovers the use of ab240036 in the following tested applications.

The application notes include recommended starting dilutions; optimal dilutions/concentrations should be determined by the end user.

Application	Abreviews	Notes
IP		Use at an assay dependent concentration.
WB		Use at an assay dependent concentration. Predicted molecular weight: 24 kDa.

Target

Regulates endocytic recycling. May exert its functions by interacting with multiple effector proteins in different complexes. Acts as a major regulator of membrane delivery during cytokinesis. Together with MYO5B and RAB8A participates in epithelial cell polarization. Together with RAB3IP, RAB8A, the exocyst complex, PARD3, PRKCI, ANXA2, CDC42 and DNMBP promotes transcytosis of PODXL to the apical membrane initiation sites (AMIS), apical surface formation and lumenogenesis (By similarity). Together with MYO5B participates in CFTR trafficking to the plasma membrane and TF (Transferrin) recycling in nonpolarized cells. Required in a complex with MYO5B and RAB11FIP2 for the transport of NPC1L1 to the plasma membrane. Participates in the sorting and basolateral transport of CDH1 from the Golgi apparatus to the plasma membrane. Regulates the recycling of FCGRT (receptor of Fc region of monomeric lg G) to basolateral membranes.
Belongs to the small GTPase superfamily. Rab family.
Cell membrane. Recycling endosome membrane. Cleavage furrow. Translocates with RAB11FIP2 from the vesicles of the endocytic recycling compartment (ERC) to the plasma membrane. Localizes to the cleavage furrow. Colocalizes with PARD3, PRKCI, EXOC5, OCLN, PODXL and RAB8A in apical membrane initiation sites (AMIS) during the generation of apical surface and luminogenesis.



Why choose a recombinant antibody? Research with Long-term and confidence scalable supply Consistent and Recombinant reproducible results technology Success from the Ethical standards first experiment compliant Confirmed Animal-free specificity production Anti-Rab11A antibody [EPR7587(B)] - BSA and

Azide free (ab240036)

Please note: All products are "FOR RESEARCH USE ONLY. NOT FOR USE IN DIAGNOSTIC PROCEDURES"

Our Abpromise to you: Quality guaranteed and expert technical support

- · Replacement or refund for products not performing as stated on the datasheet
- Valid for 12 months from date of delivery
- Response to your inquiry within 24 hours
- We provide support in Chinese, English, French, German, Japanese and Spanish
- Extensive multi-media technical resources to help you
- We investigate all quality concerns to ensure our products perform to the highest standards

If the product does not perform as described on this datasheet, we will offer a refund or replacement. For full details of the Abpromise, please visit https://www.abcam.com/abpromise or contact our technical team.

ab128913 (purified) at 1/20 immunoprecipitating Rab11A in A549 whole cell lysate. 10 ug of cell lysate was present in the input. For western blotting, a HRP-conjugated Veriblot for IP Detection Reagent (**ab131366**) was used for detection at 1/10,000 dilution. A rabbit monoclonal IgG (**ab172730**) was used intead of **ab128913** as a negative control (Lane 3).

Blocking buffer and concentration: 5% NFDM/TBST.

Diluting buffer and concentration: 5% NFDM /TBST.

This data was developed using the same antibody clone in a different buffer formulation containing PBS, BSA, glycerol, and sodium azide (**ab128913**).

Terms and conditions

• Guarantee only valid for products bought direct from Abcam or one of our authorized distributors