abcam

Product datasheet

Anti-SOX10 antibody [BC34] ab195364

1 Image

Overview

Product name Anti-SOX10 antibody [BC34]

Description Mouse monoclonal [BC34] to SOX10

Host species Mouse

Tested applications
Suitable for: IHC-P
Species reactivity
Reacts with: Human

Immunogen Recombinant fragment corresponding to Human SOX10 (N terminal).

Positive control Human melanoma.

General notesThis product was changed from ascites to tissue culture supernatant on 14/07/17. The following

lots are from ascites and are still in stock as of 14/07/17 - GR300901. Lot numbers higher than GR300901 will be from tissue culture supernatant. Please note that the dilutions may need to be

adjusted accordingly.

The Life Science industry has been in the grips of a reproducibility crisis for a number of years. Abcam is leading the way in addressing this with our range of recombinant monoclonal antibodies and knockout edited cell lines for gold-standard validation. Please check that this product meets

your needs before purchasing.

If you have any questions, special requirements or concerns, please send us an inquiry and/or contact our Support team ahead of purchase. Recommended alternatives for this product can be

found below, along with publications, customer reviews and Q&As

Properties

Form Liquid

Storage instructions Shipped at 4°C. Store at +4°C short term (1-2 weeks). Upon delivery aliquot. Store at -20°C long

term. Avoid freeze / thaw cycle.

Storage buffer Preservative: 0.099% Sodium azide

Constituent: 99% Water

Purity Immunogen affinity purified

Clonality Monoclonal

Clone number BC34

Isotype IgG1

1

Applications


The Abpromise guarantee

Our <u>Abpromise guarantee</u> covers the use of ab195364 in the following tested applications.

The application notes include recommended starting dilutions; optimal dilutions/concentrations should be determined by the end user.

Application	Abreviews	Notes
IHC-P		1/100 - 1/200. Perform heat mediated antigen retrieval before commencing with IHC staining protocol.

Target		
Function	Transcription factor that seems to function synergistically with the POU domain protein TST-1/OCT6/SCIP. Could confer cell specificity to the function of other transcription factors in developing and mature glia.	
Tissue specificity	Expressed in fetal brain and in adult brain, heart, small intestine and colon.	
Involvement in disease	Defects in SOX10 are the cause of Waardenburg syndrome type 2E (WS2E) [MIM:611584]. WS2 is a genetically heterogeneous, autosomal dominant disorder characterized by sensorineural deafness, pigmentary disturbances, and absence of dystopia canthorum. The frequency of deafness is higher in WS2 than in WS1. Defects in SOX10 are a cause of Waardenburg syndrome type 4C (WS4C) [MIM:613266]; also known as Waardenburg-Shah syndrome. WS4C is characterized by the association of Waardenburg features (depigmentation and deafness) and the absence of enteric ganglia in the distal part of the intestine (Hirschsprung disease). Defects in SOX10 are a cause of Yemenite deaf-blind hypopigmentation syndrome (YDBHS) [MIM:601706]. YDBHS consists of cutaneous hypopigmented and hyperpigmented spots and patches, microcornea, coloboma and severe hearing loss. Another case observed in a girl with similar skin symptoms and hearing loss but without microcornea or coloboma is reported as a mild form of this syndrome. Defects in SOX10 are the cause of peripheral demyelinating neuropathy, central dysmyelinating leukodystrophy, Waardenburg syndrome, and Hirschsprung disease (PCWH) [MIM:609136]; also called neurologic variant of Waardenburg-Shah syndrome. PCWH is a rare, complex and more severe neurocristopathy that includes features of 4 distinct syndromes: peripheral demyelinating neuropathy, central dysmyelinating leukodystrophy, Waardenburg syndrome, and Hirschsprung disease.	
Sequence similarities	Contains 1 HMG box DNA-binding domain.	
Cellular localization	Cytoplasm. Nucleus.	



Immunohistochemistry (Formalin/PFA-fixed paraffinembedded sections) - Anti-SOX10 antibody [BC34] (ab195364)

Immunohistochemical analysis of formalin/PFA-fixed paraffinembedded spindle cell melanoma (DAB, left image) and pigmented melanoma (fast red, right image) labeling SOX10 with ab195364 at a 1/100 dilution.

Please note: All products are "FOR RESEARCH USE ONLY. NOT FOR USE IN DIAGNOSTIC PROCEDURES"

Our Abpromise to you: Quality guaranteed and expert technical support

- Replacement or refund for products not performing as stated on the datasheet
- Valid for 12 months from date of delivery
- Response to your inquiry within 24 hours
- We provide support in Chinese, English, French, German, Japanese and Spanish
- Extensive multi-media technical resources to help you
- · We investigate all quality concerns to ensure our products perform to the highest standards

If the product does not perform as described on this datasheet, we will offer a refund or replacement. For full details of the Abpromise, please visit https://www.abcam.com/abpromise or contact our technical team.

Terms and conditions

· Guarantee only valid for products bought direct from Abcam or one of our authorized distributors