abcam

Product datasheet

Anti-T-bet / Tbx21 antibody ab154058

* ★ ★ ★ ★ 1 Abreviews 1 References 2 Images

Overview

Product name Anti-T-bet / Tbx21 antibody

Description Rabbit polyclonal to T-bet / Tbx21

Host species Rabbit

Tested applications Suitable for: WB, IHC-P

Species reactivity Reacts with: Human

Predicted to work with: Mouse, Rat, Cow

Immunogen Recombinant fragment corresponding to a region within amino acids 82-395 of Human T-bet/

Tbx21.

Positive control NT2D1, IMR32 and U87-MG cell lysates; DLD-1 xenograft tissue.

General notes

The Life Science industry has been in the grips of a reproducibility crisis for a number of years.

Abcam is leading the way in addressing this with our range of recombinant monoclonal antibodies and knockout edited cell lines for gold-standard validation. Please check that this product meets

your needs before purchasing.

If you have any questions, special requirements or concerns, please send us an inquiry and/or contact our Support team ahead of purchase. Recommended alternatives for this product can be

found below, along with publications, customer reviews and Q&As

Properties

Form Liquid

Storage instructions Shipped at 4°C. Upon delivery aliquot. Store at -20°C or -80°C. Avoid freeze / thaw cycle.

Storage buffer pH: 7.00

Preservative: 0.01% Thimerosal (merthiolate)

Constituents: 78.99% PBS, 1% BSA, 20% Glycerol (glycerin, glycerine)

Purity Immunogen affinity purified

Clonality Polyclonal

Isotype IgG

Applications

1

The Abpromise guarantee

Our <u>Abpromise guarantee</u> covers the use of ab154058 in the following tested applications.

The application notes include recommended starting dilutions; optimal dilutions/concentrations should be determined by the end user.

Application	Abreviews	Notes
WB		1/500 - 1/3000. Predicted molecular weight: 58 kDa.
IHC-P	★★★★★ (1)	1/100 - 1/1000. Perform heat mediated antigen retrieval before commencing with IHC staining protocol using 10mM Citrate buffer (pH6.0) or Tris-EDTA buffer (pH8.0).

Target

Function	Transcription factor that controls the expression of the TH1 cytokine, interferon-gamma. Initiates	
	TH1 lineage development from naive TH precursor cells both by activating TH1 genetic programs	

and by repressing the opposing TH2 programs.

Tissue specificity T-cell specific.

Involvement in disease Genetic variations in TBX21 are associated with susceptibility to asthma with nasal polyps and


aspirin intolerance (ANPAI) [MIM:208550]. A condition consisting of asthma, aspirin sensitivity and nasal polyposis. Nasal polyposis is due to chronic inflammation of the paranasal sinus

mucosa, leading to protrusion of edematous polyps into the nasal cavities.

Sequence similarities Contains 1 T-box DNA-binding domain.

Cellular localization Nucleus.


Images



Anti-T-bet / Tbx21 antibody (ab154058) at 1/3000 dilution + NT2D1 whole cell lysate at 30 μg

Predicted band size: 58 kDa

7.5% SDS PAGE



Immunohistochemistry (Formalin/PFA-fixed paraffinembedded sections) - Anti-T-bet / Tbx21 antibody (ab154058)

Immunohistochemical analysis of paraffin-embedded DLD-1 xenograft tissue labeling T-bet / Tbx21 with ab154058 at 1/100 dilution.

Please note: All products are "FOR RESEARCH USE ONLY. NOT FOR USE IN DIAGNOSTIC PROCEDURES"

Our Abpromise to you: Quality guaranteed and expert technical support

- Replacement or refund for products not performing as stated on the datasheet
- · Valid for 12 months from date of delivery
- Response to your inquiry within 24 hours
- We provide support in Chinese, English, French, German, Japanese and Spanish
- Extensive multi-media technical resources to help you
- We investigate all quality concerns to ensure our products perform to the highest standards

If the product does not perform as described on this datasheet, we will offer a refund or replacement. For full details of the Abpromise, please visit https://www.abcam.com/abpromise or contact our technical team.

Terms and conditions

• Guarantee only valid for products bought direct from Abcam or one of our authorized distributors