

### Anti-TAF11 antibody ab64066

[1 Image](#)

#### Overview

<b>Product name</b>	Anti-TAF11 antibody
<b>Description</b>	Rabbit polyclonal to TAF11
<b>Host species</b>	Rabbit
<b>Tested applications</b>	<b>Suitable for:</b> WB
<b>Species reactivity</b>	<b>Reacts with:</b> <i>Saccharomyces cerevisiae</i>
<b>Immunogen</b>	Recombinant fragment (aa1-176) corresponding to the N-terminal domain of TAF11 protein from budding yeast.
<b>Positive control</b>	Extract of budding yeast
<b>General notes</b>	<p>The Life Science industry has been in the grips of a reproducibility crisis for a number of years. Abcam is leading the way in addressing this with our range of recombinant monoclonal antibodies and knockout edited cell lines for gold-standard validation. Please check that this product meets your needs before purchasing.</p> <p>If you have any questions, special requirements or concerns, please send us an inquiry and/or contact our Support team ahead of purchase. Recommended alternatives for this product can be found below, along with publications, customer reviews and Q&amp;As</p>

#### Properties

<b>Form</b>	Liquid
<b>Storage instructions</b>	Shipped at 4°C. Store at +4°C short term (1-2 weeks). Store at -20°C or -80°C. Avoid freeze / thaw cycle.
<b>Storage buffer</b>	pH: 6 Preservative: 0.1% Sodium azide
<b>Purity</b>	Whole antiserum
<b>Purification notes</b>	ab64066 was purified by chromatography
<b>Clonality</b>	Polyclonal
<b>Isotype</b>	IgG

#### Applications

## The Abpromise guarantee

Our **Abpromise guarantee** covers the use of ab64066 in the following tested applications.


The application notes include recommended starting dilutions; optimal dilutions/concentrations should be determined by the end user.

Application	Abreviews	Notes
WB		1/5000. Detects a band of approximately 45 kDa (predicted molecular weight: 40 kDa).

## Target

Function	Core TAFII present in both of the previously described TFIIID species which either lack or contain TAFII30 (TFIIID alpha and TFIIID beta respectively).
Sequence similarities	Belongs to the TAF11 family.
Domain	TBP and TAFII18 bind to distinct domains of TAFII28.
Post-translational modifications	Phosphorylated upon DNA damage, probably by ATM or ATR.
Cellular localization	Nucleus.

## Images



Anti-TAF11 antibody (ab64066) at 1/5000 dilution + Extract of budding yeast.

**Predicted band size:** 40 kDa

**Observed band size:** 45 kDa

**Additional bands at:** 28 kDa, 55 kDa, 60 kDa. We are unsure as to the identity of these extra bands.

**Please note:** All products are "FOR RESEARCH USE ONLY. NOT FOR USE IN DIAGNOSTIC PROCEDURES"

## Our Abpromise to you: Quality guaranteed and expert technical support

- Replacement or refund for products not performing as stated on the datasheet
- Valid for 12 months from date of delivery
- Response to your inquiry within 24 hours
- We provide support in Chinese, English, French, German, Japanese and Spanish
- Extensive multi-media technical resources to help you
- We investigate all quality concerns to ensure our products perform to the highest standards

If the product does not perform as described on this datasheet, we will offer a refund or replacement. For full details of the Abpromise,

please visit <https://www.abcam.com/abpromise> or contact our technical team.

#### **Terms and conditions**

---

- Guarantee only valid for products bought direct from Abcam or one of our authorized distributors