# abcam

## Product datasheet

## Anti-TBC1D2B antibody ab185102

### 2 Images

#### Overview

Product name Anti-TBC1D2B antibody

**Description** Rabbit polyclonal to TBC1D2B

Host species Rabbit

Tested applications Suitable for: WB, IHC-P

Species reactivity Reacts with: Human

**Immunogen** Recombinant fragment corresponding to Human TBC1D2B aa 250-400 (internal sequence).

Database link: **Q9UPU7** 

Run BLAST with
Run BLAST with

**Positive control** Human hippocampus tissue; RT-4 and U-251 MG sp cell lysates.

General notes

The Life Science industry has been in the grips of a reproducibility crisis for a number of years.

Abcam is leading the way in addressing this with our range of recombinant monoclonal antibodies and knockout edited cell lines for gold-standard validation. Please check that this product meets

your needs before purchasing.

If you have any questions, special requirements or concerns, please send us an inquiry and/or contact our Support team ahead of purchase. Recommended alternatives for this product can be

found below, along with publications, customer reviews and Q&As

#### **Properties**

Form Liquid

**Storage instructions** Shipped at 4°C. Store at +4°C short term (1-2 weeks). Upon delivery aliquot. Store at -20°C long

term. Avoid freeze / thaw cycle.

Storage buffer pH: 7.20

Preservative: 0.02% Sodium azide

Constituents: 59% PBS, 40% Glycerol (glycerin, glycerine)

Purity Immunogen affinity purified

**Clonality** Polyclonal

**Isotype** IgG

#### **Applications**

1

#### The Abpromise guarantee

Our <u>Abpromise guarantee</u> covers the use of ab185102 in the following tested applications.

The application notes include recommended starting dilutions; optimal dilutions/concentrations should be determined by the end user.

Application	Abreviews	Notes
WB		Use a concentration of 0.04 - 0.4 µg/ml. Predicted molecular weight: 110 kDa.
IHC-P		1/50 - 1/200. Perform heat mediated antigen retrieval with citrate buffer pH 6 before commencing with IHC staining protocol


## **Target**

**Function** May act as a GTPase-activating protein.

Sequence similarities Contains 1 PH domain.

Contains 1 Rab-GAP TBC domain.

## **Images**




All lanes: Anti-TBC1D2B antibody (ab185102) at 1/100 dilution

Lane 1: RT-4 cell lysate

Lane 2: U-251 MG sp cell lysate

Predicted band size: 110 kDa



Immunohistochemistry (Formalin/PFA-fixed paraffinembedded sections) - Anti-TBC1D2B antibody (ab185102)

Immunohistochemical analysis of paraffin-embedded Human hippocampus tissue, labeling TBC1D2B using ab185102 at a 1/50 dilution.

Please note: All products are "FOR RESEARCH USE ONLY. NOT FOR USE IN DIAGNOSTIC PROCEDURES"

#### Our Abpromise to you: Quality guaranteed and expert technical support

- · Replacement or refund for products not performing as stated on the datasheet
- Valid for 12 months from date of delivery
- Response to your inquiry within 24 hours
- We provide support in Chinese, English, French, German, Japanese and Spanish
- Extensive multi-media technical resources to help you
- We investigate all quality concerns to ensure our products perform to the highest standards

If the product does not perform as described on this datasheet, we will offer a refund or replacement. For full details of the Abpromise, please visit <a href="https://www.abcam.com/abpromise">https://www.abcam.com/abpromise</a> or contact our technical team.

#### Terms and conditions

· Guarantee only valid for products bought direct from Abcam or one of our authorized distributors