abcam

Product datasheet

Anti-TIAL1 antibody [EPR11323(B)] ab169547



Recombinant RabMAb

6 Images

Overview

Product name Anti-TIAL1 antibody [EPR11323(B)]

Description Rabbit monoclonal [EPR11323(B)] to TIAL1

Host species Rabbit

Suitable for: Flow Cyt (Intra), WB, IHC-P **Tested applications**

Unsuitable for: ICC/IF or IP

Reacts with: Human Species reactivity

Predicted to work with: Mouse, Rat

Immunogen Synthetic peptide corresponding to Human TIAL1.

Positive control WB: HeLa, Jurkat and K562 cell lysates. IHC-P: Human breast and ovarian carcinoma tissues.

Flow Cyt (intra): K562 cells.

General notes This product is a recombinant monoclonal antibody, which offers several advantages including:

- High batch-to-batch consistency and reproducibility

- Improved sensitivity and specificity - Long-term security of supply - Animal-free production

For more information see here.

Our RabMAb® technology is a patented hybridoma-based technology for making rabbit monoclonal antibodies. For details on our patents, please refer to **RabMAb**® **patents**.

Properties

Form Liquid

Storage instructions Shipped at 4°C. Store at +4°C short term (1-2 weeks). Upon delivery aliquot. Store at -20°C long

term.

Storage buffer pH: 7.2

Preservative: 0.01% Sodium azide

Constituents: 9% PBS, 40% Glycerol (glycerin, glycerine), 0.05% BSA, 50% Tissue culture

supernatant

Purity Protein A purified

Clonality Monoclonal

Clone number EPR11323(B)

Isotype IgG

Applications

The Abpromise guarantee

Our <u>Abpromise guarantee</u> covers the use of ab169547 in the following tested applications.

The application notes include recommended starting dilutions; optimal dilutions/concentrations should be determined by the end user.

Application	Abreviews	Notes
Flow Cyt (Intra)		1/100 - 1/500. ab172730 - Rabbit monoclonal lgG, is suitable for use as an isotype control with this antibody.
WB		1/1000 - 1/5000. Predicted molecular weight: 41 kDa.
IHC-P		1/50 - 1/100. Perform heat mediated antigen retrieval with citrate buffer pH 6 before commencing with IHC staining protocol.

Application notes Is unsuitable for ICC/IF or IP.

-	_		
	2	ra	nt
	а	ıu	CL

Function RNA-binding protein. Possesses nucleolytic activity against cytotoxic lymphocyte target cells. May

be involved in apoptosis.

Sequence similarities Contains 3 RRM (RNA recognition motif) domains.

Post-translational modifications


Phosphorylated by MAPK14 following DNA damage, releasing TIAR from GADD45A mRNA.

Cellular localization

Cytoplasm. Nucleus. Cytoplasmic granule. The cytoplasmic granules are stress granules which are a dense aggregation in the cytosol composed of proteins and RNAs that appear when the cell is under stress. Colocalizes with NANOS3 in the stress granules (By similarity). Cytoplasmic

granules of cytolytic T-lymphocytes.

Images



Western blot - Anti-TIAL1 antibody [EPR11323(B)] (ab169547)

All lanes : Anti-TIAL1 antibody [EPR11323(B)] (ab169547) at 1/1000 dilution

Lane 1: Wild-type HeLa cell lysate

Lane 2: TIAL1 knockout HeLa cell lysate

Lane 3 : Jurkat cell lysate
Lane 4 : K-562 cell lysate

Lysates/proteins at 20 µg per lane.


Secondary

All lanes : Goat anti-Rabbit lgG H&L (IRDye® 800CW) preadsorbed (<u>ab216773</u>) at 1/10000 dilution

Predicted band size: 41 kDa Observed band size: 49 kDa

Lanes 1-4: Merged signal (red and green). Green - ab169547 observed at 49 kDa. Red - loading control **ab8245** observed at 36 kDa.


ab169547 Anti-TIAL1 antibody [EPR11323(B)] was shown to specifically react with TIAL1 in wild-type HeLa cells. Loss of signal was observed when knockout cell line ab265793 (knockout cell lysate ab257743) was used. Wild-type and TIAL1 knockout samples were subjected to SDS-PAGE. ab169547 and Anti-GAPDH antibody [6C5] - Loading Control (ab8245) were incubated overnight at 4°C at 1 in 1000 dilution and 1 in 20000 dilution respectively. Blots were developed with Goat anti-Rabbit lgG H&L (IRDye® 800CW) preadsorbed (ab216773) and Goat anti-Mouse lgG H&L (IRDye® 680RD) preadsorbed (ab216776) secondary antibodies at 1 in 20000 dilution for 1 hour at room temperature before imaging.



Immunohistochemistry (Formalin/PFA-fixed paraffinembedded sections) - Anti-TIAL1 antibody
[EPR11323(B)] (ab169547)

Immunohistochemical analysis of paraffin-embedded Human ovarian carcinoma tissue labeling TIAL1 with ab169547 at 1/50 dilution.


Perform heat mediated antigen retrieval with citrate buffer pH 6 before commencing with IHC staining protocol.



Immunohistochemistry (Formalin/PFA-fixed paraffinembedded sections) - Anti-TIAL1 antibody
[EPR11323(B)] (ab169547)


Immunohistochemical analysis of paraffin-embedded Human breast tissue labeling TIAL1 with ab169547 at 1/50 dilution.

Perform heat mediated antigen retrieval with citrate buffer pH 6 before commencing with IHC staining protocol.



Flow Cytometry (Intracellular) - Anti-TIAL1 antibody [EPR11323(B)] (ab169547)

Intracellular flow cytometric analysis of permeabilized K562 cells labeling TIAL1 with ab169547 at 1/100 dilution (red) compared to a rabbit lgG negative control (green).



All lanes : Anti-TIAL1 antibody [EPR11323(B)] (ab169547) at 1/1000 dilution


Lane 1 : HeLa cell lysate
Lane 2 : Jurkat cell lysate
Lane 3 : K562 cell lysate

Lysates/proteins at 10 µg per lane.

Secondary

All lanes: HRP labeled goat anti-rabbit at 1/2000 dilution

Predicted band size: 41 kDa



Please note: All products are "FOR RESEARCH USE ONLY. NOT FOR USE IN DIAGNOSTIC PROCEDURES"

Our Abpromise to you: Quality guaranteed and expert technical support

- · Replacement or refund for products not performing as stated on the datasheet
- Valid for 12 months from date of delivery
- Response to your inquiry within 24 hours
- We provide support in Chinese, English, French, German, Japanese and Spanish
- Extensive multi-media technical resources to help you
- We investigate all quality concerns to ensure our products perform to the highest standards

If the product does not perform as described on this datasheet, we will offer a refund or replacement. For full details of the Abpromise, please visit https://www.abcam.com/abpromise or contact our technical team.

Terms and conditions

• Guarantee only valid for products bought direct from Abcam or one of our authorized distributors