

# Anti-TRIM30/Rpt1 antibody ab76953

[2 References](#) [2 Images](#)

## Overview

<b>Product name</b>	Anti-TRIM30/Rpt1 antibody
<b>Description</b>	Rabbit polyclonal to TRIM30/Rpt1
<b>Host species</b>	Rabbit
<b>Tested applications</b>	<b>Suitable for:</b> WB, IHC-P
<b>Species reactivity</b>	<b>Reacts with:</b> Mouse
<b>Immunogen</b>	Synthetic peptide corresponding to Mouse TRIM30/Rpt1 (N terminal). NP_033125 Database link: <a href="#">P15533</a>
<b>Positive control</b>	WB: Mouse Heart tissue IHC: Mouse Ovary tissue
<b>General notes</b>	<p>The Life Science industry has been in the grips of a reproducibility crisis for a number of years. Abcam is leading the way in addressing this with our range of recombinant monoclonal antibodies and knockout edited cell lines for gold-standard validation. Please check that this product meets your needs before purchasing.</p> <p>If you have any questions, special requirements or concerns, please send us an inquiry and/or contact our Support team ahead of purchase. Recommended alternatives for this product can be found below, along with publications, customer reviews and Q&amp;As</p>

## Properties

<b>Form</b>	Liquid
<b>Storage instructions</b>	Shipped at 4°C. Store at +4°C.
<b>Storage buffer</b>	pH: 7.2 Preservative: 0.02% Sodium azide Constituent: PBS
<b>Purity</b>	Immunogen affinity purified
<b>Clonality</b>	Polyclonal
<b>Isotype</b>	IgG

## Applications

**The Abpromise guarantee** Our [Abpromise guarantee](#) covers the use of ab76953 in the following tested applications.

The application notes include recommended starting dilutions; optimal dilutions/concentrations should be determined by the end user.


Application	Abreviews	Notes
WB		Use a concentration of 1 - 2 µg/ml. Predicted molecular weight: 57 kDa.
IHC-P		Use a concentration of 10 µg/ml.

## Target

**Relevance** Trans acting factor that regulates gene expression of interleukin 2 receptor alpha chain and of human immunodeficiency virus type 1. May affect IL2R alpha and HIV 1 expression through cis acting negative regulatory elements or through competition with proteins that bind to enhancer or activator sequences.

**Cellular localization** Nuclear

## Images



**Lane 1 :** Anti-TRIM30/Rpt1 antibody (ab76953) at 1 µg/ml

**Lane 2 :** Anti-TRIM30/Rpt1 antibody (ab76953) at 2 µg/ml

**All lanes :** Mouse heart tissue lysate

**Predicted band size:** 57 kDa



ab76953 at 10 µg/ml staining TRIM30/Rpt1 in mouse ovary tissue section by Immunohistochemistry (Formalin/ PFA fixed paraffin-embedded tissue sections).

**Please note:** All products are "FOR RESEARCH USE ONLY. NOT FOR USE IN DIAGNOSTIC PROCEDURES"

### **Our Abpromise to you: Quality guaranteed and expert technical support**

---

- Replacement or refund for products not performing as stated on the datasheet
- Valid for 12 months from date of delivery
- Response to your inquiry within 24 hours
  
- We provide support in Chinese, English, French, German, Japanese and Spanish
- Extensive multi-media technical resources to help you
- We investigate all quality concerns to ensure our products perform to the highest standards

If the product does not perform as described on this datasheet, we will offer a refund or replacement. For full details of the Abpromise, please visit <https://www.abcam.com/abpromise> or contact our technical team.

### **Terms and conditions**

---

- Guarantee only valid for products bought direct from Abcam or one of our authorized distributors